


REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
B4	X1	DIMENS 4 1/4 WAS 4				
2B 2C	X2	DIMS 2 1/2 WAS 3 3/16 & 3" WAS 2 3/8	7-17-74		CL	
	X3	DIM 11 1/16 WAS 11 7/16				
	X4	TWO "D" HOLES DELETED 4 "F" HOLES ADDED ON HOLES CHART A & E HOLES DEL	12-6-74			
C3	X5	TWO F HOLES CHANGED TO E.	1-30-75		F.I.	
	Ø	ORIGINAL RELEASE FOR PRODUCTION	3-13-75		CL	



HOLES	DESCRIPTION	REQD
A	1/4 DIA	4
B	.191-.194	6
C	.221-.224 DIA	4
D	13/64 DIA	4
E	.144 DIA, CNK 82° DIA.	2
F	11/64 DIA	4
G	.250-.254 DIA	3

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
3	3	NT129-1032-4	NUT, PLAIN ROUND	G
6	2	NT129 0632-4	NUT, PLAIN ROUND	B
4	1	NT129 0832-4	NUT, PLAIN ROUND	C

LIST OF MATERIAL				
FINAL APPROVAL <i>FB</i>		DATE 3/13/75		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK
MECH. DES. F. IANNUZZI		DATE 12-13-74		
ELECT. DES.		DATE 1		
CHECKED F. IANNUZZI		DATE 12-14-74		PLATE, LEFT
DRAWN <i>G de la...</i>		DATE 5-6-74		
MATERIAL .064 THK ALUM 5052-H32			SIZE C	CODE IDENT. NO. 82679
FINISH S404 YEL IRIDITE			DWG NO. MS 6539	ISSUE Ø
SCALE 1:2			SHEET OF	

- UNLESS OTHERWISE SPECIFIED:
1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
  2. ALL ANGULAR BENDS 90 DEGREES.
  3. REMOVE ALL BURRS AND SHARP EDGES.
  4. MOUNT INSERTS AFTER FINISHING.

QTY / UNIT	MODEL USED ON	ASS'Y NO.
1	TMA-1K	BMA-520
APPLICATION		
CODE		

NOTICE TO PERSONS RECEIVING THIS DRAWING  
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.