



UNLESS OTHERWISE SPECIFIED:
 1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
 2. ALL ANGULAR BENDS 90 DEGREES.
 3. REMOVE ALL BURRS AND SHARP EDGES.

FINISH NOTES:
 1. S904 - IRIDITE 14-2 AL-COAT.
 2. S114 - ZINC CHROMATE PRIMER FRONT AND EDGES ONLY
 OR
 3. S115 - SMOOTH GRAY ENAMEL
 PRIME AND PAINT PER CUSTOMER'S SPECIFICATIONS



MARK TMC PART NUMBER
 1/8 HIGH GOTHIC WITH LATEST
 REVISION LETTER ON REAR OF PANEL

HOLES	DESCRIPTION	REQD
A	11/64 DIA	4
B	1" DIA	1

LIST OF MATERIAL		DATE	5/27/75	MECH. DES.	S.R.
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		DATE		ELECT. DES.	
FRONT PANEL AC		DATE		CHECKED	
SIZE CODE IDENT NO DWG NO.		DATE	6-13-74	DRAWN	G. DiMuro
D	82679	SCALE 1:1			
MS 6580		SHEET 1 OF 1			

QTY / UNIT	1	ASS'Y NO.	
MODEL USED ON	GPTA 1K-J		
APPLICATION			
CODE			
MATERIAL 1/8 THK ALUM 5052-H32			
FINISH AS NOTED			

UNLESS OTHERWISE SPECIFIED
 DIMENSIONS ARE IN INCHES
 AND INCLUDE CHEMICALLY APPLIED
 OR PLATED FINISHES

TOLERANCES ON
 DECIMALS
 X ± .05
 XX ± .01
 XXX ± .005

ANGLES
 X ± 1/64
 ± 0° .30'

FRACCTIONS

NOTICE TO PERSONS RECEIVING THIS DRAWING
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein.
 This drawing is issued in confidence for engineering information only and may not be reproduced or used
 to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION

REVISIONS	DESCRIPTION	DATE	APPROVED
Q	EXP. RELEASE		
Ø	ORIGINAL RELEASE FOR PRODUCTION	9/9/75	

MS6580