


REVISIONS							
EM.N. NO.	DRAFT	CHKD	ZONE	LTR	DESCRIPTION	DATE	APPROVED
	Ch				ORIGINAL RELEASE FOR PRODUCTION	3/4/75	



4 Holes 9/64 DIA

UNLESS OTHERWISE SPECIFIED:
 1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
 2. ALL ANGULAR BENDS 90 DEGREES.
 3. REMOVE ALL BURRS AND SHARP EDGES.
 4. MOUNT INSERTS AFTER FINISHING.

QTY / UNIT	1	MODEL USED ON	KIT 403	ASS'Y NO.	A 5619								
APPLICATION													
CODE													
<p>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES</p> <table border="1"> <tr> <td>DECIMALS</td> <td>FRACTIONS</td> </tr> <tr> <td>.X ± .05</td> <td>1/64</td> </tr> <tr> <td>.XX ± .01</td> <td>ANGLES</td> </tr> <tr> <td>.XXX ± .005</td> <td>90° - 30'</td> </tr> </table>						DECIMALS	FRACTIONS	.X ± .05	1/64	.XX ± .01	ANGLES	.XXX ± .005	90° - 30'
DECIMALS	FRACTIONS												
.X ± .05	1/64												
.XX ± .01	ANGLES												
.XXX ± .005	90° - 30'												
<p>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES</p> <table border="1"> <tr> <td>FINISH</td> <td>PLUM</td> <td>YEL</td> <td>IRIDITE</td> </tr> </table>						FINISH	PLUM	YEL	IRIDITE				
FINISH	PLUM	YEL	IRIDITE										
REQ'D ITEM	PART NUMBER	DESCRIPTION	SYM.										
<p>LIST OF MATERIAL</p> <p>THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK</p> <p>BRACKET, Relay Support</p>													
FINAL APPROVAL	MECH. DES.	DATE	DATE										
Elect. DES.	CHECKED	DATE	DATE										
DRAWN	DATE	DATE	DATE										
<p>SIZE CODE IDENT. NO. DWG NO. ISSUE</p> <p>B 82679 M56608 0</p>													
<p>SCALE SHEET OF</p>													

NOTICE TO PERSONS RECEIVING THIS DRAWING
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.