


REVISIONS					
E.M.N.O	DRAFT	CHKD	ZONE	LTR	
	JAC				
DESCRIPTION				DATE	APPROVED
ORIGINAL RELEASE FOR PRODUCTION				1-7-80	SD



MARK TMC PART NUMBER
1/8 HIGH GOTHIC WITH LATEST
REVISION LETTER ON REAR OF PANEL

HOLE	QTY.	DESCRIPTION
A	40	DRILL .144 CSK 82° TO .284
B	9	.221 - .224 DIA.
C	4	.250 - .254 DIA.
D	4	1/8 DIA.

UNLESS OTHERWISE SPECIFIED:
1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
2. ALL ANGULAR BENDS 90 DEGREES.
3. REMOVE ALL BURRS AND SHARP EDGES.
4. MOUNT INSERTS AFTER FINISHING.

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
4	2	NT129-1032-4	NUT, ROUND	
9	1	NT129-832-4	NUT, ROUND	

LIST OF MATERIAL					
FINAL APPROVAL	DATE	<p align="center">THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK</p> <p align="center">CHASSIS, WRAP-AROUND</p>			
MECH. DES.	DATE				
ELECT. DES.	DATE				
CHECKED	DATE				
DRAWN	DATE				
PH	10-11-77	SIZE	CODE IDENT NO.	DWG NO.	ISSUE
		D	82679	MSG854	1
SCALE 1/2 FULL				SHEET OF	

QTY / UNIT	MODEL USED ON	ASS'Y NO.
1	RCST-1	AX5224
1	RCST-1	AX5225
APPLICATION		
CODE		
<small>NOTICE TO PERSONS RECEIVING THIS DRAWING</small> <small>THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.</small>		

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES ON
 DECIMALS ± .05
 FRACTIONS ± 1/64
 ANGLES ± 0° - 30'
 MATERIAL .080 THK ALUM 5052-H32
 FINISH S404 IRIDITE