


| REVISIONS |     |             |      |          |       |           |
|-----------|-----|-------------|------|----------|-------|-----------|
| ZONE      | LTR | DESCRIPTION | DATE | E.M.N.NO | DRAFT | CHKD APPD |
|           |     |             |      |          |       |           |



| HOLES                | REQ |
|----------------------|-----|
| A — 13/64 DIA        | 4   |
| B — .191 - .194 DIA  | 6   |
| C — .221 - .224 DIA  | 4   |
| D — .250 - .254 DIA  | 3   |
| E — 9/64 DIA         | 3   |
| F — 11/64 X 1/4 SLOT | 2   |
| G — 3/16 DIA         |     |

| QTY. REQ. | ITEM | PART NO.     | DESCRIPTION | SYMBOL |
|-----------|------|--------------|-------------|--------|
| 3         | 3    | NT129-1032-4 | NUT, ROUND  |        |
| 6         | 2    | NT129-632-4  | NUT, ROUND  |        |
| 4         | 1    | NT129-0832-4 | NUT, ROUND  |        |

| LIST OF MATERIAL                |          |   |                 |         |       |
|---------------------------------|----------|---|-----------------|---------|-------|
| FINAL APPROVAL                  | DATE     | <b>THE TECHNICAL MATERIEL CORP.</b><br>MAMARONECK, NEW YORK<br><br><b>PLATE, RIGHT SIDE</b><br><b>(PWR. SUPPLY)</b> |                 |         |       |
| MECH. DES.                      | DATE     |   |                 |         |       |
| ELECT. DES.                     | DATE     |   |                 |         |       |
| CHECKED                         | DATE     |   |                 |         |       |
| DRAWN                           | DATE     | SIZE  | CODE IDENT. NO. | DWG NO. | ISSUE |
| G.D.L.                          | 10-25-80 | C   | 82679           | MS 7045 |       |
| MATERIAL .081 THK ALUM 5052-H32 |          | SCALE   | 1/2             | SHEET   | OF    |
| FINISH S404 YEL. IRIDITE        |          |   |                 |         |       |

UNLESS OTHERWISE SPECIFIED:

1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
2. ALL ANGULAR BENDS 90 DEGREES.
3. REMOVE ALL BURRS AND SHARP EDGES.
4. MOUNT INSERTS AFTER FINISHING.

| 1           | GPT-1K/CB     |           |
|-------------|---------------|-----------|
| QTY / UNIT  | MODEL USED ON | ASS'Y NO. |
|             |               |           |
| APPLICATION |               |           |
|             | CODE          |           |

NOTICE TO PERSONS RECEIVING THIS DRAWING  
**THE TECHNICAL MATERIEL CORPORATION** claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from **THE TECHNICAL MATERIEL CORPORATION** to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES ON  
DECIMALS      FRACTIONS  
.X ± .05      ± 1/64  
.XX ± .01      ANGLES  
.XXX ± .005      ± 0° -30°

MARK TMC P/NO 1/8 HIGH GOTHIC W/LATEST REV. LETTER