


| REQ. PER UNIT | USED ON      |            |          |
|---------------|--------------|------------|----------|
|               | MODEL        | ASS'Y. NO. | DATE     |
| 2             | TER-3500     | A-1145     | 11-25-55 |
| 2             | TER-500      | A-1340     | 8-21-56  |
| 2             | TER-3500-70  | A-1471     | 10-23-57 |
| 2             | TER500-70    | A-1476     | 10-23-57 |
| 2             | TER-3500-300 | A-2053     | 2-8-61   |

MS-766 C



| REQ. ITEM         | PART NO.   | DESCRIPTION   | SYMBOL |                    |        |                   |           |                 |   |             |     |                |  |
|-------------------|------------|---|--------|--------------------|--------|-------------------|-----------|-----------------|---|-------------|-----|----------------|--|
| C                 | .064       | THE TECHNICAL MATERIEL CORP.<br>MAMARONECK, NEW YORK<br>GUSSET, RES. BRACKET<br>TER SERIES        | C      |                    |        |                   |           |                 |   |             |     |                |  |
| B                 | STOCK SIZE |   |        |                    |        |                   |           |                 |   |             |     |                |  |
| A                 | ALUMINUM   |   |        |                    |        |                   |           |                 |   |             |     |                |  |
| MATERIAL          |            |   |        |                    |        |                   |           |                 |   |             |     |                |  |
| ISSUE             | ITEM       | CHANGED FROM  | DATE   | CH. NO.            | DRAFTS | CHECKER           | ENG. APP. | 525-H32         | # | 13 11-25-57 | JND | ARB            |  |
| TOLERANCES        |            | SCALE:  |        | TYPE & TEMPER      |        | HEAT TREAT. SPEC. |           | DRAWN           |   | CHECKED     |     | FINAL APPROVAL |  |
| DEC. DIM. ±       |            | MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. |        | 5404-IRIDITE       |        | ARB               |           | VDC             |   | MS-766      |     | C              |  |
| FRAC. DIM. ± 1/64 |            | REMOVE ALL BURRS AND SHARP EDGES  |        | FINISH & SPEC. NO. |        | ELEC. DES. APP.   |           | MECH. DES. APP. |   |             |     |                |  |
| ANGULAR DIM. ±    |            |   |        |                    |        |                   |           |                 |   |             |     |                |  |