


REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
1	RTF		2-23-56
1	PMO-1,2		5-16-56
1	VOX-1,2		11
1	RTF-2	M/O	11-10-58
1	CHG-2-OVEN		8-11-61

MS-900 B



BLANK SIZE
 $3 \frac{1}{16} \times \frac{1}{4}$

REF - A-1236

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL				
B	1	$3 \frac{1}{16}$ was $2 \frac{9}{16}$ VBD was $\frac{9}{64}D$	$\frac{2}{15}/57$	2	HA	HA	MO			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	SPRING, STRAP, THERMOSTAT				
A	4	SLOTS were $\frac{5}{32} \times \frac{5}{16}$		1				.012	STOCK SIZE						
	3	.012 was .021						PHOS. BRONZE	MATERIAL						
	2	$2 \frac{9}{16}$ was $2 \frac{5}{16}$	$\frac{3}{20}/51$	1	B	HA	HA		GRADE A						
	1	$\frac{1}{2}$ was $\frac{9}{16}$ $\frac{7}{32}$ was $\frac{1}{4}$							—H	B 2-23-56	HA				
TOLERANCES			SCALE:					TYPE & TEMPER		HEAT TREAT. SPEC.					
DEC. DIM. \pm			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES					S-105		CAD. PLATE					
FRAC. DIM. $\pm \frac{1}{32}$								FINISH & SPEC. NO.		ELEC. DES. APP.		MECH. DES. APP.		MS-900 B	
ANGULAR DIM. $\pm 2^\circ$															