


THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT	USED ON			NP-475   A
	MODEL	ASS'Y. NO.	DATE	
1	AP-104	GPT-401K	5-3-62	



FINISH:  
 REVERSE ETCH, ANODIZE ON LUSTERLESS  
**BLACK** BACKGROUND (TYPE 37038 )  
 PER FED. STD. NO. 595  
 COLORLESS VARNISH PER MIL-V-6894

MINIMUM LETTER SIZE - 3/64 HIGH

APPLICABLE ORDER AND SERIAL NUMBER  
 WILL BE STEEL STAMPED BY T M C.  
 OR  
 WHERE PURCHASING REQUIREMENT IS  
 SUFFICIENTLY LARGE, ORDER NUMBER  
 SHALL BE ETCHED BY VENDOR IN LIEU  
 OF ORDER NUMBER BLOCK (SEE CHART  
 FOR PROPER NUMBER).

TMC NO.	ORDER NO. BLOCK	ORDER NO. (ETCHED BY VENDOR)
NP-475-1	5/32 X 1-1/8 Block	No Order Number
NP-475-2	No Block	18002-PP-62

NAMEPLATE TO BE IN ACCORDANCE WITH  
 MIL-STD-130 AND MIL-M-13231A  
 (REF: SIGNAL CORPS)

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
		.032	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
		ALUMINUM	NAMEPLATE, IDENTIFICATION	
		250	MODEL AP-104	
		SEE NOTE	P.S. <i>File</i> DRAWN <i>File</i> CHECKED <i>File</i> FINAL APPROVAL <i>File</i>	
		FINISH & SPEC. NO.	ELEC. DES. APP. MECH. DES. APP.	NP-475   A

UNLESS OTHERWISE SPECIFIED:  
 DIMENSIONS ARE IN INCHES  
 TOLERANCES ON  
 FRAC. ± 1/64 DEC. ± .005 ANGLES ± 1/2°

SCALE:  
 MAXIMUM ALLOWABLE TOLERANCES HAVE  
 BEEN DETERMINED AND ANY DEVIATIONS  
 WILL BE CAUSE FOR REJECTION.  
 REMOVE ALL BURRS AND SHARP EDGES