

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT

USED ON

MODEL

ASS'Y. NO.


DATE

RAC-32

3-2-62

NP-451

B



FINISH:
REVERSE ETCH ANODIZE ON LUSTERLESS
BLACK BACKGROUND (37038)
PER FED. STD. NO. 595
COLORLESS VARNISH PER MIL-V-6894

MINIMUM LETTER SIZE - 3/64 HIGH

APPLICABLE ORDER NUMBER AND SERIAL
NUMBER WILL BE STEEL STAMPED BY
TMC OR
WHERE PURCHASING REQUIREMENT IS
SUFFICIENTLY LARGE, ORDER NUMBER
SHALL BE ETCHED BY VENDOR IN LIEU
OF BLOCK. SEE CHART.

TMC PART NO.	ORDER NO. BLOCK	ORDER NO. (ETCHED BY VENDOR)
NP-451-1	5/32 x 1-1/8 BLOCK	NO ORDER NUMBER
NP-451-2	NO BLOCK	15060-PP-62

NAMEPLATE TO BE IN ACCORDANCE WITH
MIL-STD-130 AND MIL-M-13231A
(REF: SIGNAL CORPS)

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
			.032 THICK	
			STOCK SIZE	
B	MAM'K, N.Y DELETED ON PICTORIAL	72864 11955	ALUMINUM	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK
A	CHART, BLOCK DIM. ADDED 37038 WAS 3727 SPEC WAS 595 ORDER NO. ADDED.	5-29-62 6696	MATERIAL	IDENTIFICATION PLATE
SYM	DESCRIPTION	DATE	CH. NO.	MODEL RAC-32 (CU-836/U)
			DRAFTS	250
			CHECKER	TYPE & TEMPER
			ENG. APP.	HEAT TREAT. SPEC.
UNLESS OTHERWISE SPECIFIED:		SCALE:		
DIMENSIONS ARE IN INCHES		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.		
TOLERANCES ON		REMOVE ALL BURRS AND SHARP EDGES		
FRAC. ± 1/64 DEC. ± .005 ANGLES ± 1/2°				
			DRAWN	FINISH & SPEC. NO.
			CHECKED	ELEC. DES. APP.
			FINAL APPROVAL	MECH. DES. APP.
			NP-451	
			B	