


THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT	USED ON		NP-457   A
	MODEL	ASS'Y. NO.	
1	MCP-2		5-3-62



**FINISH:**  
 REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. NO. 595  
 COLORLESS VARNISH PER MIL-V-6894

MINIMUM LETTER SIZE - 3/64 HIGH

APPLICABLE ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY T M C. OR WHERE PURCHASING REQUIREMENT IS SUFFICIENTLY LARGE, ORDER NUMBER SHALL BE ETCHED BY VENDOR IN LIEU OF ORDER NUMBER BLOCK (SEE CHART FOR PROPER NUMBER).

TMC NO.	ORDER NO. BLOCK	ORDER NO. (ETCHED BY VENDOR)
NP-457-1	1/8 X 1-1/8 Block	No Order Number
NP-457-2	No Block	18002-PP-62

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231A (REF: SIGNAL CORPS)

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
		.032	THE TECHNICAL MATERIEL CORP.	
		STOCK SIZE	MAMARONECK, NEW YORK	
		ALUMINUM	NAMEPLATE, IDENTIFICATION	
		MATERIAL	MODEL MCP-2	
A	HAMIK, N.Y. DELETED ON PICTORIAL	7-2864 11955		
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS
			CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED:		SCALE:		
DIMENSIONS ARE IN INCHES		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.		
TOLERANCES ON		REMOVE ALL BURRS AND SHARP EDGES		
FRAC. ± 1/64 DEC. ± .005 ANGLES ± 1/2°				
	250		GG	
	TYPE & TEMPER	HEATTREAT. SPEC.	DRAWN	CHECKED
	SEE NOTE			
	FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	
				NP-457   A