

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.


REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
1	RFD-1A		5-3-62

NP-463 A

**FINISH:**  
 REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. NO. 595  
 COLORLESS VARNISH PER MIL-V-6894

MINIMUM LETTER SIZE - 3/64 HIGH

APPLICABLE ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY T M C.  
 OR  
 WHERE PURCHASING REQUIREMENT IS SUFFICIENTLY LARGE, ORDER NUMBER SHALL BE ETCHED BY VENDOR IN LIEU OF ORDER NUMBER BLOCK (SEE CHART FOR PROPER NUMBER).



TMC NO.	ORDER NO. BLOCK	ORDER NO. (ETCHED BY VENDOR)
NP-463-1	1/8 X 1-1/8 Block	No Order Number
NP-463-2	No Block	18002-PP-62

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231A (REF: SIGNAL CORPS)

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL									
		.032	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK										
		STOCK SIZE											
A	MAM'K, N.Y. DELETED ON PICTORIAL	ALUMINUM	NAMEPLATE, IDENTIFICATION										
		MATERIAL	MODEL RFD-1A										
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	250	W.S.	John	Edw	BB		
UNLESS OTHERWISE SPECIFIED:		SCALE:		TYPE & TEMPER		HEATTREAT. SPEC.		DRAWN		CHECKED		FINAL APPROVAL	
DIMENSIONS ARE IN INCHES		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES		SEE NOTE				16		NP-463		A	
TOLERANCES ON				FINISH & SPEC. NO.		ELEC. DES. APP.		MECH. DES. APP.					
FRAC. ± 1/64 DEC. ± .005 ANGLES ± 1/2°													