

TMC PART NO.	MODEL	MODEL INSERT	REQ. PER UNIT	USED ON		
				MODEL	ASS'Y. NO.	DATE
NP729-1	VLRAD-1	TN- /URR		VLRAD-()		11-30-64
NP729-2	↑ -2	TN- /URR				
NP729-3	↕ -3	TN-430/URR				
NP729-4	↓ -4	TN-431/URR				
NP729-5	VLRAD-5	TN-432/URR				


NP729 Ø

FINISH:
REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER-FED-STD-595. COLORLESS VARNISH PER MIL-V-6894.

MIN. LETTER SIZE: 3/64 INCHES HIGH.

SERIAL & ORDER NUMBERS WILL BE STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231 AND AMENDS. (REF: SIGNAL CORPS.)



SERIAL NO. BLOCK- 1/8 x 3/8
ORDER NO BLOCK- 1/8 x 1-5/16
HOLES- 2 REQ. , 1/8 DIA.

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
Ø	ORIGINAL RELEASE FOR PRODUCTION	12-7-64	Ø	2.2			.032 THK.		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK		
X	EXPER. RELEASE	11-30-64	X	9.2			STOCK SIZE			NAMEPLATE, IDENTIFICATION	
							ALUMINUM				
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1:1				5052-H32				
	DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	TOLERANCES	CODE	A		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
							SEE NOTES				NP729 Ø
							FINISH & SPEC. NO.	FILED DES. APP.	MECH. DES. APP.		