


REQ. PER UNIT	USED ON			NP700	Ø
	MODEL	ASS'Y. NO.	DATE		
1	RTTD-1		8-21-64		

FINISH: REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038 PER FED. STD. NO. 595.

COLORLESS VARNISH PER MIL-V-6894

MIN. LETTER SIZE-3/64 IN. HIGH.

ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY TMC.



4 HOLES - 1/8 DIA.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231 AND AMENDS. (REF: SIGNAL CORPS)

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL
		.032 THK	THE TECHNICAL MATERIEL CORP.				
		STOCK SIZE	MAMARONECK. NEW YORK				
Ø	ORIGINAL RELEASE FOR PRODUCTION	9-15-64	Ø	9.2			
X	EXPER. RELEASE	8-21-64	X	9.2			
		ALUMINUM	NAMEPLATE, IDENTIFICATION				
		MATERIAL					
		5052-H32					
		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL	
		SEE NOTE					
		FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.			
					NP700	Ø	


REQ. PER UNIT	USED ON			NP701	Ø
	MODEL	ASS'Y. NO.	DATE		
1	RTMU-1	A3857	8-21-64		

FINISH: REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038 PER FED. STD. NO. 595.

COLORLESS VARNISH PER MIL-V-6894

MIN. LETTER SIZE-3/64 IN. HIGH.

ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY TMC.



4 HOLES - 1/8 DIA.


NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231 AND AMENDS. (REF: SIGNAL CORPS)

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
	.032 THK	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	Ø
	STOCK SIZE		
	ALUMINUM	NAMEPLATE, IDENTIFICATION	
	MATERIAL		
5052-H32	—4	By <i>[Signature]</i>	Ø
TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
SEE NOTE			
FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.
			NP701
			Ø

REQ. PER UNIT	USED ON	MODEL	DATE
1	RTIA-1	8-21-64	

NP702 A

FINISH: REVERSE ETCH ANODIZE ON LUSTER
 LESS BLACK BACKGROUND (TYPE 37038)
 PER FED-STD-595.
 COLORLESS VARNISH PER MIL-V-6894



MIN. LETTER SIZE - 3/64" HIGH

ORDER AND SERIAL NUMBERS TO BE STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL STD-130 AND MIL-M-13231 AND AMENDS.

SERIAL NO. BLOCK: 1/8 x 3/4
 ORDER NO. BLOCK: 1/8 x 1-1/2

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
.032 THK		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
ALUMINUM		NAMEPLATE, IDENTIFICATION	
5052-H32		DRAWN	Checked
TYPE & TEMPER	HEAT TREAT. SPEC	SEE NOTE	FINAL APPROVAL
		FINISH & SPEC. NO.	NP702 A

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS
 X ± .05
 .XX ± .01
 .XXX ± .005

FRACTIONS
 ± 1/64
 ANGLES
 ± 0° 30'

TOLERANCES

SCALE 1:1

DATE 8-21-64

CH. NO. X

DRAFTS 9 L

CHECKER 9 L

ENG. APP. 9 L

CODE A


REQ. PER UNIT	USED ON			NP703	Ø
	MODEL	ASS'Y. NO.	DATE		
1	CPO-1B		8-21-64		

FINISH: REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038 PER FED. STD. NO. 595).

COLORLESS VARNISH PER MIL-V-6894

MIN. LETTER SIZE-3/64 IN. HIGH.

ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY TMC.



4 HOLES - 1/8 DIA.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231 AND AMENDS. (REF: SIGNAL CORPS)

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
	.032 THK	THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	
	STOCK SIZE		
Ø	ORIGINAL RELEASE FOR PRODUCTION	NAMEPLATE, IDENTIFICATION	
X	EXPER. RELEASE		
	ALUMINUM		
	5052-H32		
	TYPE & TEMPER	DRAWN	
	HEAT TREAT. SPEC.	CHECKED	
	SEE NOTE	FINAL APPROVAL	
	FINISH & SPEC. NO.	ELEC. DES. APP.	
		MECH. DES. APP.	


NP703 Ø

HOLES

A-7/8 DIA.

REQ.

2



REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
2	TER25KC50		9-1-64

NP704 Ø

NOTES - UNLESS OTHERWISE SPECIFIED.

ENGRAVING - AS PER TMC SPEC S566.

ALL LETTERING 1/8 HIGH GOTHIC, WHITE FILLED.
 DEPTH OF STROKE -.010
 WIDTH OF STROKE -.020

MACHINING -


LATERAL BOW OF PLATE MUST BE KEPT TO .031 TOL.
 PLATE TO BE FREE OF ALL MACHINING MARKS.

FINISH -

S404 - IRIDITE 14-2 AL. COAT.
 S114 - ZINC CHROMATE PRIMER.
 S220 - RCAF BLUE GRAY ENAMEL
 OR PRIME AND PAINT TO CUSTOMERS SPEC.

FRONT AND EDGES ONLY.

							REQ. ITEM	PART NO.	HAY	DESCRIPTION	SYMBOL	
								.051 THICK		THE TECHNICAL MATERIEL CORP.		
								STOCK SIZE		MAMARONECK, NEW YORK		
Ø	ORIGINAL RELEASE FOR PRODUCTION	9-2-64	Ø	JH				ALUMINUM		PLATE, FUSE ADAPTOR		
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	MATERIAL					
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1-1					5052 H32	#	John C Biele	@	RAC
	DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE	A							
							SEE NOTES			MA 9/2/64	NP704 Ø	
							FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.		



SERIAL NO. BLOCK 3/16 x 3/4
 ORDER NO. BLOCK 3/16 x 2"
 4 HOLES - 1/8 DIA.

REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
	TER-3500/600		9-9-64

NP710 Ø


FINISH: REVERSE ETCH ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. NO. 595
 COLORLESS VARNISH PER MIL-V-6894

MIN. LETTER SIZE- 3/64 HIGH

ORDER AND SERIAL NUMBERS WILL BE STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231A AND AMENDS (REF: SIGNAL CORPS)

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
Ø	ORIGINAL RELEASE FOR PRODUCTION	9-10-64	Ø	RE				.032	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	NAMEPLATE, IDENTIFICATION	
X	EXPER. RELEASE	9-9-64	X	gfm				ALUMINUM			
								5052-H32			
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1:1								
	DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE	A							
	TOLERANCES						SEE NOTE				
							FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	
										NP710 Ø	



REQ. PER UNIT	USED ON			NP711	Ø
	MODEL	ASS'Y. NO.	DATE		
	TER-5000/600		9-9-64		

FINISH: REVERSE ETCH ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. NO. 595.
 COLORLESS VARNISH PER MIL-V-6894.

MIN. LETTER SIZE-3/64 HIGH

ORDER AND SERIAL NUMBERS WILL BE STEEL STAMPED BY TMC.

1 R (8 REQ)
 1/8

SERIAL NO. BLOCK 3/16 x 3/4
 ORDER NO. BLOCK 3/16 x 2"
 4 HOLES - 1/8 DIA.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231A AND AMENDS (REF; SIGNAL CORPS)

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
Ø	ORIGINAL RELEASE FOR PRODUCTION	9-10-64	Ø		J.L.		.032		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	Ø	
X	EXPER. RELEASE	9-9-64	X		J.L.		ALUMINUM	NANEPLATE, IDENTIFICATION			
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1:1				5052-H32				
	DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE	A				SEE NOTE			
	TOLERANCES						TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
											NP711
							FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	Ø


REQ. PER UNIT	USED ON			NP713	A
	MODEL	ASS'Y. NO.	DATE		
1	HFR-1A		9-21-64		

FINISH: REVERSE ETCH ANODIZE ON LUSTER-LESS BLACK BACKGROUND (TYPE 37038) PER FED-STD-595.
COLORLESS VARNISH PER MIL-V-6894.

MIN. LETTER SIZE-3/64" HIGH

ORDER AND SERIAL NUMBERS TO BE STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL STD-130 AND MIL-M-13231 AND AMENDS.




4 HOLES- 1/8 DIA.

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL					
A	"ORDER NO." WAS "ORD. NO"	11.2.64 12824	hbs	@				.032 THK	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
Ø	ORIGINAL RELEASE FOR PRODUCTION	9-23-64	Ø	9L				STOCK SIZE	NAMEPLATE, IDENTIFICATION			
X	EXPER. RELEASE	9-21-64	X	9L				ALUMINUM				
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.		MATERIAL				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE		4				5052-H32	4	Q. Sauer	COO	J. R. C.
TOLERANCES		FRACTIONS		CODE				TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
.X ± .05		± 1/64		A				SEE NOTE				NP713
.XX ± .01		ANGLES						FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.		A
.XXX ± .005		± 0° 30'										

REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
	RTIA-1		9-17-64
	RTMU-1		9-17-64
	RTPA-1		9-17-64


NP 714 A



NOTE:
 1~ COLOR-BACKGROUND: BLACK
 LETTERS & BORDER: ALUMINUM
 2~ BORDER ~1/32
 3~ PRESSURE SENSITIVE
 ADHESIVE BACKING

REQ. ITEM	PART NO.	F. EATON	DESCRIPTION	SYMBOL					
A	NOTE 3 WAS "ADHESIVE BACKING"	10.23.64	12665	LB @ JEE					
Ø	ORIGINAL RELEASE FOR PRODUCTION	9.18.64	Ø	RF					
X	EXPERIMENTAL RELEASE	9-17-64	X	SRG					
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	MATERIAL		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE		1:1				#	#
TOLERANCES		CODE		A		SEE NOTE		SRG @ 9-17-64	RJC
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		FRACTIONS ± 1/64 ANGLES ± 0° 30'				FINISH & SPEC. NO.		SEE 9/18/64	JM
								SRG	@ 9-17-64
								TYPE & TEMPER	HEAT TREAT. SPEC.
								DRAWN	CHECKED
								FINAL APPROVAL	
								ELEC. DES. APP. MECH. DES. APP.	
								NP 714 A	


REQ. PER UNIT	USED ON			NP715	Ø
	MODEL	ASS'Y. NO.	DATE		
2	RTTD-1	A3703	9-17-64		



NOTE:
 1~ COLOR - BACKGROUND: BLACK
 LETTERS & BORDER: ALUMINUM
 2~ BORDER 1/32
 3~ PRESSURE SENSITIVE
 ADHESIVE BACKING

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	F. EATON	DESCRIPTION	SYMBOL		
A	NOTE 3 WAS "ADHESIVE BACKING"	10.23.64	12665	1	SRG	SEE							
Ø	ORIGINAL RELEASE FOR PRODUCTION	9.18.64	Ø	2				.003 TO .005 THK		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
X	EXPERIMENTAL RELEASE	9-17-64	x	SRG				ALUMINUM FOIL		NAMEPLATE, IDENTIFICATION			
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1:1					#	#	SRG	@ 9-17-64		
							TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL		
	DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE	A				SEE NOTE		SEE 9/18/64	FM	NP715	Ø
	TOLERANCES						FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.			

REQ. PER UNIT	USED ON			NP 718	Ø
	MODEL	ASSY. NO.	DATE		
5	RTIA-1	A3858	10-3-64		




NOTE -

- 1) COLOR BACKGROUND BLACK LETTERS & BORDER ALUMINUM
- 2) PRESSURE SENSITIVE ADHESIVE BACKING

REQ.	ITEM	PART NO.	EATON	DESCRIPTION	SYMBOL
		.003 TO .005 THK		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
		STOCK SIZE		NAMEPLATE, IDENTIFICATION	
		ALUMINUM FOIL			
		MATERIAL			
			G.D.L. ¹⁰⁻³⁻⁶⁴	@ 10-5-64	<i>Roe</i>
		TYPE & TEMPER		DRAWN	CHECKED
		HEAT TREAT. SPEC.			FINAL APPROVAL
		SEE NOTE	<i>FEE</i>	<i>J. MUNFORD</i> 10/17/64	NP718
		FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.

REQ. PER UNIT	USED ON			NP719	Ø
	MODEL	ASS'Y. NO.	DATE		
6	RTIA-1	A3858	10-3-64		




- NOTE**
- 1) COLOR BACKGROUND BLACK LETTERS & BORDER ALUMINUM
 - 2) PRESSURE SENSITIVE ADHESIVE BACKING

REQ. ITEM	PART NO.	EATON	DESCRIPTION	SYMBOL				
Ø	ORIGINAL RELEASE FOR PRODUCTION	10-6-64	Ø	9.L.	.003 TO .005 THK	STOCK SIZE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
X	EXP. RELEASE	10-3-64		G.D.L.	ALUMINUM FOIL		NAMEPLATE, IDENTIFICATION	
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	MATERIAL	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE		1:1		G.D.L. 10-3-64 @ 10-5-64		Rac
DECIMALS X ± .05 XX ± .01 XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE A	SEE NOTE		JEE	MECH. DES. APP.	FINAL APPROVAL
				FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	ND719 Ø

REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
2	RTMU-1	A3806	12-8-64
2	RTPA-1	A3806	12-8-64
2	RTIA-1	A3806	12-8-64


NP720 Q



BORDER: NONE
 LETTERS: ALUMINUM 1/8" GOTHIC
 BLOCK: ALUMINUM
 COLOR: BLACK MATTE BACKGROUND WITH ALUMINUM LETTERS.
 ADHESIVE: PRESSURE SENSITIVE ADHESIVE BACKING.
 TAB: MUST BE MINIMUM OF 1/4"

REQ.	ITEM	PART NO.	F. EATON				DESCRIPTION	SYMBOL
			THE TECHNICAL MATERIEL CORP.					
			MAMARONECK.					
			NEW YORK					
Q	ORIGINAL RELEASE FOR PRODUCTION	1-18-65	Q	J.P.	J.M.			
X	EXPER. RELEASE	12-8-64	X	J. Sencer				
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	2:1					
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		TOLERANCES		FRACTIONS ± 1/64 ANGLES ± 0° 30'		CODE A		
SEE NOTES		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL		
FINISH & SPEC. NO.		ELEC. DES. APP.		MECH. DES. APP.				
				J.P. Sencer	@	ROC		
				J.P. Sencer	J.M. 12-9-64			
							NP720 Q	

REQ. PER UNIT	USED ON			NP722	Ø
	MODEL	ASSY. NO.	DATE		
1	VLFC-1		11-25-64		



FINISH:
 REVERSE ETCH, ANODIZE ON LUSTERLESS
 BLACK BACKGROUND (TYPE 37038) PER
 FED. STD. NO. 595.
 COLORLESS VARNISH PER MIL-V-6894.

MIN. LETTER SIZE - 3/64 INCHES HIGH

ORDER AND SERIAL NUMBERS WILL BE
 STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH
 MIL-STD-130 AND MIL-M-13231 AND
 AMENDS. (REF: SIGNAL CORPS.)

4 HOLES - 1/8 DIA.

REQ.	ITEM	PART NO.	DESCRIPTION			SYMBOL
Ø	ORIGINAL RELEASE FOR PRODUCTION	12-7-64	Ø	7L		
X	EXPER. RELEASE	11-25-64	X	9/10		
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE		1:1		
		5052-H32	—		<i>G. L...</i>	<i>ADD</i>
		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
		SEE NOTE		<i>[Signature]</i>		
		FINISH & SPEC. NO.		DES. APP.	MECH. DES. APP.	
						NP722 Ø


REQ. PER UNIT	USED ON			NP723	Ø
	MODEL	ASS'Y. NO.	DATE		
1	VLRA-1		12-4-64		

FINISH -
REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND. (TYPE 37038) PER-FED-STD-595. COLORLESS VARNISH PER MIL-V-6894.

MIN LETTER HEIGHT 3/64".

ORDER & SERIAL NUMBERS TO BE STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 & MIL-M-13231 & AMENDS.



4 HOLES - 1/8 DIA.
SERIAL BLOCK - 5/32. x 3/4
ORDER BLOCK - 5/32 x 1-1/8

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL
			.032 THK. STOCK SIZE				THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK
Ø	ORIGINAL RELEASE FOR PRODUCTION	12-7-64	Ø	92			
X	EXPER. RELEASE	12-4-64	X				
			ALUMINUM				NAMEPLATE, IDENTIFICATION
			MATERIAL				
			5052-H32		g. Sencary	CSW	RJC
			TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
			SEE NOTE				
			FINISH & SPEC. NO.				
			UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES				
			SCALE 1:1				
			DECIMALS .X ± .05 .XX ± .01 .XXX ± .005				
			FRACTIONS ± 1/64 ANGLES ± 0° 30'				
			TOLERANCES				
			CODE A				
			5052-H32				
			FINISH & SPEC. NO.				
			EC. DES. APP.				
			MECH. DES. APP.				
			NP723				Ø


REQ. PER UNIT	USED ON			NP724	Ø
	MODEL	ASS'Y. NO.	DATE		
1	BPSX-1		12-4-64		

FINISH -
REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND. (TYPE 37038) PER-FED-STD-595. COLORLESS VARNISH PER MIL-V-6894.

MIN LETTER HEIGHT 3/64".

ORDER & SERIAL NUMBERS TO BE STEEL STAMPED BY TMC.


NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 & MIL-M-13231 & AMENDS.



4 HOLES - 1/8 DIA.
SERIAL BLOCK - 5/32. x 3/4
ORDER BLOCK - 5/32 x 1-1/8

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL	
Ø	ORIGINAL RELEASE FOR PRODUCTION	12-7-64	Ø	RL	.032 THK. STOCK SIZE		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
X	EXPER. RELEASE	12-4-64	X	RL	ALUMINUM			
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	NAMEPLATE, IDENTIFICATION	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE		5052-H32				DRAWN G. Searcy
TOLERANCES		CODE		HEAT TREAT. SPEC.		CHECKED		
DECIMALS .X ± .05 .XX ± .01 .XXX ± .001		A		1:1		FINAL APPROVAL		
				SEE NOTE		ELEC. DES. APP.		
				FINISH & SPEC. NO.		MECH. DES. APP.		
						NP724		

REQ. PER UNIT	USED ON			NP725	Ø
	MODEL	ASS'Y. NO.	DATE		
1	RAK-43		11-25-64		



FINISH:
 REVERSE ETCH, ANODIZE ON LUSTERLESS
 BLACK BACKGROUND (TYPE 37038) PER
 FED. STD. NO. 595.
 COLORLESS VARNISH PER MIL-V-6894.

MIN. LETTER SIZE - 3/64 INCHES HIGH
 ORDER AND SERIAL NUMBERS WILL BE
 STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH
 MIL-STD-130 AND MIL-M-13231 AND
 AMENDS. (REF: SIGNAL CORPS.)

4 HOLES - 1/8 DIA.

REQ.	ITEM	PART NO.	DESCRIPTION			SYMBOL
Ø	ORIGINAL RELEASE FOR PRODUCTION	12-7-64	Ø	92	.032 THK STOCK SIZE	
X	EXPER. RELEASE	11-25-64	X	9 spec	ALUMINUM	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES			SCALE 1:1			5052-H32
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005			FRACTIONS ± 1/64 ANGLES ± 0° 30'			TYPE & TEMPER
TOLERANCES			CODE A	HEAT TREAT. SPEC		
SEE NOTE			DRAWN			MECH. DES. APP.
FINISH & SPEC. NO.			CHECKED			FINAL APPROVAL
NP725			Ø			


REQ. PER UNIT	USED ON			NP726	Ø
	MODEL	ASS'Y. NO.	DATE		
1	LFSA-1		12-4-64		

FINISH -
REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND. (TYPE 37038) PER-FED-STD-595. COLORLESS VARNISH PER MIL-V-6894.

MIN LETTER HEIGHT 3/64"

ORDER & SERIAL NUMBERS TO BE STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 & MIL-M-13231 & AMENDS.



4 HOLES - 1/8 DIA.
SERIAL BLOCK - 5/32. x 3/4
ORDER BLOCK - 5/32 x 1-1/8

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL	
Ø		.032 THK. STOCK SIZE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK					
X	EXPER. RELEASE	ALUMINUM	NAMEPLATE, IDENTIFICATION					
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE						
		1:1						
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE A					
		5052-H32	—A	g. Sencary	COO	RJC		
		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL		
		SEE NOTE						
		FINISH & SPEC. NO.	ELEC. DES. APP. MECH. DES. APP.				NP726	


REQ. PER UNIT	USED ON			NP727	Ø
	MODEL	ASS'Y. NO.	DATE		
1	CSS-2		12-4-64		

FINISH -
 REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND. (TYPE 37038) PER-FED-STD-595.
 COLORLESS VARNISH PER MIL-V-6894.

MIN LETTER HEIGHT 3/64".

ORDER & SERIAL NUMBERS TO BE STEEL STAMPED BY TMC.


NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 & MIL-M-13231 & AMENDS.



4 HOLES - 1/8 DIA.
 SERIAL BLOCK - 5/32. x 3/4
 ORDER BLOCK - 5/32 x 1-1/8

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
Ø	ORIGINAL RELEASE FOR PRODUCTION	12.7.64	Ø	g.l.				.032 THK. STOCK SIZE	THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	NAMEPLATE, IDENTIFICATION	
X	EXPER. RELEASE	12.4.64	X	g.l.				ALUMINUM			
								MATERIAL			
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1:1				5052-H32	-A-	g. Sencary	oss	RPL
							TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
	DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	TOLERANCES	CODE	A		SEE NOTE				
							FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	NP727

REQ. PER UNIT	USED ON			NP728	Ø
	MODEL	ASS'Y. NO.	DATE		
1	LSP-4		11-25-64		



FINISH:
 REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. NO. 595.
 COLORLESS VARNISH PER MIL-V-6894.

MIN. LETTER SIZE - 3/64 INCHES HIGH

ORDER AND SERIAL NUMBERS WILL BE STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231 AND AMENDS. (REF: SIGNAL CORPS.)

4 HOLES - 1/8 DIA.

REQ.	ITEM	PART NO.				DESCRIPTION		SYMBOL	
Ø	ORIGINAL RELEASE FOR PRODUCTION	12-7-64	Ø	LL	.032 THK STOCK SIZE		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
X	EXPER. RELEASE	11-25-64	X	glen	ALUMINUM		NAMEPLATE, IDENTIFICATION		
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	MATERIAL		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE 1:1				5052-H32	---	g. Lucas	ESD
						TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
						SEE NOTE		FINAL APPROVAL	
						FINISH & SPEC. NO.		NP728	
								Ø	

TMC PART NO.	MODEL	MODEL INSERT	REQ. PER UNIT	USED ON		
				MODEL	ASS'Y. NO.	DATE
NP729-1	VLRAD-1	TN- /URR		VLRAD-()		11-30-64
NP729-2	↑ -2	TN- /URR				
NP729-3	↕ -3	TN-430/URR				
NP729-4	↓ -4	TN-431/URR				
NP729-5	VLRAD-5	TN-432/URR				


NP729 Ø

FINISH:
 REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER-FED-STD-595. COLORLESS VARNISH PER MIL-V-6894.

MIN. LETTER SIZE: 3/64 INCHES HIGH.

SERIAL & ORDER NUMBERS WILL BE STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231 AND AMENDS. (REF: SIGNAL CORPS.)



SERIAL NO. BLOCK- 1/8 x 3/8
 ORDER NO BLOCK- 1/8 x 1-5/16
 HOLES- 2 REQ. , 1/8 DIA.

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
Ø	ORIGINAL RELEASE FOR PRODUCTION	12-7-64	Ø	2.2			.032 THK.		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK		
X	EXPER. RELEASE	11-30-64	X	9.2			STOCK SIZE			NAMEPLATE, IDENTIFICATION	
							ALUMINUM				
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1:1				5052-H32				
	DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	TOLERANCES	CODE	A		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
							SEE NOTES				NP729 Ø
							FINISH & SPEC. NO.	FILED DES. APP.	MECH. DES. APP.		


REQ. PER UNIT	USED ON			NP730	Ø
	MODEL	ASS'Y. NO.	DATE		
1	PFCB-1		12-4-64		

FINISH -
 REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND. (TYPE 37038) PER-FED-STD-595.
 COLORLESS VARNISH PER MIL-V-6894.

MIN LETTER HEIGHT 3/64".

ORDER & SERIAL NUMBERS TO BE STEEL STAMPED BY TMC.


NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 & MIL-M-13231 & AMENDS.



4 HOLES - 1/8 DIA.
 SERIAL BLOCK - 5/32. x 3/4
 ORDER BLOCK - 5/32 x 1-1/8

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL		
								.032 THK.	THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK			
	ORIGINAL RELEASE FOR PRODUCTION	12-7-64	Ø					STOCK SIZE		NAMEPLATE, IDENTIFICATION		
X	EXPER. RELEASE	12-4-64	X					ALUMINUM				
								MATERIAL				
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1:1					5052-H32		g. Searcy		
							TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL	
	DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE	A				SEE NOTE				
	TOLERANCES						FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	NP730	

REQ. PER UNIT	USED ON			NP731	Ø
	MODEL	ASS'Y. NO.	DATE		
1	XFK-2		11-25-64		



FINISH NOTES:
 REVERSE ETCH, ANODIZE ON LUSTERLESS
 ORANGE BACKGROUND (TYPE 32246) PER
 FED STD 595.


CONTRACT BLOCK-5/32X1.1/8
 SERIAL BLOCK-3/16 X 3/4
 4 HOLES - 1/8 DIA.

NAMEPLATE TO BE MANUFACTURED IN ACCOR-
 DANCE WITH MIL-P-15024(SHIPS) AND AMENDS.
 TYPE "A".

N.P.O.

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
Ø	.032	THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	
	STOCK SIZE		
X	ALUMINUM	NAMEPLATE, IDENTIFICATION	
	MATERIAL		
BYM	DESCRIPTION	DATE	CH. NO. DRAFTS CHECKER ENG. APP.
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1:1
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE A
	5052-H32	TYPE & TEMPER	HEAT TREAT. SPEC.
	SEE NOTE	FINISH & SPEC. NO.	
		DRAWN	CHECKED
		ELEC. DES. APP.	MECH. DES. APP.
			NP731
			Ø

REQ. PER UNIT	USED ON			NP732	Ø
	MODEL	ASS'Y. NO.	DATE		
1	FSA-3		12-3-64		



FINISH:
 REVERSE ETCH, ANODIZE ON LUSTERLESS
 BLACK BACKGROUND (TYPE 37038) PER
 FED. STD. NO. 595
 COLORLESS VARNISH PER MIL-V-6894

MINIMUM LETTER SIZE-3/64 HIGH


APPLICABLE ORDER AND SERIAL NUMBER WILL
 BE STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-
 STD-130 AND MIL-M-13231A AND AMENDS
 (REF: SIGNAL CORPS)

2 HOLES 1/8 DIA
 SERIAL NO. BLOCK 1/8 x 3/4
 ORDER NO. BLOCK 5/32 x 1-1/2

REQ.	ITEM	PART NO.	DESCRIPTION			SYMBOL
		.032 THK	THE TECHNICAL MATERIEL CORP.			
		STOCK SIZE	MAMARONECK. NEW YORK			
Ø	ORIGINAL RELEASE FOR PRODUCTION	12-11-64	Ø	RL	NAMEPLATE, IDENTIFICATION	
X	EXPER. RELEASE	12-3-64	X	4 Jan		
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1:1			
		5052-H32			G. Sanchez	CD
		TYPE & TEMPER	HEAT TREAT. SPEC.		CHECKED	FINAL APPROVAL
		SEE NOTE				
		FINISH & SPEC. NO.				
						NP732 Ø

REQ. PER UNIT	USED ON			NP733	Ø
	MODEL	ASS'Y. NO.	DATE		
1	AX503		12-3-64		



2 HOLES 1/8 DIA.
 SERIAL NO. BLOCK 1/8 x 3/4
 ORDER NO. BLOCK 5/32 x 1-1/2

FINISH:
 REVERSE ETCH, ANODIZE ON LUSTERLESS
 BLACK BACKGROUND (TYPE 37038) PER FED.
 STD. NO. 595

COLORLESS VARNISH PER MIL-V-6894


MINIMUM LETTER SIZE- 3/64 HIGH

APPLICABLE ORDER AND SERIAL NUMBER WILL
 BE STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH
 MIL-STD-130 AND MIL-M-13231A AND AMENDS
 (REF: SIGNAL CORPS)

REQ.	ITEM	PART NO.	DESCRIPTION			SYMBOL
		.032 THK	THE TECHNICAL MATERIEL CORP.			
		STOCK SIZE	MAMARONECK. NEW YORK			
Ø	ORIGINAL RELEASE FOR PRODUCTION	12-11-64	Ø	9.2	NAMEPLATE, IDENTIFICATION	
X	EXPER. RELEASE	12-3-64	X	J. Shaw		
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	1:1			
DECIMALS	FRACTIONS	CODE				
.X ± .05	TOLERANCES ± 1/64	A				
.XX ± .01	ANGLES ± 0° 30'					
.XXX ± .005						
	5052-H32					
	TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL	
	SEE NOTE				NP733 Ø	
	FINISH & SPEC. NO.		ENG. DES. APP.	MECH. DES. APP.		

REQ. PER UNIT	USED ON			NP734	Ø
	MODEL	ASS'Y. NO.	DATE		
1	AP123		12-2-64		



2 HOLES 1/8 DIA
 SERIAL NO. BLOCK 1/8 x 3/4
 ORDER NO. BLOCK 5/32 x 1-1/2

FINISH:
 REVERSE ETCH, ANODIZE ON LUSTERLESS
 BLACK BACKGROUND (TYPE 37038) PER FED.
 STD. NO. 595
 COLORLESS VARNISH PER MIL-V-6894


MINIMUM LETTER SIZE-3/64 HIGH

APPLICABLE ORDER AND SERIAL NUMBER
 WILL BE STEEL STAMPED BY TMC

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-
 STD-130 AND MIL-M-13231A AND AMENDS
 (REF: SIGNAL CORPS)

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL
Ø	ORIGINAL RELEASE FOR PRODUCTION	12-11-64	Ø	22			
X	EXPER. RELEASE	12-2-64	X	Shaw			
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	1:1				
TOLERANCES		DECIMALS	FRACTIONS				
		.X ± .05	± 1/64				
		.XX ± .01	ANGLES				
		.XXX ± .005	± 0° 30'				
		CODE	A				
		5052-H32	MATERIAL				
		SEE NOTE	TYPE & TEMPER				
			HEAT TREAT. SPEC.				
			FINISH & SPEC. NO.				
			ELEC. DES. APP.		MECH. DES. APP.		
			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
			NAMEPLATE, IDENTIFICATION				
			NP734				Ø

REQ. PER UNIT	USED ON			NP735	Ø
	MODEL	ASS'Y. NO.	DATE		
1	RAK-7B		12-4-64		



FINISH: REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038 PER FED. STD. NO. 595

COLORLESS VARNISH PER MIL-V-6894

MIN. LETTER SIZE-3/64 IN. HIGH


ORDER AND SERIAL NUMBER WILL BE STEEL STAMPED BY TMC

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-STD-130 AND MIL-M-13231 AND AMENDS. (REF: SIGNAL CORPS)

4 HOLES, 1/8 DIA
 SERIAL * BLOCK - 5/32 x 3/4
 ORDER * BLOCK - 5/32 x 1-1/2

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL	
Ø	ORIGINAL RELEASE FOR PRODUCTION	12-11-64	Ø	GR	.032 THK STOCK SIZE		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
X	EXPER. RELEASE	12-4-64	X	F. L...	ALUMINUM MATERIAL			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	1:1				5052-H32 #	NAMEPLATE, IDENTIFICATION
DECIMALS: .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE A	TYPE & TEMPER		HEAT TREAT. SPEC.	DR. [Signature]	
SEE NOTE		FINISH & SPEC. NO.		E. C. DES. APP.		MECH. DES. APP.	FINAL APPROVAL [Signature]	
						NP735 Ø		

REQ. PER UNIT	USED ON			NP736 Ø
	MODEL	ASS'Y. NO.	DATE	
1	PTE-3A		12-3-64	



FINISH: REVERSE ETCH, ANODIZE ON
LUSTERLESS BLACK BACKGROUND (TYPE 37038
PER FED. STD. NO. 595

COLORLESS VARNISH PER MIL-V-6894

MIN. LETTER SIZE- 3/64 IN. HIGH

ORDER AND SERIAL NUMBER WILL BE STEEL
STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE WITH MIL-
STD-130 AND MIL-M-13231 AND AMENDS.
(REF: SIGNAL CORPS)

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL	
Ø		.032 THK	THE TECHNICAL MATERIEL CORP.					
		STOCK SIZE	MAMARONECK, NEW YORK					
X	ORIGINAL RELEASE FOR PRODUCTION	12-11-64	Ø	9L				
X	EXPER RELEASE	12-3-64	X					
		ALUMINUM	NAMEPLATE, IDENTIFICATION					
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.		
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1:1					
	DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE	A				
	TOLERANCES							
		5052-H32						
		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL		
		SEE NOTE						
		FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	NP736 Ø			

TMC PART NO.	TITLE INSERT	MODEL INSERT	REQ. PER UNIT	USED ON		
				MODEL	ASS'Y. NO.	DATE
NP737-1	BROADBAND ANTENNA	LFR	1	SEE CHART		12-11-64

NP737 \emptyset


FINISH:

A. REVERSE ETCH, ANODIZED ON LUSTER-LESS BLACK BACKGROUND (TYPE 37038) PER FED. STD. 595.

B. COLORLESS VARNISH PER MIL-V-6894 TYPE FACE: SPARTAN MEDIUM SIZE TO FIT SPACE AND LAYOUT.

MODEL DASH NO. AND SERIAL NO. WILL BE STEEL STAMPED BY T.M.C. NAMEPLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024, TYPE A.

IMPORTANT: WHEN ADDING NEW ITEMS TO THIS DWG. WHICH NECESSITATE THE USE OF ABBREVIATIONS, TMC SPEC. S570 SHALL BE USED TO DETERMINE PROPER ABBREVIATIONS.




2 HOLES, 1/8 DIA.
 MODEL BLOCK: 1/8 X 3/8
 SERIAL BLOCK: 1/8 X 7/8



REQ.	ITEM	PART NO.	Q. POSE	DESCRIPTION	SYMBOL	
		.032 THK.		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
		STOCK SIZE			NAMEPLATE, IDENTIFICATION	
		ALUMINUM				
		MATERIAL				
		5052-H32				
		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
		SEE NOTES				
		FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.		

DECIMALS	FRACTIONS	CODE
.X ± .05	± 1/64	A
.XX ± .01	ANGLES	
.XXX ± .005	± 0° 30'	

REQ. PER UNIT	USED ON			NP738	Ø
	MODEL	ASS'Y. NO.	DATE		
1	LFRA-1		12-29-64		




FINISH: REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED STD 595. COLORLESS VARNISH: PER MIL-V-6894. MIN. LETTER SIZE 3/64" HIGH. ORDER & SERIAL NUMBER WILL BE STEEL STAMPED BY TMC. NAMEPLATE TO BE IN ACCORDANCE WITH MIL STD 130 & AMENDS, & MIL-M-13231 13231 & AMENDS (REF: SIGNAL CORPS.)

SERIAL BLOCK: 1/8 x 3/8
 ORDER BLOCK: 1/8 x 1-3/8
 2 HOLES 1/8 DIA.

REQ. UNIT	ITEM	PART NO.	DESCRIPTION				SYMBOL	
Ø	ORIGINAL RELEASE FOR PRODUCTION	1-8-65	Ø	MD			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK NAMEPLATE, IDENTIFICATION	
XI	SUB TITLE WAS AT- /URR ON PICTORIAL	1-6-65	XI	P.S.				
X	EXPER. RELEASE	12-29-64	X					
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	1:1					
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE	A				
TOLERANCES						5052-H32		
		TYPE & TEMPER		HEAT TREAT. SPEC.		DRAWN	CHECKED	FINAL APPROVAL
		SEE NOTES						
		FINISH & SPEC. NO.		ELEC. DES. APP.		MECH. DES. APP.		NP738

REQ. PER UNIT	USED ON			NP745	Ø
	MODEL	ASS'Y. NO.	DATE		
1	KMCU-1		12-29-64		



NOTE
 FINISH: REVERSE ETCH, ANODIZE ON
 LUSTERLESS BLACK BACKGROUND
 (TYPE 37038) PER FED STD 595.

4 HOLES 1/8 DIA.
 SERIAL BLOCK 3/16 X 3/4
 CONTRACT BLOCK 5/32 X 1-1/8

NAMEPLATE TO BE MANUFACTURED IN
 ACCORDANCE WITH MIL-P-15024 (SHIPS)
 AND AMENDS. TYPE "A"

N.P.O.


REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
Ø		ORIGINAL RELEASE FOR PRODUCTION	
X ₁		BORDER WAS 1/8 TYP. C# ADD.	
X		EXPER. RELEASE	
SYM	DESCRIPTION	DATE	CH. NO. DRAFTS CHECKER ENG. APP.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	1:1
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE	A
TOLERANCES			
5052-H32		TYPE & TEMPER	HEAT TREAT. SPEC.
SEE NOTES		FINISH & SPEC. NO.	
ALUMINUM		MATERIAL	
.032 THK.		STOCK SIZE	
THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK		NAMEPLATE, IDENTIFICATION	
DRAWN		CHECKED	FINAL APPROVAL
ELEC. DES. APP.		MECH. DES. APP.	
NP745		Ø	

TMC PART NUMBER	TITLE INSERT	MODEL INSERT	REQ. PER UNIT	USED ON		
				MODEL	ASS'Y. NO.	DATE
NP748-1	ELECTRONIC PROGRAMMER	RTP		RTPA-1		12-29-64
NP748-2	REMOTE CONTROL UNIT	LSC		RTPD		
				RTPE		

NP748 C

NOTES:


FINISH: REVERSE ETCH, ANODIZED ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED STD 595. COLORLESS VARNISH PER MIL-V-6894
 TYPE FACE: SPARTAN MEDIUM SIZE.
 APPLICABLE MODEL & SERIAL NO. WILL BE STAMPED BY TMC.
 NAMEPLATE TO BE MANUFACTURED IN ACCORDANCE WITH MIL-P-15024B, TYPE A.
 IMPORTANT: WHEN ADDING NEW ITEMS TO THIS DWG. WHICH NECESSITATE THE USE OF ABBREVIATIONS, TMC SPEC. S570 SHALL BE USED TO DETERMINE PROPER ABBREVIATIONS.



MODEL & SERIAL BLOCK: 1/8 x 7/16
 2 HOLES 1/8 DIA.
 1/16 BORDER
 1/8 RADIUS TYP.

C	NP748-2 ADDED	12.22.66	17555	WHD	JCB	
B	NP748-2-3 DELETED -1 MODEL INSERT WAS RTPA ON PICT RTP ADD. TO MOD. INSERT	6.21.65	14293	DVK	JCB	JC
A	NP748-2-3 ADD. ORIGINAL RELEASE FOR REPRODUCTION	3.12.65	13693	ZZ	JCB	JCC
X	EXPER. RELEASE	2.10.65			JCB	
		2.19.64	X		JM	

REQ. ITEM	PART NO.	EATON	DESCRIPTION	SYMBOL
	.032 THK.	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
	STOCK SIZE	NAMEPLATE, IDENTIFICATION		
	ALUMINUM	MATERIAL		
	5052-H32			
	TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
	SEE NOTES		JM @ 12-29-64	JCB
	FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	
		JCB 2/8/65	J. Gable 12/30	NP748 C



REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
2	10 K	AX-504	1-12-65
2	40 K	AX-210	1-12-65
2	200 K	AX-396 AX-399	1-12-65

NP-753 ϕ

NOTES:

1. LETTERING AND BORDER - ALUMINUM
2. BACKGROUND - RED
3. ADHESIVE BACKING, WATER SOLVENT.
4. APPLICATION: EPOXY FIBERGLASS

REQ.	ITEM	PART NO.	BUDETTI	DESCRIPTION	SYMBOL	
		.003 TO .005		THE TECHNICAL MATERIEL CORP.		
		STOCK SIZE		MAMARONECK, NEW YORK		
		ALUMINUM FOIL		PLATE, IDENTIFICATION,		
		MATERIAL		WARNING		
ϕ	RELEASE FOR PROD.	5/17/65	ϕ			
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE				
DECIMALS	TOLERANCES	FRACTIONS	CODE			
.X \pm .05		\pm 1/64				
.XX \pm .01		ANGLES				
.XXX \pm .005		\pm 0° 30'				
	SEE NOTES			MTANTILLO		
	FINISH & SPEC. NO.			1-12-65		
				DRAWN	CHECKED	FINAL APPROVAL
						NP-753 ϕ
				ELEC. DES. APP.	MECH. DES. APP.	

TMC PART NUMBER	MODEL INSERT
NP754-1	RTI


REQ. PER UNIT	USED ON			NP754	A
	MODEL	ASS'Y. NO.	DATE		
1 EA	SEE CHART	A3858	1-13-65		

NOTE:
FINISH -
BLACK MATTE BACKGROUND
AND CLEAR LACQUER

MARKING:
SPARTAN MEDIUM SIZE TO FIT
SPACE AND LAYOUT.


SERIAL BLOCK 1/8 x 1/2
2 HOLES, 1/8 DIA.
MODEL BLOCK 1/8 x 7/16

MODEL AND SERIAL NUMBERS
TO BE STEEL STAMPED BY
TMC



REQ.	ITEM	PART NO.	EATON DESCRIPTION				SYMBOL
A	NP754-2 DELETED DN-1 RTI WAS RTIA	6/24/65 14336 D.V.S.	.032 THK STOCK SIZE				THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK
Ø	ORIGINAL RELEASE FOR PRODUCTION	2-8-65 Ø 2.E.	ALUMINUM				NAMEPLATE, IDENTIFICATION
X	EXPER. RELEASE	1-13-65 X J.E.M.	MATERIAL				
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	1:1				
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'				
		CODE	A				
			5052-H32				
			TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
			SEE NOTE				
			FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.		
							NP754 A

REQ. PER UNIT	USED ON			NP755	Ø
	MODEL	ASS'Y. NO.	DATE		
1	TSTE-10K		1-14-65		



NOTE:
FINISH-BLACK MATTE BACKGROUND AND CLEAR LACQUER.

SERIAL NUMBER TO BE STEEL STAMPED BY TMC.

SERIAL BLOCK 3/16 X 1" 4 HOLES - 1/8 DIA.

TMC GLOBAL INSIGNIA (REF: NP493)

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	BUDETTI	DESCRIPTION	SYMBOL	
Ø	ORIGINAL RELEASE FOR PRODUCTION	4-7-65	M	SRG				.032 THK		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	Ø	
X1	FORMAT REVISED	2-22-65	X1	SRG				STOCK SIZE				
X	EXPER. RELEASE	1-14-65	X	SRG				ALUMINUM				NAMEPLATE, IDENTIFICATION
								MATERIAL				
								5052-H32				
								TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
								SEE NOTE				
								FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS
.X ± .05
.XX ± .01
.XXX ± .005

FRACTIONS
± 1/64
ANGLES
± 0° 30'

TOLERANCES
A


REQ. PER UNIT	USED ON			NP756	Ø
	MODEL	ASS'Y. NO.	DATE		
1	DDRR-506		1-15-65		



NOTE:
 FINISH- BLACK MATTE BACKGROUND AND CLEAR LACQUER.
 SERIAL NUMBER TO BE STEEL STAMPED BY TMC.
 SERIAL BLOCK 3/16 X 1"
 4 HOLES = 1/8 DIA.

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	POSE	DESCRIPTION	SYMBOL	
Ø	ORIGINAL RELEASE FOR PRODUCTION	4-7-65	M	SRG				.032 THK		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	Ø	
X ₁	FORMAT REVISED	2-19-65	X ₁	SRG				STOCK SIZE				
X	EXPER. RELEASE	1-15-65	X	SRG				ALUMINUM				NAMEPLATE, IDENTIFICATION
								MATERIAL				
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1:1					5052-H32		<i>[Signature]</i>	<i>[Signature]</i> 4/7/65	
							TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL	
							SEE NOTES					
							FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	NP756	Ø

REQ. PER UNIT	USED ON			NP763	Ø
	MODEL	ASS'Y. NO.	DATE		
1	DCP-2				



FINISH —
 REVERSE ETCH, ANODIZE ON
 LUSTERLESS BLACK BACKGROUND
 (TYPE 37038) PER. FED. STD. 595.
 COLORLESS VARNISH PER. MIL-V-6894

MIN. LETTER SIZE 3/64" HIGH.

SERIAL & ORDER NUMBERS WILL BE
 STEEL STAMPED BY TMC.

NAMEPLATE TO BE IN ACCORDANCE
 WITH MIL-STD-130 & MIL-M-13231 &
 AMENDS. (REF: SIGNAL CORPS).

4 HOLES, 1/8 DIA.
 SERIAL BLOCK - 5/32 x 3/4
 ORDER BLOCK - 5/32 x 1-1/2

						REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
						.032 THK.		THE TECHNICAL MATERIEL CORP.		
						STOCK SIZE		MAMARONECK, NEW YORK		
						ALUMINUM		NAMEPLATE, IDENTIFICATION		
						MATERIAL				
Ø	ORIGINAL RELEASE FOR PRODUCTION	3/12/65	AA	QX		5052-H32	—A	G. Sencer	CS	
X	EXPER. RELEASE		X	4.2		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	FINAL APPROVAL			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES						SCALE		1:1		
DECIMALS		FRACTIONS		CODE		SEE NOTES		NP763		
.X ± .05		± 1/64		A		FINISH & SPEC. NO.		ELEC. DES. APP. MECH. DES. APP.		
.XX ± .01		ANGLES								
.XXX ± .005		± 0° 30'								

FINISH NOTES:

1. S404 - IRIDITE 14-2 AL-COAT.
2. S114 - ZINC CHROMATE PRIMER } FRONT AND
3. S115 - SMOOTH GRAY ENAMEL } EDGES ONLY


ENGRAVING:

ALL LETTERING TO BE WHITE FILLED GOTHIC.

REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
1	BSP 1A,2A,3A		

NP 764

Ø




LETTER HEIGHT	DEPTH OF STROKE	WIDTH OF STROKE
1/8	.010	.020

HOLE DIA 5/8 DIA

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	HAY	DESCRIPTION	SYMBOL
Ø	ORIGINAL RELEASE FOR PRODUCTION	4-27-65		CIL			.051			THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	
							STOCK SIZE			PLATE, ADAPTER	
							MATERIAL			FUSE	
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE					5052-H32	#	3/16/65 C. LANZA	JHO 3/16/65	APB/hay 4/27/65
	DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	TOLERANCES				TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
							SEE NOTES			3/16/65	NP 764
							FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	Ø

TMC NO	TITLE INSERT	MODEL	REQ. PER UNIT	USED ON		
				MODEL	ASSY. NO.	DATE
NP766-1	DC TO TONE CONVERTER	RASA	1	RARA, RASA	#	4-28-65
NP766-2	TONE TO DC CONVERTER	RARA				

NP766 Ø



TITLE INSERT (SEE CHART)

1/8 DIA (2 HOLES)

FINISH: BLACK MATTE BACKGROUND AND CLEAR LACQUER.

TYPE FACE: SPARTAN MEDIUM, SIZE TO FIT SPACE AND LAYOUT.


MODEL INSERT (SEE CHART)

1/8 R TYP

MODEL INSERT BLOCK $5/32 \times 3/8$
 SERIAL NO BLOCK $5/32 \times 3/4$

					REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
					0.032 THK		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	Ø	
					STOCK SIZE				
					ALUMINUM		NAMEPLATE, IDENTIFICATION		
Ø	ORIGINAL RELEASE FOR PRODUCTION	5-3-65	Ø	R					
SYM.	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	NONE						
						250			
						TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
						SEE NOTES			
						FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	NP-766 Ø

REQ. PER UNIT	USED ON			NP 767	Ø
	MODEL	ASS'Y. NO.	DATE		
1	SCU-3	.			




TMC GLOBAL INSIGNIA (REF: NP493)

NOTE:
 FINISH- BLACK MATTE BACKGROUND AND CLEAR LACQUER.
 SERIAL NUMBER TO BE STEEL STAMPED BY TMC.
 SERIAL BLOCK 3/16 X 1"
 4 HOLES = 1/8 DIA.

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL				
		.032 THK	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	Ø				
		STOCK SIZE						
		ALUMINUM	NAMEPLATE, IDENTIFICATION					
		MATERIAL	S.O. C24204					
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.		
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	NOT TO SCALE					
DECIMALS: .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE A					
		5052-H32	TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL	
		SEE NOTES	FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	NP 767	Ø

REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
1	AMC 6-5		5/19/65

NP 768 \emptyset



NOTE:
 FINISH- BLACK MATTE BACKGROUND AND CLEAR LACQUER.
 SERIAL NUMBER TO BE STEEL STAMPED BY TMC.
 SERIAL BLOCK 3/16 X 1"
 4 HOLES = 1/8 DIA.

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
	.032 THK	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
	STOCK SIZE		
	ALUMINUM	NAMEPLATE, IDENTIFICATION	
	MATERIAL	S.O. C24204	
	5052-H32	5/25	5/25
	TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN
	SEE NOTES		CHECKED
	FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.

ORIGINAL RELEASE FOR PRODUCTION	5.25.65					
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE				
		NOT TO SCALE				
DECIMALS	FRACTIONS	CODE				
.X ± .05	± 1/64	A				
.XX ± .01	ANGLES					
.XXX ± .005	± 0° 30'					


NP 768 \emptyset

REQ. PER UNIT	1
MODEL	TIS-3A
USED ON ASS'Y. NO.	
DATE	
NP 769 Ø	

BORDER

$\frac{1}{8}$

NOTE:
 FINISH - BLACK, MATTE BACKGROUND AND CLEAR LACQUER.
 SERIAL NUMBER TO BE STEEL STAMPED BY TMC.
 SERIAL BLOCK 3/16 X 1" 4 HOLES = 1/8 DIA.



TMC GLOBAL INSIGNIA (REF: NP493)



REQ. ITEM	REQUIREMENT	DESCRIPTION	SYMBOL
	.032 THK STOCK SIZE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
	ALUMINUM	NAMEPLATE, IDENTIFICATION	
	5052-H32	S.O. C24204	
	TYPE & TEMPER	DRAWN	CHECKED
	HEAT TREAT. SPEC.	APR 725	APR 725
	SEE NOTES	FINAL APPROVAL	
	FINISH & SPEC. NO.	ELEC. DES. APP. MECH. DES. APP.	NP.769 Ø

ORIGINAL RELEASE FOR PRODUCTION DESCRIPTION DATE CH. NO. DRAFTS CHECKER ENG. APP. SCALE NOT TO SCALE CODE A

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES


TOLERANCES

DECIMALS

FRACTIONS

± 1/64 ANGLES ± 0° 30'

REQ. PER UNIT	USED ON			NP 770 ⊗
	MODEL	ASS'Y. NO.	DATE	
			5/24/65	



NOTE:

FINISH: BLACK MATTE BACKGROUND AND CLEAR LACQUER.

SERIAL NUMBER TO BE STEEL STAMPED BY TMC.


SERIAL BLOCK 3/16 X 1"

HOLES 1/8 DIA, 4 REQUIRED

BORDERS 1/8 WIDE

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
		.032	THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	
⊗	ORIGINAL RELEASE	8/8/69	NAMEPLATE, IDENTIFICATION	
X ₁	MODEL NO WAS 651-G	6.8.65	ALUMINUM	
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE		
	DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° 30'	TOLERANCES	CODE A
	5052-H32	HEAT TREAT. SPEC.	DRAWN	CHECKED
	SEE NOTES			FINAL APPROVAL
	FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	
				NP 770 ⊗

REQ. PER UNIT	USED ON			NP 773 Ø
	MODEL	ASS'Y. NO.	DATE	
1	TST-10K		6-21-65	




NOTES:
 1~ LETTERING-3/32 HIGH GOTHIC
 2~ COLOR:
 BACKGROUND-ALUMINUM
 LETTERS & LINES - BLACK
 3~ BORDER - 1/16
 4~ ADHESIVE BACKING

BACKING EXTENDED FOR EASY REMOVAL

							REQ. ITEM	PART NO.	F. BUDETTI	DESCRIPTION	SYMBOL	
Ø	ORIGINAL RELEASE FOR PRODUCTION	3-3-66	A	Jc	Jc	Jc	.003 TO .005 THK		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK			
X1	POS. 8 TO 18 REVISED	6-25-65	X1	Jc	Jc	Jc	ALUMINUM FOIL		PLATE, INSTRUCTION			
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	MATERIAL					
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	1:1									
TOLERANCES		FRACTIONS ± 1/64	CODE					TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
.X ± .05		ANGLES ± 0° 30'	A					SEE NOTES				
.XX ± .01								FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	NP 773	Ø
.XXX ± .005												

REQ. PER UNIT	USED ON			NP774 \emptyset
	MODEL	ASS'Y. NO.	DATE	
1	TR-185		7.2.65	




NOTE:
 ALL LETTERING, SYMBOLS & BORDER TO BE BLACK. BACKGROUND TO BE ALUMINUM CLEAR ANODIZED. ADHESIVE BACKING, WATER SOLVENT. APPLICATION - PAINTED SURFACE.

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
\emptyset	ORIGINAL RELEASE	10/22/65					.003 TO .005		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK		
							STOCK SIZE		NAMEPLATE,		
							ALUMINUM FOIL		IDENTIFICATION		
							MATERIAL				
							TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
							SEE NOTE				NP774 \emptyset
							FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.		

REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
1	LFTA-1		7.22.65


NP775 ϕ



NOTE:
 FINISH: BLACK MATTE BACKGROUND AND CLEAR LACQUER.
 SERIAL NUMBER TO BE STEEL STAMPED BY TMC.
 SERIAL BLOCK - 3/16 x 1" .
 4 HOLES - 1/8 DIA.

ϕ	ORIGINAL RELEASE	7/26/65	+	E			REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
							.032 THK		THE TECHNICAL MATERIEL CORP.	
							STOCK SIZE		MAMARONECK.	
							ALUMINUM		NEW YORK	
							MATERIAL		NAMEPLATE, IDENTIFICATION	
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	5052-H32		H. AUSTIN	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	1:1				TYPE & TEMPER	HEAT TREAT. SPEC.	CHECKED	FINAL APPROVAL
DECIMALS	TOLERANCES	FRACTIONS	CODE				SEE NOTES			
.X \pm .05		\pm 1/64	A				FINISH & SPEC. NO.			NP775 ϕ
.XX \pm .01		ANGLES						ELEC. DES. APP.	MECH. DES. APP.	
.XXX \pm .005		\pm 0° 30'								

REQ. PER UNIT	USED ON		NP776	φ
	MODEL	ASS'Y. NO.		
1	LFTB-I		7-22-65	



NOTE:


FINISH: BLACK MATTE BACKGROUND AND CLEAR LACQUER.

SERIAL NUMBER TO BE STEEL STAMPED BY TMC.

SERIAL BLOCK - 3/16 X 1" 4 HOLES - 1/8 DIA.

φ	ORIGINAL RELEASE	72605	H	E			REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
								.032 THK	THE TECHNICAL MATERIEL CORP.		
								STOCK SIZE	MAMARONECK.		
								ALUMINUM	NEW YORK		
								MATERIAL	NAMEPLATE, IDENTIFICATION		
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	5052-H32		H. Austin	JCB	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	1:1					TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
DECIMALS	TOLERANCES	FRACTIONS	CODE					SEE NOTES			
.X ± .05		± 1/64	A					FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	NP776
.XX ± .01		ANGLES									φ
.XXX ± .005		± 0° 30'									

REQ. PER UNIT	USED ON			NP777 \emptyset
	MODEL	ASS'Y. NO.	DATE	
1	LFTC-1		7-22-65	



NOTE:


FINISH: BLACK MATTE BACKGROUND AND CLEAR LACQUER.

SERIAL NUMBER TO BE STEEL STAMPED BY TMC.

SERIAL BLOCK - 3/16 X 1" 4 HOLES - 1/8 DIA.

\emptyset	ORIGINAL RELEASE	7/26/65	H	E			REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
							.032 THK		THE TECHNICAL MATERIEL CORP.		
							STOCK SIZE		MAMARONECK.		
							ALUMINUM		NEW YORK		
							MATERIAL		NAMEPLATE, IDENTIFICATION		
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	5052-H32		H. AUSTIN		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	1:1				TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
DECIMALS .X \pm .05 .XX \pm .01 .XXX \pm .005	TOLERANCES	FRACTIONS \pm 1/64 ANGLES \pm 0° 30'	CODE A					SEE NOTES			
						FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.		NP777 \emptyset	

REQ. PER UNIT	USED ON			NP793 A
	MODEL	ASS'Y. NO.	DATE	
	RAK-17B		11-12-65	




NOTE: FINISH — REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED-STD-595.

4 HOLES 1/8 DIA.
SERIAL BLOCK 3/16 X 3/4
CONTRACT BLOCK 1/8 X 1-1/16


NAMEPLATE TO BE MANUFACTURED ACCORDANCE WITH MIL- -15024 (SHIPS) TYPE "A", & AMENDS.

OBSOLETE



REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL
A			CY6362/FRT-81 ADDED. NAVELECSYS COM WAS BUREAU OF SHIPS				
Ø			ORIGINAL RELEASE FOR PRODUCTION				
X			EXPER. RELEASE				
SYM	DESCRIPTION		DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES			SCALE		1:1		
DECIMALS		FRACTIONS		CODE			
.X ± .05		± 1/64		A			
.XX ± .01		ANGLES					
.XXX ± .005		± 0° 30'					
TOLERANCES							
		5052-H32		G. Jensen		G. Jensen	
		TYPE & TEMPER		HEAT TREAT. SPEC.		DRAWN	
		SEE NOTES				CHECKED	
		FINISH & SPEC. NO.		ELEC. DES. APP.		MECH. DES. APP.	
						FINAL APPROVAL	
						NP793 A	

REQ. PER UNIT	USED ON			NP794	A
	MODEL	ASS'Y. NO.	DATE		
	RAK-11B		11-12-65		



NOTE:
FINISH — REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED-STD-595.


4 HOLES 1/8 DIA.
SERIAL BLOCK 3/16 X 3/4
CONTRACT BLOCK 5/32 X 1-1/8

NAMEPLATE TO BE MANUFACTURED IN ACCORDANCE MIL-P-15024 (SHIPS) & AMENDS. TYPE "A"

OBSOLETE

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL		
A	NOM. CY 6361/FRT-81 ADDED "NAVELECSYSCOM" WAS "BUREAU OF SHIPS"	6-2167 18296 GDL	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK						
Ø	ORIGINAL RELEASE FOR PRODUCTION	2-1767 Ø RME	NAMEPLATE, IDENTIFICATION						
X	EXPER. RELEASE	X	MODEL RAK-11B						
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE 1:1		5052-H32		—A	G. Sencen	ESD	Milkey
				TYPE & TEMPER		HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		FRACTIONS ± 1/64 ANGLES ± 0° 30'		SEE NOTES					
TOLERANCES		CODE A		FINISH & SPEC. NO.		ELEC. DES. APP.		MECH. DES. APP.	
								NP794 A	

REQ. PER UNIT	USED ON			NP795 0
	MODEL	ASS'Y. NO.	DATE	
	PAL-1KB		11-12-65	



NOTE:
FINISH — REVERSE ETCH, ANODIZE ON LUSTERLESS BLACK BACKGROUND (TYPE 37038) PER FED-STD-595.

4 HOLES 1/8 DIA.
SERIAL BLOCK 3/16 X 3/4
CONTRACT BLOCK 1/8 X 1-1/16

NAMEPLATE TO BE MANUFACTURED ACCORDANCE WITH MIL- -15024 (SHIPS) TYPE "A", & AMENDS.

N.P.O.

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
	.032 THK.	THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	
	STOCK SIZE		
Ø	ORIGINAL RELEASE FOR PRODUCTION	11/23/65	M Jc
X	EXPER. RELEASE	X	G. Jensen
SYM	DESCRIPTION	DATE	CH. NO. DRAFTS CHECKER ENG. APP.
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	SCALE	1:1
	5052-H32		G. Jensen
	ALUMINUM		dd
	MATERIAL		
	TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN
	SEE NOTES		CHECKED
	FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.
			FINAL APPROVAL
			NP795 0