


REQ. PER UNIT	USED ON		NP841	B
	MODEL	ASS'Y. NO.		
	CPP-5		6.29.66	



NOTE 1 FINISH:
REVERSE ETCH, LUSTERLESS BLACK
(37038) BACKGROUND PER FED-STD-595

NOTE 2 TYPE FACE
LETTERING TO BE GOTHIC OR SPARTAN;
W/MODIFIER (HEAVY, MEDIUM, CONDENSED
ETC.)
AS REQUIRED TO FIT SPACE.

NOTE 3 IDENTIFICATION PLATE TO BE
MANUFACTURED IN ACCORDANCE WITH
MIL-P-15024 AND AMENDS. (TYPE A)

CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R
4 HOLES REQ.- 1/8 DIA
BORDERS- 1/16
SERIAL BLOCK- 3/16 x 3/4
CONTACT BLOCK- 1/8 x 1 1/2

B	UPDATED NOMENCLATURE	3/27/69	19373	CV	Joe EFM	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
A	MFGR FOR NAVY DEPT. NAVAL ELECTRONIC SYSTEMS COMMAND	3-29-67	18049	L.A.K.	JOB		.032 THK	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
Ø	ORIGINAL RELEASE FOR PRODUCTION	12.16.66	Ø	RME			STOCK SIZE			
X1	CHG'D BUSNIPS (SHORE) TO NAVELEXSYSCOM	12.12.66	X1	RME	JOB		ALUMINIUM	IDENTIFICATION PLATE		
							MATERIAL	TMC MODEL CPP-5		
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	5052-H32	WHO	JOB	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES							SCALE			
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005							TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE	
							TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
							SEE NOTE		COO	FINAL APPROVAL
							FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	NP841 B