


|                 |           |       |         |                     |         |            |         |       |   |
|-----------------|-----------|-------|---------|---------------------|---------|------------|---------|-------|---|
| TMC<br>PART No. | DIMENSION |       | USED ON | REQ.<br>PER<br>UNIT | USED ON |            |         | NT153 | Ø |
|                 | A         | B     |         |                     | MODEL   | ASS'Y. NO. | DATE    |       |   |
| NT153 -1        | 13/16     | 11/16 | CHGR-3A |                     |         |            | 4-27-65 |       |   |

## STANDARD DRAWING



| SYM   | DESCRIPTION      | DATE      | CH. NO. | DRAFTS | CHECKER | ENG. APP. | REQ. ITEM           | PART NO.          | J. ANGER DESCRIPTION                                 | SYMBOL          |         |                |
|---|------------------|-----------|---------|--------|---------|-----------|---------------------|-------------------|--|-----------------|---------|----------------|
|   |                  |           |         |        |         |           | 3/4 DIA.            |                   | THE TECHNICAL MATERIEL CORP.<br>MAMARONECK, NEW YORK |                 |         |                |
|   |                  |           |         |        |         |           | STOCK SIZE          |                   |  | CAP, NUT        |         |                |
| Ø   | ORIGINAL RELEASE | 4-27-65   | Ø       | G.D.L. |         |           | ALUMINUM            |                   |  |                 |         |                |
|   |                  |           |         |        |         |           | MATERIAL            |                   |  |                 |         |                |
| UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN INCHES AND INCLUDE<br>CHEMICALLY APPLIED OR PLATED FINISHES |                  | SCALE     |         | 1:1    |         |           | 2024-T4             |                   | G. D. L.   | <br><br>        |         |                |
|   |                  |           |         |        |         |           | TYPE & TEMPER       | HEAT TREAT. SPEC. | DRAWN  |                 | CHECKED | FINAL APPROVAL |
| DECIMALS  | TOLERANCES       | FRACTIONS | CODE    |        |         |           | 5120 BLACK ANODIZED |                   | J. Anger   |                 | NT153   | Ø              |
| .X ± .05  |                  | ± 1/64    | A       |        |         |           | FINISH & SPEC. NO.  |                   | ELEC. DES. APP.                                      | MECH. DES. APP. |         |                |
| .XX ± .01   |                  | ANGLES    |         |        |         |           |                     |                   |  |                 |         |                |
| .XXX ± .005   |                  | ± 0° 30'  |         |        |         |           |                     |                   |  |                 |         |                |