


REVISIONS				
ZONE	SYM	DESCRIPTION	DATE	E.M.N. NO.
Ø		REL. TO PROD.	APRIL 30/68	RPL W J

- NOTES
- (1) MATERIAL: PLASTIC SHEET, LAMINATED COPPER CLAD  
FL-GE 062 C2/O
  - (2) CONDUCTIVE PATTERN TO BE:
    - (A) PLATED WITH A MINIMUM OF .0003 TIN LEAD
    - (B) COATED WITH A MINIMUM OF .0003 SOLDER
  - (3) TO BE IN ACCORDANCE WITH TMC SPEC. S735



SCALE 4:1

REF. BOTTOM PATTERN

HOLE	DESCRIPTION	REQ'D
A	9/64 DIA.	8
B	.081 DIA.	2
UNMARKED	.046 DIA	34

AMC 21	070/68		MAR 19/68	TMC (Canada) LIMITED OTTAWA ONTARIO	
MODEL	PROJECT NO.	ASS'Y. NO.	DATE	PC. BD ASSY, LOWPASS FILTER	
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURNS AND SHARP EDGES				IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.	
TOLERANCES				SCALE	
ALL OTHERS	DEC. DIM. ±	FRAC. DIM. ±	ANGULAR DIM. ±	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.
	±	± 1/64	±	XX = .05	XXX = .01
				XXXX = .005	
STOCK SIZE				MATERIAL	
WEIGHT PER PC.				TYPE & TEMPER	
HEAT TREAT. SPEC.				FINISH & SPEC. NO.	
DRAWN				ELEC. DES. APP.	
CHECKED				MECH. DES. APP.	
FINAL APPROVAL				SHEET 2 OF 4 PC10018-2 Ø	