


REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD

DO NOT USE
 THIS ASS'Y IS USED FOR SPARE PARTS ONLY
 SEE AX5197 FOR GPRI10 PRESELECTOR



Hole	DESCRIPTION	Req
A	.081 DIA.	8
B	11/64 DIA.	4
UNMARKED HOLES .040D.		

FABRICATION NOTES:
 TO BE MANUFACTURED IN ACCORDANCE WITH TMC SPEC S735 AND SPECIFICALLY

- OVERALL MATERIAL THICKNESS .062 ± .0062 AS PER (pp 3.1, 3.2)
- CONDUCTOR PATTERN TO BE COPPER FOIL AS PER (pp 4.1) PLATING TO BE TIN LEAD AS PER (pp 13.2.2, 13.2.1)
- MIN FINISHED CONDUCTOR WIDTH SHALL NOT BE LESS THAN .020
MAX FINISHED CONDUCTOR WIDTH SHALL BE DETERMINED BY THE ARTWORK LINE WIDTH ± .010
- ALL HOLES TO BE PLATED THRU AS PER (pp 8.9.5). UNLESS OTHERWISE SPECIFIED
-
- ALL UNMARKED HOLES TO BE NO. 60 (.040) DRILL (SEE INDIVIDUAL ARTWORK FOR LOCATION)
- MATERIAL: G10 GLASS EPOXY, LAMINATE 2 OZ. COPPER CLAD, BOTH SIDES

(REF CK2061, Z120)

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
8	1	TE127-L	TERMINAL, STUD	A
LIST OF MATERIAL				
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK PRINTED CIRCUIT BD PRESELECTOR				
FINAL APPROVAL		DATE		SIZE CODE IDENT.NO. DWG NO. ISSUE C 82679 PC704
MECH. DES.		DATE		
ELECT. DES.		DATE		
CHECKED		DATE		
DRAWN		DATE		SCALE
				SHEET OF

1	GPRI10 (BMA515)	A4978
QTY / UNIT	MODEL USED ON	ASS'Y NO.
APPLICATION		
CODE		
MATERIAL		
FINISH		

NOTICE TO PERSONS RECEIVING THIS DRAWING
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.