


REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
	XI	Output TERMINALS 1-6 REVISED	12-26-76			



NOTE
FABRICATION NOTES (SEE S735)
 1. OVERALL MATERIAL THICKNESS .062±.006 AS PER PP3.1.3.2.
 2. CONDUCTOR PATTERN TO BE COPPER FOIL AS PER PP4.1. PLATING TO BE TIN LEAD AS PER (pp13.2.2 13.2.1)
 3. ALL HOLES TO BE PLATED-THRU AS PER (pp8.9.5)
 4. MATERIAL: G10 GLASS EPOXY LAMINATE 2 OZ COPPER CLAD (SEE MASTER ARTWORK FOR 1:1 PHOTO)

Hole	Description	Req
A	.081 DIA	11
B	.093 DIA	9
C	3/16 DIA	7
	UNMARKED .042 DIA	~

NOTE: IF MADE AT (TMC) USE .086 DIA.

III	I	TE127-2	TERMINAL, STUD	A
QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
LIST OF MATERIAL				
FINAL APPROVAL		DATE		
MECH. DES.		DATE		
ELECT. DES.		DATE		
CHECKED		DATE		
DRAWN		DATE		
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK PRINTED CIRCUIT BD PRE SELECTOR(SWITCHING)				
SIZE	CODE IDENT.NO.	DWG NO.	ISSUE	
C	82679	PC 749	XI	
SCALE			SHEET	OF

I	GPR110A	AX
QTY / UNIT	MODEL USED ON	ASS'Y NO.
APPLICATION		
CODE		
<small>NOTICE TO PERSONS RECEIVING THIS DRAWING</small> <small>THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.</small>		
MATERIAL		
FINISH		

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES ON

DECIMALS	FRACTIONS
.X ± .05	± 1/64
.XX ± .01	ANGLES
.XXX ± .005	± 0° -30'