


4

3

2

1

REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	EM NNO	DRAFT	CHKD APPD
	X	DWG. No. WAS 40N12C7034	8-20-68		C. G. 208	
	Ø	ORIGINAL RELEASE FOR PRODUCTION	8/27/69	Ø	CG	J.P.
A		ADD FAB NOTE & SPEC	3-12-70	19764	KD	J.P.



NOTE: VIEWED FROM FOIL SIDE

THIS IS NOT ORIGINAL ARTWORK  
 THIS IS TO BE USED FOR REFERENCE ONLY

FABRICATION NOTES:  
 TO BE MANUFACTURED IN ACCORDANCE WITH TMC SPEC S735 AND SPECIFICALLY

- OVERALL MATERIAL THICKNESS .062 ± .0062 AS PER (pp 3.1.3.2)
- CONDUCTOR PATTERN TO BE COPPER FOIL AS PER (pp 4.1) PLATING TO BE TIN LEAD AS PER (pp 13.2.2. 13.2.1)
- MIN FINISHED CONDUCTOR WIDTH SHALL NOT BE LESS THAN .020  
 MAX FINISHED CONDUCTOR WIDTH SHALL BE DETERMINED BY THE ARTWORK LINE WIDTH ± .008
- MATERIAL: 1/16 GIO GLASS EPOXY LAMINATE 2 OZ. COPPER GLAD BOTH SIDES (THICKNESS .062)

HOLE KEY	
A	NO.32
B	NO.49
C	NO.60

QTY / UNIT	SPT-3KVHF	AP-138
MODEL USED ON	ASSY NO	
APPLICATION A8070		
CODE		
NOTICE TO PERSONS RECEIVING THIS DRAWING		
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES ON

DECIMALS	FRACTIONS
X ± .05	± 1/64
XX ± .01	ANGLES
XXX ± .005	± 0° 30'

QTY REQ	ITEM	PART NO	DESCRIPTION	SYMBOL	
LIST OF MATERIAL					
FINAL APPROVAL J.F.P. [Signature]			DATE 3-5-68	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
MECH. DES Rog			DATE 12-10-68		
ELECT DES [Signature]			DATE 8-11-69		
CHECKED J.F.P.			DATE 3-5-68		
DRAWN CB			DATE 3/5/68	POWER BOARD, MACHINING P.C DRILLING	
MATERIAL	FINISH		SIZE	CODE IDENT. NO. DWG. NO.	ISSUE
			C	82679 40PC8024A	A
SCALE 2:1			SHEET 2 OF 2		

4

3

2

1