

B

PL-146

SPECIFICATIONS

SERIES ~ QDL

NO. OF CONTACTS ~ ONE (1)

TYPE OF CONTACT ~ MALE

ELECTRICAL DATA

MAX. PEAK OPR. VOLT. ~ 1,000

FREQ. LIMIT ~ 1,000 MCS

NOMINAL IMPEDANCE ~ 50Ω

CABLE ACCOMODATIONS

TYPE ~ RG-34/U

MATERIAL

EXTERNAL PARTS ~ BRASS

CONTACT ~ BRASS

GASKETS ~ SILICONE RUBBER

FINISH

EXT. PARTS ~ SILVER PLATE & RHODIUM FLASH


CONTACT ~ SILVER PLATE & GOLD FLASH.

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:

THE TECHNICAL MATERIEL CORPORATION  
MAMARONECK, NEW YORK



NOTE :



TUBE (PM386) ALWAYS TO BE SUPPLIED BY MFR.

NOTE ~ USE TMC SPEC S-345/QDL FOR CABLE ASS'Y.

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
B	NOTE, DIMS ADDED; TUBE DELETED ON PLUG	7/28/64	11969	[Signature]	[Signature]	alm
A	Redrawn & Specs Added	5/24/61		[Signature]	[Signature]	pr

UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN INCHES  
TOLERANCES ON FRACTIONS ± 1/64 DECIMALS ± .005 ANGLES ± 1/2°

SCALE: S-401-70 (3098)

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

REQ. PER UNIT	MODEL	SECTION	ASS'Y. NO.	DATE
				5-15-61

USED ON

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
		CONNECTOR, PLUG	
		MATERIAL	
		TYPE & TEMPER	HEAT TREAT. SPEC.
		DRAWN	CHECKER
		FINAL APPROVAL	
		FINISH & SPEC. NO.	ELEC. DES. APP. MECH. DES. APP.
		PL-146	B