


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

PM-236 C

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

USED ON

MODEL	PROJECT NO.	ASS'Y. NO.	DATE
FFR-2			5-22-58
MSR			9-25-58



TMC NO	TAPPED HOLES	MODEL	REQ PER UNIT
PM-236-1	10-32	FFR	2
PM-236-2	8-32	MSR-1,3,4	2

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
C	1	FINISH & SPEC WAS S-105 CAD. PLATE	3-1-63	8325	Handwritten	Handwritten	Handwritten
B	2	CHART ADDED	11/8/57	2	Handwritten	Handwritten	Handwritten
A	1	PM-236-1 WAS PM-236	3/24/56	1	Handwritten	Handwritten	Handwritten

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
		1/8 x 7/16	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
		STEEL	BAR,	
		COLD ROLLED	PANEL LOCKING	
		TYPE & TEMPER	C.D.D. 6-3-53	
		HEAT TREAT. SPEC.	DRAWN	ELEC. DES. APP.
		S-135 NICKEL PLATE	MECH. DES. APP.	
		FINISH & SPEC. NO.	WCC 6-3-53	Handwritten Signature
			CHECKED	FINAL APPROVAL
				PM-236 C

TOLERANCES	SCALE	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.
ALL OTHERS DEC. DIM. ± .005 FRAC. DIM. ± 1/64 ANGULAR DIM. ±	Handwritten	