


REQ. PER UNIT	USED ON			PM-394	A
	MODEL	ASS'Y. NO.	DATE		
1	RTF		2-3-56		
1	RTF-2	MULT	11-20-58		



IF ROD IS OYERSIZE ETCH TO .250/.248

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
									1/4 DIA.	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
									STOCK SIZE		
A	1	ROD WAS 9/32 CG.	4/20/56	1	CDW	JADE	WR		ALUMINUM	SHAFT, RT. ANGLE DRIVE (MULT.)	
									MATERIAL		
									2017 T4	CDW 2/3/56	JADE
									TYPE & TEMPER	CHECKED	WR
									HEAT TREAT. SPEC.		
									S-101 CAUSTIC DIP		
									S-107 LACQUER		
									FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.
											PM-394 A

DEC. DIM.  $\pm$   
 FRAC. DIM.  $\pm \frac{1}{64}$   
 ANGULAR DIM.  $\pm$

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.  
 REMOVE ALL BURRS AND SHARP EDGES

TYPE & TEMPER HEAT TREAT. SPEC.

DRAWN

CHECKED

FINAL APPROVAL

S-101 CAUSTIC DIP  
 S-107 LACQUER

FINISH & SPEC. NO.

ELEC. DES. APP.

MECH. DES. APP.