


TMC NO.	"T"	USED ON	QUAN.	REQ. PER UNIT	USED ON			PM-466	A
PM-466	8-32				MODEL	ASS'Y. NO.	DATE		
PM-466-1	10-32	TER-3500-70 / TER-500-70	1		TER-3500-70	A-1472	10-18-57		
					TER-500-70	A-1475	16-18-57		



NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:

THE TECHNICAL MATERIEL CORPORATION
MAMARONECK, NEW YORK

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL					
								3/8 D	HEX. ROD	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	Post, SPARK ROD					
									STOCK SIZE							
									BRASS							
									MATERIAL							
A	1	PM-466-1 Added (10-32 Thds)	4/23/52	1	16		<i>[Signature]</i>	FREE TURNING		<i>[Signature]</i>	16	<i>[Signature]</i>				
TOLERANCES			SCALE: <i>[Handwritten]</i>													
DEC. DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES					TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL				
FRAC. DIM. ± <i>Y6A</i>								CADMIUM PLATED		<i>[Signature]</i>						
ANGULAR DIM. ±								S-105		<i>[Signature]</i>						
								FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	PM-466	A			