


NOTES:  
 A-HOLES 3/16 D. (8 REQ.)  
 B-HOLES 5/16 D. (18 REQ.)  
 C-HOLES DRILL & TAP THRU  
 #10-32 (.190) SET SCREW (2 REQ.)



NOTE~  
 HORIZONTAL AND VERTICAL AXIS MUST  
 BE HELD PERPENDICULAR ±.000

NOTE~ ALL MACHINING TO BE PERFORMED AFTER  
 BRAZING HUB TO ROTOR.  
 FINISH~ RHODIUM PLATE .000025 (POLISHED),  
 TMC SPEC.

NOTICE TO PERSONS RECEIVING THIS DRAWING  
 THE TECHNICAL MATERIEL CORPORATION claims  
 proprietary right in the material disclosed herein.  
 This drawing is issued in confidence for engineering  
 information only and may not be reproduced or used  
 to manufacture anything shown herein without per-  
 mission from THE TECHNICAL MATERIEL CORPORA-  
 TION to the user. This drawing is loaned for mutual  
 assistance and is subject to recall at any time.  
 Property of:  
 THE TECHNICAL MATERIEL CORPORATION  
 MAMARONECK, NEW YORK

REV.	DATE	DESCRIPTION	CH. NO.	DRAFTS	CHECKER	ENG. APP.
C	7-23-65	DIM. 26° WAS 24° AND 58° WAS 50° (2 PL.)	5205	R.V.V.	[Signature]	[Signature]
B	12-25-63	DWG UPDATED	16642	[Signature]	[Signature]	[Signature]
A	7-20-62	SECTION B-B CENTER LINE RELOCATED	9356	[Signature]	[Signature]	[Signature]

UNLESS OTHERWISE SPECIFIED:  
 DIMENSIONS ARE IN INCHES  
 TOLERANCES ON FRACTIONS ± DECIMALS ±.005 ANGLES ±

SCALE DO NOT SCALE

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS & SHARP EDGES

REQ. PER UNIT	MODEL	SECTION	ASSY. NO.	DATE
1	GPT-40K(1)4	AS-125	RO-102	7-27-61
1	GPT-40K(1)3	AS-120	RO-102	12-23-63

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
AS NOTED		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
AS NOTED		RO-102 ASSEMBLY ROTOR BANDSWITCH	
		J. GUARAGNO DRAWN	
		W.H.E. CHECKED	
		R.B.F. FINAL APPROVAL	
		AS NOTED	
		FINISH & SPEC. NO.	
		ELEC. DES. APP.	
		MECH. DES. APP.	
		SHEET OF	

PM-705

A