


PO-238

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.



SECTION "A-A"

C	.027 <sup>+0.003</sup> / <sub>-0.000</sub> WAS .025 <sup>+0.005</sup> / <sub>-0.000</sub>	11/12	10527			
B	4-40 TAPPED HOLES WERE G-32	3-22-63	9062			
A	ON DIM. 1.764 TOLERANCE ADDED G-32 TAPPED HOLES WERE 4-40 TAP.	12-7-62	7834			

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED:		SCALE: DO NOT SCALE				
DIMENSIONS ARE IN INCHES		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.				
TOLERANCES ON FRACTIONS ± 1/64 DECIMALS ± .005 ANGLES ± 1/2°		REMOVE ALL BURRS AND SHARP EDGES				

1	HR-1				7-26-62
REQ. PER UNIT	MODEL	SECTION	ASS'Y. NO.	DATE	
USED ON					

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
	KRUY	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
		STOCK SIZE	
		ALUMINUM	PULLEY, W/HUB
		MATERIAL	
	2024-T3	G.D.L. <i>[Signature]</i>	<i>[Signature]</i>
	TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN CHECKED FINAL APPROVAL
	5404 YEL. IRIDITE		TAK PO-238 C
	FINISH & SPEC. NO.	ELEC. DES. APP. MECH. DES. APP.	