


PX-363 A



A -  $\frac{13}{64}$  4 Holes Req.  
 B -  $\frac{3}{8}$  Dia. 4 Holes Req.

TMC NO.	"C" HOLE DIA.
PX-363-1	4 $\frac{3}{8}$ "

NOTE-Lacquer all edges exposed  
 by machining & cutting  
 S-113 Fungus Resistant Varnish

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
A	1	B WAS 1/2 DIA.	1-15-62	6126	LG	<i>[Signature]</i>	<i>[Signature]</i>

TOLERANCES  
 DEC. DIM.  $\pm$   
 FRAC. DIM.  $\pm 1/64$   
 ANGULAR DIM.  $\pm$

SCALE:  
 MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.  
 REMOVE ALL BURRS AND SHARP EDGES

2	TER-5000-70	A-1587	
4	TER-5000-600	A-1431(B)	4-23-57
REQ. PER UNIT	MODEL	PROJECT NO.	ASS'Y. NO.
			DATE

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
$\frac{1}{2}$ THICK STOCK SIZE		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	
PHENOLIC MATERIAL		PRESSURE PLATE (OUTSIDE)	
LE		<i>sc</i> 4-23-57	<i>[Signature]</i>
TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
NATURAL SEE NOTE			
FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	PX-363 <i>[Symbol]</i>