


RR-130	TMC PART NUMBER	MFG PART NUMBER	ELEMENT RESISTANCE (SERIES)	ELEMENT RESISTANCE (PARALLEL)	RESISTANCE TOLERANCE	WATTAGE P/ELEMENT	WATTAGE TOTAL	VOLTAGE		ELEMENT INSULATION	DIM. "A"	DIM. "B" ±1/16	DIM. "C" ±1/16	DIM. "D" ±3/8	E ±1/4	F ±3/8	LEAD LENGTH G
	RR-130-1		320 Ω	80 Ω	±10%	80W	160W	230 VAC 50/60 CPS	115 VAC 50/60 CPS	ASBESTOS	5"	29 1/2"	1"	12"	1 1/2"	12"	24"



SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES ON FRACTIONS ± 1/64 DECIMALS ± .005 ANGLES ± 1/2°		SCALE: S-401-117 ()				
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES		1 CMO-1				
		REQ. PER. UNIT	MODEL	SECTION	ASS'Y. NO.	DATE
		USED ON				

REQ. ITEM	PART NO.	DESCRIPTION		SYMBOL
		THE TECHNICAL MATERIEL CORP., MAMARONECK, NEW YORK		
STOCK SIZE		ELEMENT, HEATER		
MATERIAL				
TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKER	FINAL APPROVAL
		J.B.G.	<i>[Signature]</i>	<i>[Signature]</i>
FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	RR-130