

DATE 8-5-60		TMC SPECIFICATION NO. S -500	B
SHEET 1	OF 2		
COMPILED	CHECKED	TITLE: T.M.C. FINISH SPECIFICATIONS	
APPROVED			

<u>SPECIFICATION NO.</u>	<u>DESCRIPTION</u>
S-101	Caustic Dip for Aluminum
S-104	Passivation of Stainless Steel
S-105	Bright Cadmium Plate
S-106	Bright Iridite #4-1 Finish (Chromic Acid Dip)
S-107	Water Dip Lacquer Finish
S-108	Grey Enamel Finish
S-112	Wood Preservative
S-113	Fungus-Resistant Varnish
S-114	Zinc Chromate Primer
S-115	Smooth Gray Enamel
S-116	Smooth Black Gloss Enamel
S-117	Black Wrinkle Enamel
S-118	Gray Wrinkle Enamel
S-120	Lustrous Black Anodized Finish
S-126	Wood Preservative, Creosote
S-134	Crossarm Treatment (Creosote)
S-135	Nickel Plate, Bright
S-151	Platinum Gray Wrinkle Paint
S-153	Air Drying Smooth Gray Enamel
S-169	Machine Finishes
S-173	Inter-Crometch Primer
S-174	Blue Gray Paint
S-197	Black Semi-Gloss Baking Enamel
S-217	Semi-Gloss Gray Enamel
S-220	RCAF Gray Semi-Gloss Enamel Finish
S-241	Low Temp ratur Bak Enam l
S-245	Silv r Plat , Bright

DATE **8-3-60**SHEET **2** OF**TMC SPECIFICATION NO. S -509****B**

COMPILED

CHECKED

TITLE: **T.M.C. FINISH SPECIFICATIONS**

APPROVED

SPECIFICATION NO.DESCRIPTION

S-246	Potting Compound
S-254	RCAF Gray Wrinkle Enamel
S-371	Degreasing of Plain Steel Parts
S-404	Iridite 14-2 AL-Coat
S-423	Iridite 18-P Silver-Kote
S-424	Iridite 8-P Blubrite
S-425	Iridite 17-P Cupreous-Kote
S-444	Umber Finish
S-471	USIA Paint Specification
S-474	Finishing & Marking Procedure, FAA Panel (FAA Gray-Green Enamel)
S-520	Blue-Gray Textured Vinyl Paint
S-521	Gray Textured Vinyl Paint
S-522	Gray Smooth Vinyl Paint (Not done; Use S-115)
S-523	Blue-Gray Smooth Vinyl Paint
S566	Stamping & Engraving
S-676	Cleaning & Inspection of Printed Circuit
S-727	Marking Process for Metal & Phenolic
S-756	Gray Synthetic Enamel
S-788	Black Textured Vinyl Paint
S-827	Sand Blasting

