

# TMC SPECIFICATION

NO. S1389

REV:  $\emptyset$

COMPILED:

CHECKED:

APPD:

SHEET

OF

TITLE:

TEST PROCEDURE

for

BSP-6B

# TMC SPECIFICATION

NO. 1389

REV: 0

COMPILED:

CHECKED:

APPD:

SHEET 3 OF 3

TITLE: Test Procedure for BSP-6B

THE TECHNICAL MATERIEL CORP.  
700 FENIMORE RD.  
MAMARONECK, N.Y.

TEST DATA SHEET  
for  
BSP-6B

SERIAL NO.: \_\_\_\_\_

MFG. NO.: \_\_\_\_\_

|      |  |             |             |
|------|--|-------------|-------------|
| B.1  | MECHANICAL   | 1 _____     | 2 _____     |
| B.2  | DC SUPPLY VOLTAGE  | _____ VOLTS | _____ VOLTS |
| B.3  | Q5 VOLTAGE   | _____ VOLTS | _____ VOLTS |
| C.10 | OUTPUT AT 1000 CPS AT<br>LEAST 6.7 VOLTS (1 WATT)                      | _____ VOLTS | _____ VOLTS |
| C.23 | DISTORTION AT 1000 CPS<br>AND 1 WATT OUTPUT (MUST<br>BE 2% OR LESS).   | _____ %     | _____ %     |
| C.26 | OUTPUT AT 7000 CPS (AT<br>LEAST 4.8 VOLTS)                             | _____ VOLTS | _____ VOLTS |
| C.27 | OUTPUT AT 200 CPS (AT<br>LEAST 4.8 VOLTS)                              | _____ VOLTS | _____ VOLTS |
| C.29 | HUM LEVEL AT 1 WATT<br>OUTPUT (AT LEAST -40DB)                         | _____ VOLTS | _____ VOLTS |
| C.30 | S102 A <sub>1</sub> , A <sub>2</sub> , B <sub>1</sub> , B <sub>2</sub> | _____ OK    | _____ OK    |

DATE: \_\_\_\_\_

TESTER: \_\_\_\_\_