

S-723

DATE		<b>TMC SPECIFICATION NO. S-723</b>	
SHEET	1 OF 4		
IS COMPILED	<i>N.P.</i> CHECKED	TITLE: RTB-1 TEST PROCEDURE	
APPROVED <i>BP</i>			

RTB-1 TEST PROCEDURE

DATE 10/10/62  
SHEET 2 OF 4


# TMC SPECIFICATION NO. S-723

ISJ  
COMPILED

*M.P.*  
CHECKED

TITLE: RTB-1 TEST PROCEDURE

APPROVED



DATE <u>10/10/62</u>	TMC SPECIFICATION NO. S-723	
SHEET <u>3</u> OF <u>4</u>		
ISJ COMPILED	<i>M.P.</i> CHECKED	TITLE: RTB-1 TEST PROCEDURE
APPROVED		

EQUIPMENT REQUIRED

Simpson Model 260 VOM or equivalent.

1. Inspect unit for mechanical defects before testing.
2. Check Resistance from A to E. The VOM should read between 644 and 756 ohms.
3. Record Steps 1 and 2 on Test Data Sheet.

DATE <u>10/10/62</u>	<b>TMC SPECIFICATION NO. S-723</b>	
SHEET <u>4</u> OF <u>4</u>		
ISS <u>ISJ</u> COMPILED	<u>M.P.</u> CHECKED	TITLE: RTB-1 TEST PROCEDURE
APPROVED		

THE TECHNICAL MATERIEL CORPORATION

Mamaroneck, N.Y.

RTB-1 TEST DATA SHEET

SERIAL NO. \_\_\_\_\_

MFG. NO. \_\_\_\_\_

1. Unit is free of mechanical faults \_\_\_\_\_ OK
2. Between A and E Terminals \_\_\_\_\_ Ohms

DATE \_\_\_\_\_

TESTER \_\_\_\_\_