

DATE JANUARY 23, 1963

SHEET 1 OF 3

TMC SPECIFICATION NO. S -744

A

NP
COMPILED

C.N.P.
CHECKED

TITLE:

APPROVED *BP*

RBT-2, 6

TEST PROCEDURE

NP
COMPILED

N.P.
CHECKED


TITLE: RBT-2, 6, TEST PROCEDURE

APPROVED

TEST EQUIPMENT REQUIRED

- 1 - RF VTVM H.P. Model 410B or equivalent.
- 1 - RF Generator - Measurements Corp. Model 82 or equivalent.
- 2 - 150 ohm 1/2 watt resistors +5%, carbon.
- 1 - 68 ohm 1/2 watt resistor +5%, carbon.

Connect equipment as shown below:



Voltage readings +10%:

MC	RF VOLTS			
	V ₁	V ₂	V ₃ *	V ₄ *
2	1.0	.39	.37	.37
8	1.0	.46	.42	.42
30	1.0	.63	.45	.45
Ratio 2-30 Mc			1.2	1.2

* Response from 2 to 30 Mc shall be 3db or a ratio not greater than 1.4.

DATE January 23, 1963

SHEET 3 OF 3

TMC SPECIFICATION NO. S -744

A

NP
COMPILED

N.P.
CHECKED

TITLE: RBT-2, 6

TEST PROCEDURE

APPROVED

THE TECHNICAL MATERIEL CORPORATION

MAMARONECK, N.Y.

RBT-___ TEST DATA SHEET

SERIAL NO.: _____

MFG. NO.: _____

RF VOLTS				
MC	V ₁	V ₂	V ₃ *	V ₄ *
2	1.0	_____	_____	_____
8	1.0	_____	_____	_____
30	1.0	_____	_____	_____
Ratio 2-30 Mc				

Voltage Readings \pm 10%

*Max. Ratio = 1.4

DATE: _____

TESTER: _____

