IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

ENGINEERING

T 7 10E

SW-155

MAX MUM ALLOWABLE TOLERANCES HAVE BEEN DETER-MINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES USED ON

MODEL PROJECT NO. ASS'Y, NO. DATE

SPECIFICATIONS

- 1. Push rod length A-4 inches.
- 2. Key No. 1.
- 3. 6-32 tapped holes, both required.
- 4. Number of poles 4.
- 5. Contacts non-shorting type.
- 6. Spring return (momentary) type.
- 7. Tropical finish.
- 8. 60° lug bend.

								REQ.	ITEM	PART NO).	DESCRIPTION			SYMBOL	
										S	TOCK SIZE			HNICAL MA	ATERIEL NEW YO	
												OAK TYPE 170 SLIDER SWITCH				
									M	ATER	IAL WEIGHT	PER PC.				
52		ORIGINAL RELEASE	1/00	16		(£).						-		C = 0	-	
·								1		TYP	TYPE & TEMPER			G.T.O		
ISSUE	ITE	CHANGED FROM	J DA	TE C	:N. NO.	DRAFTS	CHECKE	R ENG. APP.					DRAWN	ELEC. DES.	APP.	MECH. DES. APP.
TOLERANCES SCALE											CIN Haki					
	-	DEC. DIM. ±			DRILL, PUNCH, COMMERCIAL STOCK					HEAT TREAT. SPEC.		CHECKED	FINAL APPROVAL			
ALL OTHERS		FRAC DIM +			SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.									1	5W-	155 0
										FINIS	H & SPEC. NO.			`	\sim \sim	, , , , , , , , , , , , , , , , , , ,