




DESG.	DIMENSION	TOL.	REMARK
A	10 5/16	±.015	SHAFT LG. FROM MTG. SURFACE
B	1/4	±.005	BUSH. LG.
C	—	±.015	FLAT LG. (IF REQ.)
D	—	±2°	FLAT ANGLE (IF REQ.)
E	—	±.002	FLAT (IF REQUIRED)
F	17/32	±.010	KEY LOCATION (IF REQ.)
G	0°		KEY LOCATION (IF REQ.)
M	5/32	±.010	
N	1/8	±.093	REAR SCR. EXT.
Q	1/4	±.031	REAR SHAFT EXT.
R	9/32		1st SEC. SPACING


TMC PART NUMBER: SW-471 STAMP ON FRONT PLATE  
FRONT PLATE SHAPE: ROUND X OR OBLONG  
MECHANICAL SPECIFICATIONS:  
NUMBER OF SECTIONS- 1,2,3  
NUMBER OF POSITIONS- CONTINUOUS  
ANGLE OF THROW- 30°  
CONTACTS:  
SHORTING TYPE, SECTIONS \_\_\_\_\_  
NON SHORTING TYPE, SECTIONS 1,2,3  
SILVER PLATED BRASS, SECTIONS 1,2,3  
SILVER ALLOY, SECTIONS \_\_\_\_\_  
WAFERS:  
BAKELITE, SECTIONS 1,2,3  
CERAMIC, SECTIONS \_\_\_\_\_  
MYCALEX, SECTIONS \_\_\_\_\_  
IMPREGNATION (IF REQ.) \_\_\_\_\_  
FINISH REQUIREMENTS:  
ARMY NAVY COMMERCIAL X  
SALT TEST (IF REQ.) \_\_\_\_\_  
HARDWARE, TO BE SUPPLIED BY MANUFACTURER:  
1 QUAN. 3/8 -32 NUTS 1/2 ACROSS FLATS  
MATERIAL STEEL PLATING CADMIUM  
1 QUAN. 3/8 INTERNAL TOOTH LOCKWASHER  
MATERIAL STEEL PLATING CADMIUM  
ELECTRICAL SPECIFICATIONS:  
MAXIMUM RATED VOLTAGE 110 VAC  
MAXIMUM RATED CURRENT 1.0 AMP BREAK  
5.0 AMP CARRY  
NOTE:  
FOR S401-13 ("F" TYPE) SWITCHES, THE SHAFT POSITION MUST BE SPECIFIED ON DETAIL "XX" BELOW.



NOTES



FRONT AND REAR SECTIONS VIEWED FROM FRONT OR KNOB END OF SWITCH IN EXTREME COUNTERCLOCKWISE POSITION. SEE NOTE (DET. "XX")



SWITCH, ROTARY - 12 POINT TYPE "F"

QTY / UNIT	MODEL USED ON	ASS'Y NO.
1	MMX(A)-2A	KIT 368
1	MMX-1-M	KIT 349
APPLICATION		
CODE		

NOTICE TO PERSONS RECEIVING THIS DRAWING  
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

DECIMALS	FRACTIONS	ELECT. DES.	DATE
.X ± .05	1/64		3-19-68
.XX ± .01	ANGLES		3-15-68
.XXX ± .005	0° -30'		3-15-68
MATERIAL		DRAWN	DATE
FINISH			3-8-68

THE TECHNICAL MATERIEL CORP.			
MAMARONECK, NEW YORK			
SWITCH, ROTARY 1MHz (ADDITIONAL)			
SIZE	CODE IDENT. NO.	DWG NO.	ISSUE
B	82679	SW471	A
SCALE	SHEET		OF

REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
	X	EXP. RELEASE	3-8-68			
	Ø	ORIG. RELEASE FOR PROD	3-15-68	Ø	R.G.	
	A	SEC. 3 FRONT REVISED	5/29/71	20365	GE	