



TF-229



Nomenclature, Schematic To Be Stamped On Case End Opposite Terminals.



TRANSFORMER, POWER: FILAMENT & PLATE. INPUT: 110-220 V, 50-60 CYCLE A.C. SINGLE PHASE. SECONDARY TERMINALS & RATINGS ARE THOSE SHOWN IN STAMPING DIAGRAM. HERMETICALLY SEALED IN RECTANGULAR METAL CASE. 12 SOLDER LUG TERMINALS, (8) 10-32 X 3/8 LONG THREADED INSERTS.

NOTE: MANUFACTURED IN ACCORDANCE WITH MIL SPEC T-27-A EXCEPT THAT MIL SPEC T-27-A SHALL NOT APPEAR ON CASE AND QUALIFICATION TESTING IS NOT REQUIRED.

ELECTROSTATIC SHIELD IS TO BE INSERTED BETWEEN PRIMARY & SECONDARY.

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED:						
DIMENSIONS ARE IN INCHES		SCALE: A				
TOLERANCES ON FRACTIONS ± 1/64		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES				
DECIMALS ± .005						
ANGLES ± 1/2°						

REQ. PER UNIT	MODEL	SECTION	ASS'Y. NO.	DATE
	VOX-5			1-4-61
USED ON				

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
STOCK SIZE				
TRANSFORMER, POWER				
VOX-5				
MATERIAL				
TYPE & TEMPER		HEAT TREAT. SPEC.	DRAWN	CHECKER
			<i>[Signature]</i>	<i>[Signature]</i>
FINISH & SPEC. NO.			ELEC. DES. APP.	MECH. DES. APP.
TF-229				