



REQ. PER UNIT	USED ON			TF-5004 E
	MODEL	ASS'Y. NO.	DATE	
4	CFA		10/3/56	



ELECTRICAL SPECIFICATIONS:
 INDUCTANCE : 750 mH \pm 1%
 Q : 75 OR GREATER

MECHANICAL SPECIFICATIONS:
 CASE : STEEL
 FINISH : GREY ENAMEL

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
E	1	INDUCTANCE WAS \pm .03	11.30.64	12868	WJB	J.P.	FEE			THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK REACTOR, FIXED	E	
D	1	DRILLING PLAN CHGD.	11/9/56	4	J.H.B.	W.C.	W.C.		STOCK SIZE			
C	1	COMPLETELY REVISED	10/3/56	3	J.H.B.	W.C.	A.J.I.		MATERIAL			
TOLERANCES			SCALE: 2A-413									
DEC. DIM. \pm FRAC. DIM. \pm ANGULAR DIM. \pm			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES									
A								TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
								FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	TF-5004	E