



SYMBOL	FUNCTION	OPER. FREQ.	USED ON	QUAN.	REQ. PER UNIT	USED ON			TZ-126	B																																																																														
						MODEL	ASS'Y. NO.	DATE																																																																																
T1601	IF INTERSTAGE	1.75 MC	TTR-10 AX-418	1	1	TTR-10	A-3189	7-29-63																																																																																
						<p><b>WINDING DATA</b></p> <p>WINDING NO. 1          NOMINAL INDUCTANCE: 4.5 uh          NO. OF TURNS: 32          NO. OF TAPS: NONE</p> <p>WINDING NO. 2          NOM. IND.: NOT RATED          NO. OF TURNS: 3          NO. OF TAPS: NONE</p> <p>COIL FORM DATA          MATERIAL: POWDERED IRON</p> <p>MOUNTING DATA          METHOD: SINGLE HOLE          DIMENSIONS: 3/16 DIA.</p> <p>TERMINALS:          QUAN.: 4          TYPE: WIRE LEAD (PRI. 1" LONG) (SEC. 3/4" LONG)</p>																																																																																		
						<p><b>ELECTRICAL SPECIFICATIONS</b></p> <p>INDUCTANCE (PRI) L= 4.5UH ± .200UH</p> <p>MIN. Q= 200 At 7.9 MC.          D. C. RESISTANCE = NOT RATED          CURRENT RATING = NOT RATED</p>																																																																																		
<p>— SCHEMATIC —</p> 						<table border="1"> <thead> <tr> <th>REQ. ITEM</th> <th>PART NO.</th> <th>R. KOHN</th> <th>DESCRIPTION</th> <th>E3037-93</th> <th>SYMBOL</th> </tr> </thead> <tbody> <tr> <td colspan="6" style="text-align: center;">THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK</td> </tr> <tr> <td colspan="6" style="text-align: center;">STOCK SIZE</td> </tr> <tr> <td colspan="6" style="text-align: center;">TRANSFORMER, INTERMEDIATE FREQ., FIXED</td> </tr> <tr> <td colspan="6" style="text-align: center;">MATERIAL</td> </tr> <tr> <td colspan="6" style="text-align: center;">G.D.L. <i>JH</i> 9/4/63 <i>BP</i></td> </tr> <tr> <td colspan="2">TYPE &amp; TEMPER</td> <td colspan="2">HEAT TREAT. SPEC.</td> <td colspan="2">DRAWN</td> </tr> <tr> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2">CHECKED</td> </tr> <tr> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2">FINAL APPROVAL</td> </tr> <tr> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2">RKohn</td> </tr> <tr> <td colspan="6" style="text-align: center;">FINISH &amp; SPEC. NO.</td> </tr> <tr> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2">ELEC. DES. APP. MECH. DES. APP.</td> </tr> <tr> <td colspan="6" style="text-align: center;">TZ-126 B</td> </tr> </tbody> </table>					REQ. ITEM	PART NO.	R. KOHN	DESCRIPTION	E3037-93	SYMBOL	THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK						STOCK SIZE						TRANSFORMER, INTERMEDIATE FREQ., FIXED						MATERIAL						G.D.L. <i>JH</i> 9/4/63 <i>BP</i>						TYPE & TEMPER		HEAT TREAT. SPEC.		DRAWN						CHECKED						FINAL APPROVAL						RKohn		FINISH & SPEC. NO.										ELEC. DES. APP. MECH. DES. APP.		TZ-126 B					
REQ. ITEM	PART NO.	R. KOHN	DESCRIPTION	E3037-93	SYMBOL																																																																																			
THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK																																																																																								
STOCK SIZE																																																																																								
TRANSFORMER, INTERMEDIATE FREQ., FIXED																																																																																								
MATERIAL																																																																																								
G.D.L. <i>JH</i> 9/4/63 <i>BP</i>																																																																																								
TYPE & TEMPER		HEAT TREAT. SPEC.		DRAWN																																																																																				
				CHECKED																																																																																				
				FINAL APPROVAL																																																																																				
				RKohn																																																																																				
FINISH & SPEC. NO.																																																																																								
				ELEC. DES. APP. MECH. DES. APP.																																																																																				
TZ-126 B																																																																																								
B	ON PICT. 1" WAS 1/2, 3/4 WAS 1/2 ON TYPE (PRI. & SEC. LENGTH ADD)	7-28-64	11965	WB	<i>JH</i>	790																																																																																		
A	START PRI. WAS START SEC. START SEC. WAS START PRI.	6-1-64	11475	SRG	<i>JH</i>	790																																																																																		
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.																																																																																		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE DO NOT SCALE																																																																																						
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE A	IA-3215																																																																																				