

CAPACITORS (SPECIAL)

CX

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
7-1-54	CAP. (FIXED) MYLAR 2UF 200V DC GOODALL 615 G20502V RSC-2		ND	100
4-6-55	CAP. VARIABLE MICA 2.7 - 30UUF		1	101
11-1-55	CAP. (FIXED) TYLAR PLASTIC CAP. INC. TF		2	102
2-9-60	CAPACITOR, FIXED, PLASTIC (OBSOLETE REPLACED BY CX108-1 7/31/62)	GPT-40K	1	103
5-10-60	CAPACITOR, POLYSTYRENE	CLL	4	104
5-10-60	CAPACITOR, TANTALUM	CLL	1	105
9-7-60	CAPACITOR, VOLTAGE, VARIABLE SILICON	CHG	2	106
2-14-62	CAPACITOR, FIXED MYLAR	HAF-1	4	107
6-19-62	CAPACITOR, FIXED, TEFLON	GPT-40K	2	108
6-18-63	CAPACITOR, FIXED, R.F. ^{R.F.}	TTR-10	2	109
10-11-63	CAPACITOR, FIXED, MULTIPLE	MAF-1	2	110
4/8/64	" " MYLAR	10KLF	2	111
12/31/64	" " HIGH VOLTAGE	GPT-10KLF	2	112
1-26-65	" " PLASTIC, (METAL CASE)	10KLF	2	113
6/22/65	CAPACITOR, FIXED, PLASTIC	TSTE-10K	2	114
11/17/65	CAPACITOR, FIXED, PLASTIC	HVRB-1 HVRC-1	1	115
6/24/68	CAPACITOR, VOLTAGE, VARIABLE (OBSOLETE - REPLACED BY CX106)	HFSR-4	2	116
7-18-68	CAPACITOR, FIXED, MYLAR, METALLIZED	RTTD-4	2	117
7/18/68	CAPACITOR, TANTALUM FOIL	RTTD-4	4	118
12-3-69	CAP, FXD, POLYESTER-EPOXY DIPPED	STD	A	119
9-16-70	ASSIGNED TO			120
				121
	VIRGINIA			122
				123
	CX 120 - CX 130			124
				125
				126

KTMC SYSTEMS

