





## INSULATORS, CERAMIC (COMMERCIAL)

NS

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
7-7-52	INSULATOR, OUTSIDE		1	100
7-7-52	INSULATOR, INSIDE		1	101
8-22-52	INSULATOR		2	102
9-30-52	INSULATOR, STAND-OFF-SUPERCEDED: DIR. REP. NS- BY	RTB	1*	103
	BUSHING	RTB	1	104
10-10-52	INSULATOR STRAIN		1	105
	INSULATOR FEED THRU		1	106
5-5-53	INSULATOR FEED THRU		1	107
7-28-53	BUSHING	TAC	1	108
12-9-53	INSULATOR	DAC	1	109
12-14-53	INSULATOR, STATOR	TAC-1	1	110
1-13-54	SHOULDER BUSHINGS		1	111
2-8-54	INSULATOR, FEED THRU	TAC-1	1	112
4-28-54	INSULATOR	TAC-1	1	113
6-30-54	MODIFICATION	CTAC	2	114
7-26-54	CAP, INSULATING	VRA	1	115
3-19-55	THRU PANEL INSULATION		1	116
10-14-55	INSULATOR, STANDOFF	GPT	1	117
1-5-56	BUSHING		1	118
1-5-56	BUSHING		1	119
1-5-56	BUSHING, MODIFIED	TRC-3500	1	120
2-6-56	INSULATOR, FEED THRU		1	121
2-6-56	INSULATOR, MODIFIED	RTF	1	122
3-20-56	INSULATOR, FLANGED BOWL TYPE	TER-5000	2	123
4-30-58	INSULATOR, RESISTOR MOUNTING		1	124
1-9-59	INSULATOR, STANDOFF, W/CAP AND FLANGE	GPT-10K	2	125
1-26-59	STEATITE, INSULATOR	GPT-10K	1	126



NS

INSULATORS, CERAMIC (COMMERCIAL)

126

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
8-4-59	BUSHING, INSULATED, MALE	STAND.	1	127
8-4-59	BUSHING, INSULATED, FEMALE	STAND.	1	128
6-6-60	INSULATOR, FEED THRU	GPT-4OK	1	129
1-12-61	INSULATOR	ATA- 2-3-4-5	2	130
9-6-61	INSULATOR	VRA-5	1	131
9-25-61	INSULATOR, EGG TYPE, ANTENNA		P/D	132
9-25-61	INSULATOR, ANTENNA		P/D	133
5-24-62	INSULATOR, BUSHING	HFA-1	1	134
6-1-62	INSULATOR, FEED THRU	DAC-15 DAC-16	1	135
RHAY- 3-26-64	INSULATOR	AW104	4	136
4-14-64	INSULATOR FEED THRU (CERAMIC)	GPT10K LF	1	137
				138
				139
				140
				141
				142
				143
				144
				145
				146
				147
4-28-81	"JB" TYPE STRAIN INSULATORS	STAND	A	148
8-31-82	INSULATOR, STAIN	DAC-20	C	149
2-15-87	LAP NAVY TYPE STRAIN INSULATOR	STAND	M/D	150
10-31-91	INSULATOR STRAIN	STAND	A	151
11/22/94	" " " "	DPA-125	2	152

TML  
Va

