

SUFFIX

PL

PLUGS - ALL TYPES

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUMBER
6-30-54	Connector, Feed Thru (Amphenol 83-1F)	JAN #	PL-274	1	274
7-15-52	Plug Navy Type 49195 Signal Corp Type PL 259A	JAN #	PL-259A	1	259A
6-18-52	Plug - Female - Twist Lock		stand.	1	100
6-18-52	Connector - 6 Prong		stand.	1	101
6-25-52	Connector - 12 Prong		stand.	1	102
6-25-52	Connector - Shielded		stand.	1	103
8-26-52	Plug Min. 7 Pin		DMK-4	1	104
8-26-52	Connector - 2 Prong		stand.	1	105
"	Connector - 4 Prong		AMD-1	1	106
					107
10-23-52	Male Plug	TWR-115		1	108
11-21-52	Connector - Multy Coaxial		FFRD	2	109
1-14-52	Plug and Socket - 6 Prong		CPI-2	1	110
1-14-52	Connector		CPI	ND	111
1-14-52	Plug Hubbell #7259			1	112
"	Connector Male 2 Contact		RAPC	ND	113
"	Connector Male 2 Contact		RAPC	ND	114
1-4-52	Plug Coaxial (Mates with JJ-117 #966 NEMS)	stand.	AMC-6	1	115
1-4-52	Connector - 8 Prong P-308 CCT S-308 CCT Cinch		stand.	1	116
10-27-53	Plug, Coaxial (Mates UG-296/U) IPC#11875 OBSOLETE		stand.	1	117
11-9-53	Plug (P-306-CCE) Cinch			2	118
12-17-54	Connector, Adapter RG-35/U to RG-11/U		TCA-85-35	1	119
12-17-54	Plug, Microphone Mellory #76		SFO	1	120
4-12-55	Socket, 110V (Cinch 12844) changed to JJ-145			1	121
4-12-55	Socket, Batt. Type (Cinch 2612) changed to JJ-146			1	122
4-12-55	Plug, Batt. Type (Cinch 2724)		stand.	1	123
4-12-55	Plug, Shell w/Liner (Cinch 11631)			1	124
"	Connector, Dual, Phono Type (Cinch 8113) changed to JJ-144			1	125
4-22-55	Angle Plug, Split Shell (Superceded by AN3108)		DMK-5	1	126
5-31-55	Connector, 8 Prong (Cinch #16022)		stand.	1	127
7-20-55	Connector, Adaptor (Styroflex to Type N Male) OBSOLETE			2	128
9-27-55	Plug Shell w/Liner (Cinch 14936)			1	129
6-11-55	Connector, Adaptor (Styroflex to PL-259) OBSOLETE			1	130
11-3-55	Connector, Adaptor (Styroflex to Type N. Female) OBSOLETE			1	131
11-30-55	Plug, Male Amphenol 91 MC 3M		stand.	1	132
"	Plug, Male Hubbell #7327		stand.	1	133
12-8-55	Plug, Female Hubbell #7313		stand.	1	134
"	Connector, 3 Wire - Locking Type, Polarized			1	135

V. F. D. Sheet Protector M-193

V. F. D. Sheet Protector M-193

V. F. D. Sheet Protector M-193

V. F. D. Sheet Protector M-193

PLUGS

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUM
12-9-55	Plug, Connector - Series QDL U/w8535		QDL	2	136
12-27-55	Phone Plug Trimm #511		Stand.	1	137
4-23-55	Flare Type Adapter (Male) <i>OBSOLETE</i>		stand.	1	138
"	" " " (Female)		stand.	1	139
8-28-55	Reserve for WJG			1	140
9-24-55	Connector Plug Angle R QDP to Cable		QDP	2	141
"	Adapter Right Angle Male to Female		QDP	1	142
"	Connector, Plug S-315		QDP	TF	143
"	" " "		QDP	TF	144
"	" " "		QDP	1	145
"	" " "		QDP	2	146
10-4-56	Plug, Tip		stand.	1	147
12-18-56	Connector, Plug Universal, QDS. see S-315			TF	148
"	Connector, Plug Special Universal, QDS to Mate Switch Rack			1	149
12-19-56	" QDS Universal			1	150
1-25-56	" QDS to RG-59/U <i>OBSOLETE</i> Use PL-157			TF	151
"	" Plug QDS stand. to RG-55/U cable			TF	152
"	" " RG-17/U to QDL Nav. Reb. 49353 UG 1195/U			TF	153
7-29-57	" " Female			1	154
"	" " " Angle			1	155
10-21-57	QDS Plug for RG-58/U			2	156
1-22-57	" " " RG-59/U			1	157
4-7-58	Connector Plug - Female Angle 50 OHM no usage			1	158
4-9-58	" " Male Angle QDS w/Plate			1	159
4-29-58	" " (Male or Female)		PAL	1	160
5-2-58	" " Male W/O Plate			1	161
"	" " Adapter			1	162
7-29-58	Plug, Tip (Mates with JJ-114)	stand. P	PVC-1	1	163
10-13-58	" Twist Lock	SBT		1	164
10-17-58	Adapter Assembly 1 5/8"-50 OHM Styroflex to LC Male			TF	165
2-2-59	Adapter, Straight		GPT-10K	1	166
"	" Tee		GPT-10K	1	167
"	Connector, Plug			1	168
2-17-59	Connector, Plug (UG-260/U Mod. for RG-174/U) Coaxial			1	169
3-7-59	Connector Modified UG-909/U changed to JJ-172			1	170
3-20-50	Plug, Connector Male		stand.	1	171
4-9-59	Polarized AG Plug Reserved for Elect. Tube Pent-Lab PL-172 (TMC TV-100) <i>AFB, C, D</i>		GPT-10K	1	172
4-20-59	Connector, Adapter, (P/O UG-352/U)		"	1	173

PLUGS

PL

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
4-20-59	CONNECTOR, ADAPTER, (PART OF UG-23/U)	GPT-10K	1	174
4-20-59	CONNECTOR, ADAPTER, (PART OF PL-259)	GPT-10K	1	175
5-6-59	PLUG, FEMALE, TWIST LOCK	GPT-10K	1	176
5-6-59	PLUG, MALE, TWIST LOCK	GPT-10K	1	177
5-26-59	CONNECTOR, ADAPTER (7/8-70 OHM STYRO TO QDL)		2	178
5-26-59	CONNECTOR, ADAPTER (1-1/8-70 OHM STYRO TO QDL)		2	179
5-26-59	CONNECTOR, ADAPTER (1-5/8-70 OHM STYRO TO QDL)		2	180
5-26-59	CONNECTOR, ADAPTER (7/8-50 OHM STYRO TO QDL)		2	181
5-26-59	CONNECTOR, ADAPTER (1-1/8-50 OHM STYRO TO QDL)		2	182
5-26-59	CONNECTOR, ADAPTER (1-5/8-50 OHM STYRO TO QDL)		2	183
10-2-59	RESERVED FOR TUBE SOCKET PENTA LAB #PL-184 (TMC #TS-142)		1	184
1-12-60	PLUG, MOLDED	GPT-40K	1	185
4-14-60	CONNECTOR, PLUG, FEMALE (16 CONTACTS)	RAK-11	1	186
4-14-60	CONNECTOR, PLUG, MALE (16 CONTACTS)	RAK-11	1	187
6-23-60	CONNECTOR ADAPTER (QDL MALE TO LC FEMALE THROUGH 9439)		TF	188
10-6-60	CONNECTOR, FEMALE, MINIATURE HEXAGON	CHG	1	189
10-25-60	CONNECTOR, 3 WIRE LOCKING TYPE POLARIZED		1	190
10-25-60	CONNECTOR, 3 WIRE LOCKING TYPE POLARIZED		1	191
11-4-60	PLUG, ANGLE TYPE	ACU	1	192
1-30-61	PLUG, CONNECTOR (THROUGH #2258)		N/D	193
2-1-61	PLUG, TELEPHONE		1	194
2-7-61	PLUG, ADAPTER, QDS MALE TO BNC FEMALE THRU #426 (REPLACED BY SA-105)		1	195
2-14-61	PLUG, JACK		P/O	196
2-14-61	PLUG, RIGHT \times (MATES WITH JJ-197)		2	197
2-16-61	PLUG, CONNECTOR RECEPTACLE	GPR-92	A	198
4-19-61	PLUG, CONNECTOR, (LC SERIES)		P/O	199
4-27-61	7/8-700 OHM STROFLEX TO LC STANDARD		P/O	200

PLUGS

PL

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
5-5-61	PLUG, CONNECTOR SERIES "C"		P/B	201
5-5-61	PLUG, CONNECTOR, SERIES BNC		P/B	202
5-15-61	PLUG, CONNECTOR, SERIES QDL		2	203
5-17-61	CONNECTOR, PLUG MINIATURE	CHG-2	2	204
5-17-61	CONNECTOR, PLUG, ANGLE MINIATURE	CHG-2	2	205
5-17-61	CONNECTOR, PLUG, "N" SERIES		2	206
5-18-61	CONNECTOR, PLUG, RG-17/U TO UHF (M)		2	207
6-7-61	PLUG, SHIELDED	GPE-1	1	208
8-16-61	POWER, CONN SBC-DDR-5 - OBSOLETE		1	209
8-16-61	POWER, CONN SBC-DDR-5		P/D	210
9-20-61	CONNECTOR, PLUG (12 PIN F)	STAND.	1	211
9-17-61	CONNECTOR, PLUG	SBS-1	2	212
5-8-52	CONNECTOR, PLUG, ELECTRICAL W/HOOD	HFR-1/T	1	213
11-9-61	CONNECTOR, PLUG		1	214
	UNASSIGNED		—	215
	UNASSIGNED		—	216
1-20-61	PLUG, TIP	STAND.	2	217
1-21-61	CONNECTOR, PLUG, 3 PRONG, AC	STAND.	1	218
1-21-61	CONNECTOR, PLUG, 9 PIN MIN.	STAND.	1	219
12-6-61	OBSOLETE-REP. by PL-204 CONNECTOR, PLUG, ELECTRICAL MINIATURE (FEMALE)	HFS-1	2	220
	UNASSIGNED		—	221
1-23-62	CONNECTOR, PLUG, RF (FOR RG-165/U)	STAND.	1	222
1-2-62	CONNECTOR, PLUG	STAND	1	223
2-2-62	CONNECTOR, PLUG		1	224
2-9-62	CONNECTOR, PLUG	STAND.	8	225
5-3-62	RECEPTACLE, CONNECTOR LC(F) TO CABLE	STAND.	1	226
5-12-62	PLUG, OCTAL	GPR-92	2	227

PLUGS

PL

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
7-3-62	CONNECTOR, RECEPTACLE, ELECTRICAL	HFR-1 HFS-1	2	228
4-19-63	CONNECTOR, PLUG, SERIES QDL	—	1	229
5-3-63	CONNECTOR, PLUG, QDS, RG 211/U CABLE	—	P/D	230
5-7-63	CONNECTOR, PLUG, LT SERIES, RG 211/U CABLE	—	P/D	231
5-7-63	CONNECTOR, PLUG, QDL CABLE 421-103		1	232
5-7-63	CONNECTOR, PLUG, QDL CABLE RG 211/U		1	233
5/21/63	CONNECTOR, PLUG, RT X (QDL CABLE 421-103)			234
5/24/63	CONNECTOR, PLUG RT X (LC-10KV)		1	235
5/24/63	CONNECTOR, PLUG (LC-10KV)		1	236
5/23/63	CONNECTOR, PLUG RT X (QDL TO CABLE RG 211/AU)		1	237
10-5-63	CONNECTOR, PLUG (LC) M TO CABLE		1	238
11-1-63	CONNECTOR, PLUG, ELECTRICAL	CA-	1	239
11-13-63	CONNECTOR, BNC PLUG, CRIMP KIT (Obsolete) (SEE PL 244) (See #1002)	RAK-31 DDR-		240
2-14-64	CONNECTOR, MICRO-MINIATURE, MALE	LFS-1		241
3/3/64	CONNECTOR, PLUG, TAPER PIN	LPP-4	1	242
3/13/64	CONNECTOR, BNC PLUG, CRIMP KIT	RAK-35	1	243
3/30/64	CONNECTOR, PLUG, BNC, CRIMP TYPE	STD	1	244
4/15/64	CONNECTOR, PLUG ("C" series SPECIAL)	STD	A	245
15/25/64	CONNECTOR Connector, Plug (For RG 367/U Cable)	STD		246
5/7/64	CONNECTOR, PLUG, MICRO-MIN.	ARCA	2	247
8/24/64	CONNECTOR, PLUG	DDR-551	1	248
11/19/64	Plug, Connect	RTK9-1	2	249
9/7/65	MICROPHONE CONNECTOR	MK102	1	250
	PLUG, MALE	STD		251
4/6/66	PLUG, MALE, LC CABLE	BLUE EAGLE		252
	plug, Right Angle - HN	TST() 2.5K	1	253
12/21/66	PLUG, RIGHT ANGLE	RAK 110-2 TST() 2.5K	2	254

Q.S.D. Sheet Production # 1-102

Q.S.D. Sheet Production # 1-102

Q.S.D. Sheet Production # 1-102

Q.S.D. Sheet Production # 1-102

PL

* MILITARY PLUGS

DATE	DESCRIPTION	MODEL	SIZE	DWG NO
10-19-67	Plug, Conn QDM 70 OHM (RG 59/U)	STD	1	255
1/11/68	PLUG, Conn, (TRU 3410)	STD	A	256
3/29/68	CONNECTOR, PLUG, ELEC.	HFRR-4	2	257
				258
* 9-16-54	PLUG - NAVY TYPE 49190		1	259
* 9-16-54	PLUG - NAVY TYPE 49195		2	259/A
				260
				261
				262
				263
				264
				265
				266
				267
				268
				269
				270
				271
				272
				273
* 9-16-54	ADAPTER, BULK HEAD ^{SIMILAR TO UG-363/U}		1	274
5-26-69	CONNECTOR, PLUG, QDS	DL102	2	275
7/13/71				276
				277
				278
				279
				280
				281
				282

TML
va

PL

TITLE

DATE	DESCRIPTION	MODEL	SIZE	DWG. NO.
				283
				284
				285
12/10/72	Plug, Female JJ351			286
12/12/72	Plug, Male JJ352			287
6/6/73	CONNECTOR, PLUG, WATERPROOF JJ353		B	288
5/4/74	Plug, BNC-70 ohm JJ354	SW477	A	289
7/16/75	Connector, receptacle (1 contact)	Standard	A	290
9/2/85	PLUG MALE LC to RG-8/0 std.			291
12-30-85	PLUG, MALE, MIKE CABLE	MMX-4	A	292
	CONNECTOR RECEPTACLE MALE 1 CONTACT	SMA	A	293
9/4/86	Connector SMA TRU 7114	UMC-8	-	295