

## MACHINED - PARTS

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUMBER
6-3-52	Nut, Plain, Barrel		RAC	1	100
"	Spacer			1	101
"	Post <i>Supercoded - Dir. Rep. By PM-721</i>		RAC	1	102
"	Spark Rod		RAC	1	103
6-6-52	Spacer - (Part of Insulator Assembly)		RAC	1	104
6-9-52	Cover Machining		RAC	2	105
6-9-52	Case Machining, RAC			4	106
6-4-52	Coupling Flange Machining was BMS005		RAC	2	107
7-25-52	Flange Cap	BAC-2-S-20		1	108
7-16-52	Case, Machining	BAC-1-S-20		4	109
"	" "	BAC-2-S-20		4	110
"	" "	BAC-3-S-20		4	111
"	Case, Machining	BAC-4-S-20		4	112
7-21-52	Tape Feed Roller		XTR	1	113
7-28-52	Cover Machining	BAC-2-S-20		4	114
8-22-52	Insulator Cap (was MP-115)			1	115
9-11-52	Bushing		VOX	1	116
9-11-52	Bushing			1	117
9-16-52	Machining Xtal Oven was BMS034		XFK	2	118
"	Flange		RAC-1	1	119
9-19-52	Shaft Switch		DMK-1	1	120
10-2-52	Shaft, Linkage		DMK-1	1	121
"	Case, Machining		RTB	4	122
10-8-52	Eccentric		XTR	2	123
10-8-52	Arm Contact		XTR	1	124
"	Pecker Pin		XTR	1	125
"	Stationary Contact		XTR	1	126
"	Elbow On		XTR	2	127
"	Elbow Off		XTR	2	128
"	Rocker		XTR	2	129
"	Tape Feed Spindle		XTR	4	130
10-10-52	Contact			1	131
"	Bar			1	132
"	Bar			1	133
10-23-52	Post		TWR-115	1	134
"	Wiring Tube		TWR-115	1	135
"	Plate Spacer		TWR-115	1	136
"	Tape Pulley		TWR-115	1	137



## MACHINED - PARTS

SUFFIX

PM

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUMBER
10-23-52	Pulley - Pin		TWR-115	1	138
"	Gear Shaft		TWR-115	1	139
"	Bearing Spacer		TWR-115	1	140
"	Saddle Bushing		TWR-115	1	141
					142
"	Plug Ring		TWR-115	1	143
"	Pin Bushing		TWR-115	1	144
"	Gear Bushing		TWR-115	1	145
"	Bearing Retainer		TWR-115	1	146
"	Flanged Bearing Retainer		TWR-115	1	147
"	Gear Shaft Flange		TWR-115	1	148
"	Gear Housing		TWR-115	2	149
"	Cover Boss		TWR-115	1	150
"	Cover		TWR-115	2	151
"	Plug Housing		TWR-115	1	152
"	Post Ring		TWR-115	1	153
"	Tape Guide Support		TWR-115	1	154
"	Spacer		TWR-115	1	155
"	Outer Reel Plate		TWR-115	4	156
"	Inner Reel Plate		TWR-115	4	157
10-25-52	Front Panel Brace - Top		FFR	2	158
"	Front Panel Brace - Bottom		FFR	2	159
"	Side Brace		FFR	2	160
"	Spacer <i>SUPERSEDED: DIR. REP. BY PM-159</i>		FFR	1	161
11-7-52	Bracket - End		EPP	1	162
"	Support		EPP	2	163
11-20-52	Base Plate		CK-2	2	164
11-21-52	Bushing		CK-2	1	165
"	Base Frame		CK-2	1	166
"	Motor Support		CK-2	2	167
11-24-52	Gear Hub		CK-2	1	168
"	Drive Shaft		CK-2	1	169
11-25-52	Spacer		CK-2	1	170
11-26-52	Tape Guide		CK-2	1	171
"	Post Support		CK-2	1	172
"	Post Arm		CK-2	2	173
"	Pin Guide		CK-2	1	174
12-1-52	Brace		FFR	1	175



## MACHINED - PARTS

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUMBER
12-5-52	Reel Side		CK-2	4	176
"	Clutch Ring		CK-2	1	177
"	Shim		CK-2	1	178
"	Clutch Face		CK-2	1	179
"	Motor Cover		CK-2	2	180
12-31-52	Shaft Lock		FFRD	1	181
1-19-53	Hub		PRO VOX	1	182
"	Spacer		VOX	1	183
1-21-53	Side Brace <i>OBSOLETE</i>		FFR-DP	1	184
"	Center Brace		FFR-DP	1	185
"	Bottom Guide <i>OBSOLETE</i>		FFR-DP	1	186
"	Spacer		FFR-DP	1	187
1-28-53	Oven Machining		XFK	2	188
2-3-53	Spacer, Bottom Cover		DCU	1	189
2-4-53	Support, Term. Board		DVM	1	190
"	" " "		DVM	1	191
"	Spacer, Bot. Cover		DVM-	1	192
2-26-53	Spacer, Motor Mount was AMS385		VOX	1	193
"	Motor Pulley was AMS384		VOX	1	194
"	Pivot Stud was AMS382		VOX	1	195
"	Panel Bearing Modification was AMS377		VOX	1	196
"	Control Pin and Disc. was AMS376		VOX	1	197
"	Shaft, Cal. Cont. was AMS375		VOX	1	198
"	Ext. Shaft, R.F. Cond. was AMS373		VOX	1	199
"	Bushing, Coil Slug was AMS372		VOX	1	200
"	Support Bar, P.S. was AMS332a		VOX	1	201
"	Dial Shaft was AMS288		VOX	1	202
"	Side Sup. Angle, Bottom was AMS327		VOX	2	203
"	Side Sup. Angle, Top was AMS326		VOX	2	204
"	Support, Trans. was AMS304		VOX	1	205
"	Support Rod, Trans. was AMS303		VOX	1	206
"	AVD Vernier Dr. Mod. was AMS299		VOX	1	207
"	Shaft, Helical Gear was AMS293		VOX	1	208
"	Mount, Helical Gear was AMS279		VOX	1	209
"	Shaft Lock, Helical Gear was AMS292		VOX	1	210
"	Cam Bushing OBSOLETE was AMS284		VOX	1	211
2-27-53	Dial Bushing was AMS283		VOX	1	212
					213



## MACHINED - PARTS

SUFFIX

FM

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUMBER
2-27-53	Rod, Motor Mount was AMS278		VOX	1	214
"	Shaft, Pinion was AMS272		VOX	1	215
"	Arm, Front Support was AMS267		VOX	1	216
"	Arm, Rear Support was AMS266		VOX	1	217
12-9-53	Stud Bolt		DAC	1	218
					219
3-2-53	Coupling Modification was AMS291		VOX	1	220
12-9-53	Post		DAC	1	221
"	Spark Rod		DAC	1	222
3-4-53	Shaft, Locking was BMS079 A		VOX	1	223
"	Plate, Locking, L.H. was BMS079 B		VOX	1	224
"	Plate, Locking, R.H. was BMS079 C		VOX	1	225
"	Platen, Recorder Pen		RAPC	1	226
4-22-53	Trimmer Spacer OBSOLETE		FFR	1	227
5-5-53	Stud		DAC-1	1	228
5-5-53	Spark Rod		DAC-1	1	229
5-5-53	Post		DAC-1	1	230
"	Cover		DAC-1	2	231
"	Case		DAC-1	4	232
"	Spacer - DDR-Rack				233
5-25-53	Panel Bearing w/Shaft (Birnbach 551-552)		DMK-4	1	234
5-28-53	Modification of PX-119 (Dial Lens)		VOX	1	235
6-3-53	Bar, Panel Locking		FFR	1	236
12-9-53	Case		DAC	2	237
"	Cover		DAC	2	238
6-11-53	Main Element		JJ-117	2	239
"	Solder Pin		JJ-117	1	240
"	Contact Jack		JJ-117	1	241
"	Inner Shell		JJ-117	1	242
"	Outer Shell		JJ-117	1	243
"	Grounding Ring		JJ-117	1	244
6-20-53	Flange		RAC-7	1	245
7-13-53	Shim (When 11/16" Width Tape is Used)		R-8	1	246
7-28-53	Bushing Lockmaker and Nut		TAC-1	1	247
10-5-53	Terminal Strip Support		XFK	1	248
"	Trans. Support		XFK	1	249
10-12-53	Modification, Panel Bearing (MC-115-1)		RSC-1	1	250
10-26-53	Wheel Contact		TAC-1	2	251



## MACHINED PARTS

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUMBER
10-26-53	Index Coupling, Fixed		TAC-1		252
"	Switch Coupling, Fixed		TAC-1		253
1-22-54	Contact Bushing (was 1-313)		TAC-1	1	254
"	Wheel Shaft (was 1-357)		TAC-1	1	255
"	Counter Shaft (was 2-359)		TAC-1	2	256
1-25-54	Wiper Rod (was 1-377)		TAC-1	1	257
"	Modification of Shaft (was AMS066)		TAK	1	258
					259
					260
					261
					262
					263
					264
11-27-53	Term. Board Supports was AMS065		TAD-1	1	265
2-1-54	Switch Bushing, Inner		TAC-1	1	266
					267
2-2-54	Rod, Switch Connecting		TAC-1	1	268
					269
					270
2-15-54	Collar, GD. Strap		TAC-1	1	271
2-17-54	Coil Lugs		TAC-1	1	272
2-18-54	Post (Modify TE-135-21)		TAC-1	1	273
"	Bushing, Switch		TAC-1	1	274
2-26-54	Shaft, Double Switch		TAC-1	2	275
"	Support, Panel		TAC-1	1	276
3-4-54	Spark Base 1 Per.		TAC-1	1	277
3-7-54	Extension Shaft, Coup. & Band Switch		TAC-1	1	278
"	Extension Shaft, Tuning Cap.		TAC-1	1	279
3-9-54	Core, Modify CI-107 OBSOLETE		FFR-D2	1	280
4-9-54	Coil Lug, Modified		TAC-1	1	281
4-26-54	Post, Splicing Jig		J-227	1	282
4-27-54	Plunger Seat, Gun		J-227	1	283
"	Barrel, Gun		J-227	2	284
"	Cap, Barrel		J-227	1	285
"	Plunger Rod, Gun		J-227	2	286
"	Lock, Handle		J-227	1	287
4-27-54	Handle, Gun		J-227	1	288
"	Shaft, Reel		J-227	1	289



## MACHINED PARTS

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUMBER
4-28-54	Grooved Jacket, Protector Shield		J-227	4	290
"	Mating " " "		J-227	4	291
4-29-54	Center Section, Mold		J-227	4	292
5-3-54	Plate, Mounting		RAC-10	1	293
6-15-54	Rod & Collar (External Rod) see A-789		TAC-1		294
7-20-54	Crystal Oven, Machining		XFK-MI	2	295
					296
					297
7-26-54	Spacer, Gear Box SUPERSEDED: DIR. REP BY TE---		PMO	1	298
"	Spacer, Calibrate SUPERSEDED: BY TE---		PMO	1	299
"	Spacer, Frame Panel SUPERSEDED: BY TE---		PMO	1	300
"	Bracket, Gear Housing see A-827		PMO	1	301
7-27-54	Collar, Mast Support OBSOLETE Use PM-494 6-26-58		VRA	1	302
"	Mast Support OBSOLETE PM-494 6-26-58		VRA	1	303
"	Plate, Mounting OBSOLETE 2-23-56		VRA	2	304
"	Machining, Counterbalance		PMO	2	305
"	Contact		RTB	1	306
7-29-54	Shaft, Dial SUPERSEDED DIR. REP. BY PM-691-FD-3000S		PMO	1	307
7-30-54	Dial Bushing		PMO	2	308
8-2-54	Machining, Oven Casting		PMO&VOX	8	309
8-13-54	Shaft, Calibrate Knob see A-830		PMO	ND	310
8-25-54	Shaft, Dial Lock		PMO	2	311
8-26-54	Pin, Dial Lock		PMO	1	312
"	Pin, Cal. Cont.		PMO	1	313
"	Shaft, Cal. Cont.		PMO	1	314
"	Panel Bracket, Case		CPMO	2	315
"	Collar, Cal. Cont.		PMO	1	316
9-1-54	Stop, Cal. Cont.		PMO	1	317
9-7-54	Spring Plate		PMO-VOX	1	318
9-14-54	Coupling, Main Shaft		PMO	1	319
9-20-54	Coupling, Shaft		PMO	1	320
10-5-54	Spacer, Main Shaft		PMO	1	321
11-8-54	Shaft Condenser Extension		RSC-2	1	322
11-9-52	Spacer, Vernier Drive-		PMO	1	323
12-7-54	Spacer, Friction Washer OBSOLETE		GPR	1	324
"	Shaft, Frequency, Dial SUPERSEDED BY PM-691RF1.750B		GPR	1	325
"	Shaft, Tuning Knob SUPERSEDED BY PM-691RF3.125B		GPR	1	326
"	Hub, Frequency Dial		GPR	1	327



## MACHINED PARTS

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUMBER
12-7-54	Inertia Wheel No Drawing see A-946 OBSOLETE us PM-416		GPR	1	328
1-21-55	Shaft, Dial		VOX-1,2	1	329
2-3-55	Coupling Shaft, Coil Slug		VOX-1,2	1	330
2-9-55	Bearing Holder, Tuning Shaft		GPR	1	331
2-14-55	Bracket Gear Housing No Drawing see A-934 superceded by PM-301 A-827		VOX-1,2	1	332
2-16-55	Bracket Gear Housing No Drawing see A-934		VOX-1,2		333
2-18-55	Bearing Support Dial Plate		GPR	1	334
2-23-55	Collar - Miter Gear		VOX-1,2	1	335
2-23-55	Counter Balance, Machining		VOX-1,2	2	336
"	Spring Plate Calibrate Control		PMO-1	1	337
3-7-55	Shaft, Dial Lock		GPR	2	338
3-14-55	Modification of the Antena Whip		VRA-1,2	1	339
3-15-55	Hub, Friction Washer OBSOLETE see PM-428		GPR	1	340
"	Pin, Dial Lock		GPR	1	341
					342
4-14-55	Hub, Gear		VOX-PMO	2	343
"	Shaft, Gear		VOX-PMO	1	344
4-25-55	Hub, Gear		GPR	1	345
6-8-55	Spacer, Switch		GPR	1	346
6-10-55	Shaft Antenna Tuner see PX-284			ND	347
6-13-55	Stop, Band Spread see PX-284		GPR	1	348
6-13-55	Spacer, Gears see PX-284		GPR	1	349
6-5-55	Terminal Board Support		FSS	1	350
"	Oven Fastener Plate		FSS	1	351
"	Shaft Band Switch (For Spare Parts Only 2-16-58		GPR	1	352
8-2-55	Bushing Knob		FSS	1	353
8-9-55	Contact, Resistor OBSOLETE: REP BY. RP-133		RTB	1	354
8-15-55	Rear Spacer, Bandsread Cond.		GPR	1	355
8-18-55	Socket Mounting Plate Spacer		GPT	1	356
8-29-55	Case Machining	TRC-3500		4	357
9-23-55	Contact, R.F. Final R.F.		GPT	1	358
9-26-55	Slide Stop R.F.		GPT	1	359
"	Slide Rod R.F.		GPT	1	360
"	Contact Stud R.F. Final OBSOLETE		GPT	1	361
"	Shaft, Helical Gear R.F. Final		GPT	1	362
10-4-55	Stiffener OBSOLETE		GPT	1	363
10-4-55	Center Spans OBSOLETE		GPT	2	364
10-4-55	Front Stringer OBSOLETE		GPT	4	365



## MACHINED PARTS

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUMBER
10-4-55	Rear Stringer' OBSOLETE		GPT	4	366
"	Left and Right Spans OBSOLETE		GPT	4	367
10-5-55	Spark Gap Post		RTM	1	368
"	Spacer Tube Socket		GPT	1	369
10-26-55	Bracket, Interconnect Terminal Board GPT-750		GPT	1	370
11-3-55	Contact		SW-176	1	371
11-4-55	Case - Machining		RAC 18	4	372
11-9-55	Support Rod, Resistor	TER-3500		1	373
11-9-55	Bottom Support	TER-3500		2	374
"	Ends, Contact Strap	TER-3500		1	375
11-15-55	Mount, Fuse Clip (OBSOLETE-REPLACED BY TE--)		RAC 30	1	376
11-22-55	Dial Stop (Replaced by TE-135-23)		GPR	1	377
11-23-55	End. Contact Strap	TER-3500		1	378
12-1-55	Frame Base		GPT-750	2	379
12-1-55	Post	TER-3500		1	380
"	Spark Rod	TER-3500		1	381
"	Flange (BU of Ships RE-A-10585)		JJ-134	1	382
12-15-55	Contact		JJ-134	2	383
"	Body		JJ-134	2	384
12-16-55	Spacer, Panel Support		GPR	1	385
12-19-55	Tube P/O PL-136		PL-141	1	386
1-3-56	Chassis Tray		RTF	8	387
1-10-56	Shaft, Rotor PA		RTF	1	388
1-11-56	Spacer Front Panel (SUPERSEDED-REP. BY TE-0832AL64H)		RTF	1	389
1-16-56	Case Machining		DAC-8	2	390
"	" "		A-1125	2	391
1-18-56	Case, Machining		TRC-500	4	392
2-2-56	Buss Rod		RAC 30A	1	393
"	Shaft, Right Angle Drive		RTF	1	394
2-6-56	Stop		RTF	1	395
"	Coupling, Stop		RTF	1	396
"	Coupling, Stop				397
"	Coupling, Var. Cap. (OBSOLETE P/O CB-126-3)		RTF	1	398
"	Spring, Guide		RTF	1	399
2-26-56	Shaft, Cap Inc. Switch		RTF	1	400
2-10-56	Shaft, Ext. Coupler (SUPERSEDED-REP. BY PM-691RF487A)		RTF	1	401
"	Shaft, Ext. Interconnect		RTF	1	402
2-14-56	Plate, Mounting TRC-500 (A-1237)		A-1237	1	403



## MACHINED PARTS

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUMBER
2-23-56	Stud Ground P/A		RTF	1	404
2-21-56	Modification of Switch Detent RTF		GPT	1	405
2-27-56	Spring Support, Metallic Thermostat OBSOLETE		RTF	1	406
3-2-56	Spacer, Capacitor P/A		RTF	1	407
"	Spacer, Capacitor Superseded By PM 299		RTF	1	408
3-12-56	Stud Antenna Switch		GPR	1	409
"	Stud R.F. Switch		GPR	1	410
"	Contact, Increase Switch P/A		GPT-750	1	411
"	HUB Gear		RTF	1	412
4-23-56	Brace, Main Gear Plate PMO-1,2		RTF	2	413
4-27-56	Collar, Helical Gear Shaft		RTF	1	414
5-15-56	Shaft Lock Knob, Modification		FFRD	1	415
5-26-56	Machining, Inertia Wheel		GSB	2	416
5-28-56	Stud - R.F. Switch		GPR	1	417
6-7-56	Capacitor Stop OBSOLETE		GSB-1	1 <sup>2 1/2"</sup>	418
"	Coupling, Capacitor Stop OBSOLETE		GSB-1	1	419
6-15-56	Spacer, Calibrator Control Lock		RTF	1	420
"	Bushing, Calibrator Control Lock (for Spares Parts Only)		RTF	1	421
9-7-56	Shaft, Antenna Tuning Capacitor P/A		RTF	1	422
"					423
"	Shaft, Capacitor Inc. Switch- P/A		RTF	1	424
"	HUB Capacitor Inc. Switch P/A		RTF	1	425
9-17-56	Spacer, Switch		QDP	1	426
"	Contact, Switch		QDP	1	427
9-26-56	Collar		GPR	1	428
2-6-57	Mast Support Anchor use PM-494 OBSOLETE 6-26-58		VRA	1	429
3-21-57	Electrode, Spark Gap	TER-5000		1	430
"	Connector, Coil	TER-5000		1	431
"	Rod, Spark Gap	TER-5000		1	432
3-22-57	End Plate, Strap, Large	TER-5000		1	433
"	End Plate, Strap, Small	TER-5000		1	434
3-26-57	Plate, Locking	TER-5000		1	435
4-30-57	Guide, Spring	TER-5000		1	436
5-3-57	Front Support		A-1279	1	437
"	Bracket, Unit Support(OBSOLETE)		A-1279	1	438
"	Bar, Nut OBSOLETE		A-1279	1	439
"	Bar, Nut Support OBSOLETE		A-1279	1	440
"	Rear, Stiffener OBSOLETE		A-1279	2	441



## MACHINED PARTS

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUMBER
5-6-57	Hub, Freq. Dial Mark II Series		GSB	1	442
5-7-57	Panel Bar Nut		A-1279	1	443
5-29-57	Rod, Support		TER-5000	1	444
6-24-57	Connector, Receptacle OBSOLETE see JJ-155		SW-195	1	445
"	Support, Brace OBSOLETE see PM-465		TLI-1	2	446
"	Base Plate OBSOLETE see PM-465		TLI-1	2	447
"	Mounting Plate OBSOLETE see PM-465		TLI-1	2	448
"	Bushing, Stand Off		TLI-1	1	449
7-17-57	Stop, gear OBSOLETE see TE-117-25		SBE	1	450
"	Hub, R.F. Dial		SBE-1	1	451
"	Shaft, Gear, GR-131		SBE-1	1	452
7-18-57	Machining, Inertia Wheel		SBE-1	2	453
"	Shaft, Hollow		SBE-1	1	454
7-19-57	Hub, M.F. Dial		SBE	1	455
"	Block, Oven Heater		SBE	2	456
"	Collar, Friction Drive		SBE	1	457
"	Shaft, M.F. Dial OBSOLETE see A-1456		SBE	ND	458
8-16-57	Shaft, .250 O.D.		Stand.	1	459
8-28-57	Shaft, .125 O.D.		Stand.	1	460
"	Coupling	GPR 90-RX		1	461
"	Shaft, Support	GPR 90-RX		1	462
"	Switch, Linkage Arm	GPR 90 RX		1	463
9-18-57	Shock Mount Spacer	MSR/GPR-90 RX		1	464
9-24-57	Base, Mounting SUPERCEDES PM-446, 447, 448 & A-1434		TLI-1	4	465
10-18-57	Post, Spark Rod	TER 3500-70		1	466
10-22-57	Lock, Control OBSOLETE use PM- <del>421</del> 479		GPT	1	467
10-25-57	Support, Resistor	TER-500-70		2	468
11-11-57	Spacer CAB/FR			1	469
12-2-57	Shaft, Gear, GR-133		SBE	1	470
12-17-57	Shaft, Contact Wheel			2	471
12-18-57	Actuator, Switch RFT		ATS	1	472
"	Collar, Drive Shaft RFT		ATS	1	473
"	Collar, Contact Spring RFT		ATS	1	474
12-20-57	Spacer		SPP-3	1	475
1-16-58	Spacer, Relay Chassis		RTP	1	476
1-28-58	Shaft, .187D		Stand.	1	477
"	Bushing, Coupling	ATS-50/70 TU		1	478
2-6-58	Bushing, Calibrate Dial Lock (Replacing PM-421)		VOX-1	1	479



## MACHINED PARTS

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUMBER
2-10-58	Shaft Switch (Replacing PM-352)		GPR	1	480
2-20-58	Spacer, Meter Mounting Plate	ATS MCU	MR-112	1	481
3-17-58	Bracket, Retaining Plate		SBE-1,2	1	482
3-20-58	Arm, Zero Adjust	ATS MCU	MR-112	1	483
3-31-58	Rod, Connecting	ATS	50/70 TU	1	484
4-1-58	Shaft, Contact Wheel	ATS	50/70 TU	1	485
5-5-58	Brace Panel		QDP-411	2	486
5-13-58	Unit, Rear Fastening		A-1279	1	487
"	Stiffener Front Panel		A-1279	1	488
"	Bar Nut, Connector Mounting		RFA-1	1	489
5-15-58	Panel Brace		SPP-3	2	490
5-26-58	Bushing, Transformer		RFA-1	1	491
6-2-58	Rotor, Neutralizing Capacitor		RFA-1	1	492
6-17-58	Stop, Capacitor		RFA-1	1	493
6-25-58	Support, Mast	VRA-1,	2,2A	1	494
7-25-58	Machining, R.F. For GPR-90		GPR-90	8	495
7-25-58	Capacitor Mounting Bar		GPR	1	496
7-28-58	Stabilizing Bar, Chassis		GPR	1	497
8-11-58	Stop Screw, Gear		SBE-1	1	498
6-11-58	Spacer, Threaded			1	499
8-20-58	R.F. Cam Machine REDRAWN AND REVISED	PMO	1,2,3	8	500
8-26-58	Chassis, Oven - Machining			4	501
9-2-58	Stud, Core L301 SUPERSEDED BY - PM-831			1	502
9-2-58	Collar, Core Stud L301 SUPERSEDED BY - PM-832			1	503
9-12-58	Top Stiffener		A-959A	2	504
"	Bottom Shim		A-959A	2	505
9-16-58	Pin Guide		CAB-7	1	506
"	Guide, Pin		RTX-2	1	507
10-10-58	End Plate, Bottom Strap	TER-5000-70		1	508
"	Rod, Spark Gap	TER-5000-70		1	509
"					510
"	Center Conductor	TER-5000-70		1	511
"	Frame Base GPT-750( )-2		CAB-7	2	512
10-23-58	Chassis Tray		RTF-2	8	513
10-28-58	Clamp, Stand		RTF-2	1	514
11-20-58	Locking Lug Washer		RTF-2	1	515
11-24-58	Stop, Locking Lug		RTF-2	1	516
12-3-58	Shaft, Helical Gear		RTF-2	1	517

Director M-190  
 P. D. Sheet Protector M-190  
 P. D. Sheet Protector M-190  
 P. D. Sheet Protector M-190



## MACHINED PARTS

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUMBER
12-31-58	Vacuum Capacitor Drive Shaft	GPT-10K	IPA	1	518
"	Lock, Hub		RTF-2	1	519
11-26-58	Shaft, Stop 180°		RTF-2	1	520
12-20-58	Bushing, Capacitor Gear	GPT-10K	IPA	1	521
12-22-58	Bushing, Shaft, Gear		GPT-10K	1	522
"	Studs, Meter Box	IPA	GPT-10K	1	523
1-9-59	Shaft, Capacitor, Insulated		GPT-10K	8	524
1-13-59	Contact Bottom		GPT-10K	1	525
1-30-59	Bushing, Locking Shaft		GPT-10K	1	526
"	Plunger, Drawer Lock		GPT-10K	1	527
"	Actuator, Lock		GPT-10K	1	528
"	Knob, Adapter		GPT-10K	1	529
2-3-59	Shaft Bearing, Band Switch		GPT-10K	2	530
2-3-59	Rod, Door Latch		GPT-10K	2	531
"	Post, Spark Rod	TER-5K	70	1	532
"	Plate Capacitor Shaft		GPT-10K	1	533
2-7-59	Bar, Contact		GPT-10K	1	534
"	Core Mount		GPT-10K	2	535
"	Core Support Rod		GPT-10K	1	536
"	Shaft Plunger		GPT-10K	1	537
"	Shaft Holder		GPT-10K	1	538
"	Main Drive Shaft		GPT-10K	1	539
"	Plunger, Mount		GPT-10K	1	540
2-4-59	Shaft Support		GPT-10K	1	541
"	Mounting Plate Gear Box		GPT-10K	1	542
2-11-59	Side Plate Gear Box		GPT-10K	1	543
"	Plunger Support HV Shorting Relay		GPT-10K	1	544
"	Stop, Driver Drawer		GPT-10K	1	545
"	Horizontal Shaft		GPT-10K	1	546
"	Vertical Shaft		GPT-10K	1	547
"	Shaft, Variable Condenser		GPT-10K	1	548
"	Main Shaft Antenna Tuner		GPT-10K	1	549
2-14-59	Detent, R.F. Band Switch		GPT-10K	1-	550
"	Rear Brace		GPT-10K	1	551
2-19-59	Slide Support	PS-12A	GPT-10K	2	552
"	Plate Line Regulator	PS-12A	GPT-10K	1	553
"	Spacer	PS-12A	GPT-10K	1	554
2-20-59	Mounting Bracket Latch (HVR)		GPT-10K	1	555



## MACHINED PARTS

PM

555

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
2-20-59	Shim, Panel Lock	10K	1	556
2/21/59	Inser, Coil Form	10K	1	557
2/25/59	Threaded Shaft Guide Antenna Tuner	10K	1	558
2/25/59	Bushing, Worm Gear Stop, Band Switch	10K	1	559
2/25/59	Insert Linek Filter Coil	10K	1	560
3/24/59	Mounting Stop, Coil	IPA	1	561
3/24/59	Shaft, Variable, Condensor	10K	1	562
3/31/59	Coaxial Feed Thru	10K	1	563
4/3/59	Adaptor Co-Axial Plug	10KW	1	564
4/6/59	Pressure Plate	IPA	1	565
4/6/59	Mounting Plate	IPA	1	566
4/6/59	Mounting Stud	IPA	1	567
4/6/59	Contact Button	IPA	1	568
4/6/59	Mounting Plate for Blower	750	2	569
4/17/59	Contact Bar	P/O AS-102	1	570
4/28/59	Verticle Shaft, Variable Condensor	10K	1	571
5/25/59	Bushing, Worm Gear Stop	10K	1	572
5/26/59	Shaft, Threaded, Variable Capacitor	TI-102	1	573
5/27/59	Support, Tube Clamp	PS-5	PAL 1K	574
6/16/59	Plate, Mounting, Outside	ATS-50/70	TU-2	575
6/16/59	Switch Index	ATS-50/70	TU-2	576
6/16/59	Collar, Shaft	ATS-50/70	TU-2	577
6/17/59	Connector Shaft, Driver	ATS-50/70	TU-2	578
6/17/59	Rod, Feed Thru	ATS-50/70	TU-2	579
8/26/59	Plate, Adapter, MTG, Line Regulator	TF-208	2	580
8/26/59	Adapter, Contact	AX-140	10K	581
10/29/59	Take )ff Shaft	MO-109	1	582



## MACHINED PARTS

PM

582

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
10/29/59	Take Off Shaft MO-108		1	583
11/17/59	Adapter, Counter Shaft	10K	1	584
11/25/59	Stop Spacer Gear Ap-100	SBE-3	1	585
1/25/60	Shoe, Contact AX-209	40K	1	586
1/25/60	Holder, Bearing AX-209	40K	1	587
1/25/60	Shaft, Capacitor, Insulated AX-209	40K	4	588
1/25/60	Top Bracket, Support Rod AX-209	40K	1	589
1/25/60	Bottom Bracket, Support Rod AX-209	40K	1	590
1/25/60	Shaft, Bearing, RF Band Switch AX-209	40K	1	591
1/25/60	Rotor "L" Section	40K	4	592
1/25/60	Tension Leaf, Fontactor, PA Band Switch AX-209	40K	1	593
1/25/60	Leaf, Tension, Contact AX-209	40K	1	594
1/25/60	Standoff AX-209	40K	1	595
1/25/60	Plate, Contact AX-209	40K	1	596
1/25/60	Rotor Plate AX-209	40K	8	597
2/2/60	Bracket, Wafer, BandSwitch RF AX-209	40K	2	598
2/18/60	Contact, Bar AX-209	40K	1	599
2/30/60	BandSwitch Shaft AX-209	40K	2	600
2/23/60	BandSwitch Driver Shaft AX-209	40K	1	601
2/23/60	Capacitor Shaft AX-209	40K	1	602
2/24/60	Bar, Support XFrmers <i>OBSOLETE</i> PS FRAME	40K	4	603
2/5/60	Plate, Contact, Filter MTG BD. AP-102 & 3	40K	1	604
2/26/60	Plate, Contact, Intercon. Filter Term BD. AP-102	40K	1	605
3/2/60	End, Piece, Coil, RF Fixer AP-103	40K	1	606
3/2/60	Rotor Switch, Antenna Tuner AT-101	40K	4	607
3/3/60	Shaft, Actuator Bushing AX-209	40K	1	608
	NOT USED			609

V. P. D. Sheet Protector M-198



## MACHINE PARTS

PM

609

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER	
3/3/60	Plate, Actuator Bushing	AX-209	40K	1	610
3/3/60	Plate, Support, Small	AX-209	40K	1	611
3/3/60	Plate, Support, Solenoid Plate	AX-209	40K	1	612
3/3/60	Plate, Worm Gear Shaft	AX-209	40K	1	613
3/3/60	Hub, Lock Shaft	AX-209	40K	1	614
3/3/60	Hub, Bearing	AX-209	40K	1	615
3/3/60	Shaft, Lock	AX-209	40K	1	616
3/3/60	Bushing, Actuator	AX-209	40K	1	617
3/7/60	Contact, Button	AX-220	40K	1	618
3/8/60	Chassis, OSC. Machining	CMO		4	619
3/14/60	Contact, Balanced Output	AP-103	40K	1	620
3/14/60	Button, Contact, Side (Ant. Tuner)	AT-101	40K	1	621
3/14/60	Contact, Switch (Ant. Tuner)	AT-101	40K	1	622
3/16/60	Nut, Spacer	AX-209	40K	1	623
	NOT USED				624
3/16/60	Bushing, End, PA Filament	AX-209	40K	1	625
3/17/60	Shaft, Switch	AT-101	40K	1	626
3/17/60	Shaft, Capacitor	AT-101	40K	1	627
3/17/60	Shaft, Adapter, Capacitor	AT-101	40K	1	628
3/21/60	Side Support Angle	CMO		1	629
3/21/60	Support Bar Power Supply	CMO		1	630
3/22/60	Shaft Ant. Tuner Switch	AT-101	40K	4	631
3/29/60	Nut Connecting	AX-209	40K	1	632
3/30/60	Block, Ground Contact MTG	AP-103	40K	1	633
3/31/60	Rotor, Model Selector Switch	AS-117	40K	2	634
4/4/60	PA Plate Connector	AX-209	40K	2	635
4/5/60	Connector Coil	AT-101	40K	1	636



## MACHINING PARTS

PM

636

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
4/11/60	Shaft Bearing, Mode Switch Switch	40K	1	637
4/12/60	Coupling, Mode SW.	40K	1	638
4/12/60	Shaft, Mode SW	40K	1	639
4/13/60	Hub, Band Switch, Top AX-209	40K	1	640
4/21/60	Rear Stiffener	GPR-90RXD	2	641
4/21/60	Shaft Flatted <i>SUPERSEDED: DIR. REP. BY - PM-691</i>		1	642
4/22/60	Nut, Round PA Band SW. AX-209	40K	1	643
4/22/60	Rod, Spark AX-209	40K	1	644
4/26/60	Oven, Machining	CLL-1	2	645
4/26/60	Post Spark Rod AX-209	40K	1	646
5/5/60	Coupling, Switch Detent	CHG-1	1	648
5/6/60	Stop Spacer, Gear	CHG-1	1	647
5/13/60	Shaft, Gear	CHG-1	1	649
5/26/60	Connector, BandSwitch Tube AX-209	40K	4	650
	NOT USED			651
6/17/60	Strap Interconnector AX-209	40K	2	652
6/30/60	Key, Shaft BandSwitch AX-209	40K	1	653
7/11/60	Bar Contact, Wrap Around Rear AX-209	40K	1	654
7/18/60	Bar Contact, Wrap Around Side AX-209	40K	1	655
7/25/60	Coupler		1	656
7/27/60	Shaft, Mode Switch	40K	1	658
7/27/60	Coupler Horizontal Shaft	40K	1	658
8/9/60	Blower Plug Bracket	DDR-6	1	659
8/10/60	Modification, Ari Distributor	40K	4	660
9/6/60	Casting Band Switch Release Ref. CS-125	40K	8	661
9/7/60	Coller Contact AX-209	40K	1	662
9/12/60	Bar Mounting Finger Stock	CHG-1	1	663

V. P. D. Sheet Protector M-198 V. P. D. Sheet Protector M-198 V. P. D. Sheet Protector M-198 V. P. D. Sheet Protector M-198



## MACHINING PARTS

PM

663

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
9/16/60	Hub, Dial Gear	CHG-1	1	664
9/16/60	Shaft, Gear	CHG-1	1	665
9/20/60	Rotor Un Bal. Band Switch	ACU	4	666
9/23/60	Shaft Dial Lock	CMO	2	667
9/28/60	Stop Spacer Gear	CHG-1	1	668
9/28/60	Stop Screw Gear	CHG-1	1	669
9/28/60	Shaft, Calibrate (NO DWG) REF ASS'Y, A-1982	CMO-1&2	<del>1</del>	670
9/30/60	Shaft, Detent OBSOLETE USE PM-965	CHG	1	671
10.9/60	Support Spark Gap	ACU	1	672
11/9/60	Coupling, Gear Assembly	40K	1	673
11/9/60	Shaft, Worm Gear	40K	2	674
11/11/60	Bearing, Pinion, Machined	40K	1	675
11/11/60	Shaft, BandSwitch	40K	2	676
	Terminal, Bushing Type	APP-2	1	677
12/6/60	Dial Stop Gear	CHG-1	1	678
12/6/60	Dial Stop Nut	CHG-1	1	679
12/13/60	Connector, Strap	40K	1	680
12/16/60	Shaft, Gear	CHG-1	1	681
1/5/61	Left & Right Side <sub>4</sub> Bracket SY-1024-5	CPP-4	2	682
1/5/61	Top & Bottom 4 Bracket SY-1024-6	CPP-4	4	683
1/19/61	Plate, Case Mounting	ATA	2	684
1/19/61	Case, Machining	ATA	4	685
1/23/61	Stop, Bandswitch	CHG-1	1	686
1/23/61	Stop Pin, Bandswitch Gear	CHG-1	1	687
2/7/61	Cam 2 Point Catch	10K	1	688
2/3/61	Support Bracket Gear Plate	CHG-1	1	689
2/10/61	Case, Machining PM 357, PM 708 OBSOLETE REP. BY	TRC-3500 50/600	8	690



## MACHINING PARTS

PM

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
2-15-61	SHAFT 1/4 D.	ACU	2	691
2-23-61	SWITCH EXTENSION SHAFT	SBT-1K	1	692
3-14-61	SWITCH MOUNTING STANDOFF	CHG-1	1	693
4-10-61	PLATE, MOUNTING	REF: A-2092 RAC	1	694
5-4-61	FLANGE	RAC-36	1	695
5-18-61	MACHINING.R.F. SECTION	GPR	8	696
5-18-61	BAR, MOUNTING, FINGER STOCK	CHG-2	1	697
6-21-61	PRESSURE CUP, TOP BAND SWITCH	GPT-40K	2	698
6-21-61	BAR, TIE-DOWN BAND SWITCH	GPT-40K	1	699
6-21-61	CONTACT HOLDER, BAND SWITCH	GPT-40K	1	700
6-21-61	SPRING AND CONTACT RETAINER, BAND SWITCH	GPT-40K	2	701
6-21-61	SLUG, CONTACT, BAND SWITCH	GPT-40K	1	702
6-21-61	RING, WIPER, BAND SWITCH	GPT-40K	2	703
6-28-61	SPACER, CONTACT, BAND SWITCH	GPT-40K	1	704
7-8-61	ROTOR, MACHINING	GPT-40K	8	705
7-12-61	CASE, MACHINING	RAC-35	P/O	706
7-18-61	ADAPTER, CONTACT, 70 $\Omega$	STAND.	1	707
7-18-61	PLATE, ADAPTER, 1-5/8 EIA	STAND.	1	708
7-25-61	CONTACT, WIPER, BAND SWITCH	GPT-40K	8	709
7-29-61	ADAPTER, CONTACT, 50 $\Omega$	TRC-3500-700 TER-5000	1	710
9-9-61	STUD, TERMINATING, SECONDARY	TRC-20K	1	711
9-14-61	BOX, CONNECTOR MOUNTING (REPLACED BY SY-1268) VAN #2	SYM-2002	1	712
9-14-61	BOX, CONNECTOR MOUNTING (REPLACED BY SY-1269) VANS #5 & 7	SYM-2002	1	713
9-14-61	BOX, CONNECTOR MOUNTING - LARGE - VAN #6 (REPLACED BY SY-1270)	SYM-2002	1	714
9-14-61	BOX, CONNECTOR MOUNTING (REPLACED BY SY-1271) VAN #6	SYM-2002	1	715
9-14-61	BOX, CONNECTOR MOUNTING (REPLACED BY SY-1272) VANS #9,10,11	SYM-2002	1	716
9-19-61	CASE, MACHINING	VRA-5 VRA-6	4	717



## MACHINING PARTS

PM

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
9-27-61	SHAFT, CAPACITOR	GPT-40K	1	718
9-28-61	ROTOR, "L" SECTION	GPT-40K	4	719
9-28-61	BRACKET, UNIT MOUNTING (REPLACED BY SY-1273)	SYM-2002	1	720
10-19-61	POST, SPARK (STANDARD)	TRC-20K	2	721
10-20-61	PLATE, ADAPTER, 3-1/8 TO QDL	AX-279	1	722
10-30-61	CONTACT, SPARK GAP (CIRCULAR)	TRC-5K	1	723
10-30-61	ROD, SPARK (STANDARD)	TRC-5K	1	724
11-3-61	CABLE, FEED THRU	HFI-1	1	725
11-3-61	SHAFT, TUNING	AFC-2	1	726
11-3-61	CONTACT, CUP TYPE 3-1/8 EIA	TRC-20K	1	727
11-7-61	CASE, MACHINING	TER-250/ 300U	4	728
11-7-61	PLUNGER, SWITCH ACTUATOR	GPT-10K, 40K KIT-127	1	729
11-9-61	TUBE, PART OF PL-214		1	730
11-21-61	OVEN, OSCILLATOR CIRCUIT, MACHINING	AFC-2	2	731
11-27-61	COUPLING FLANGE, MACHINING		2	732
12-5-61	BRACKET, CONTACT HOLDER	AX-294	1	733
12-4-61	COIL-SUPPORT, STAND-OFF	AX-294	1	734
12-4-61	HOLDER, CONTACT SLUG	AX-294	1	735
12-7-61	ROTOR, BAND SWITCH	AX-294	4	736
12-7-61	SUPPORT, ANGLE	LFA-2	1	737
12-13-61	EXTENSION ROD TILT LOCK RELEASE	TIS-3	1	738
12-18-61	SHAFT, EXTENSION (SWITCH, ROTARY)	HFI-1	1	739
12-26-61	BODY, LC RECEPTACLE CONNECTOR	LC	2	740
12-26-61	CONTACT, LC RECEPTACLE CONNECTOR	LC	2	741
1-27-61	PLATE CENTER, STRAP	TER-5K-50	1	742
1-27-61	CAP, CENTER CONDUCTOR MACHINING	TER-5K-50	1	743
2-14-61	PLATE, AUX. GEAR (LEFT)	GPR-92	2	744



DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
2-14-62	PLATE, GEAR	GPR-92	8	745
3-2-62	SPACER, SLEEVE	HFR-1	1	746
3-2-62	SPACER, SHOULDER	HFR-1	1	747
3-6-62	SPACER, TIE BAR	HFR-1	1	748
3-6-62	SPACER, SLEEVE	HFR-1	1	749
3-6-62	SUPPORT, BAR, PLATE	HFR-1	2	750
3-6-62	SUPPORT, BAR, PLATE, (TOP LEFT)	HFR-1	2	751
3-6-62	SPACER, TIE BAR, (SINGLE)	HFR-1	1	752
3-6-62	SHAFT, ROTOR	HFR-1	1	753
3-6-62	SUPPORT, BAR, COVER	HFR-1	1	754
3-6-62	DISC, SEPARATER (HFR-1)	HFR-1	2	755
3-8-62	HUB, SHAFT MOUNTING	HFR-1	1	756
3-8-62	STUD, HEX	HFR-1	1	757
3-8-62	NUT, BEARING	HFR-1	1	758
3-8-62	BAR NUT, FRONT	HFR-1	1	759
3-8-62	NUT, PLATE	HFR-1	1	760
3-8-62	BAR NUT	HFR-1	1	761
3-8-62	SUPPORT, BAR	HFR-1	1	762
3-8-62	SUPPORT, BAR	HFR-1	1	763
3-19-62	SHIELD, ROTARY SWITCH	HNF-1	1	764
3-19-62	SPACER, BAR	HNF-1	1	765
4-4-62	OVEN, OSCILLATOR CIRCUIT, MACHINING	AFC-3	2	766
5-8-62	HUB, BAND SWITCH GEAR	HFR-1/T	1	767
5-11-62	SHAFT, STRAIGHT	GPR-92	1	768
5-12-62	ANGLE, SUPPORTING	GPR-92	1	769
5-17-62	HUB, GEAR	GPR-92	1	770
5-22-62	CASE, DIPOLE ANTENNA	DAC-15	2	771



DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
5-23-62	PLATE, FRONT MACHINING <i>PM 798, PM 797 OBSOLETE REF. BY</i>	HFR-1	8	772
5-23-62	PLATE, FLY WHEEL, SUPPORT	HFR-1	2	773
5-23-62	SHAFT, GEAR MOUNTING	HFR-1	1	774
5-24-62	HOLDER, INDICATOR LIGHT	HFR-1	1	775
5-25-62	CASE, MACHINED	DAC-16	2	776
5-26-62	PLATE, REAR MACHINING	HFR-1	4	777
5-26-62	BRACKET, DIAL	HFR-1	1	778
5-28-62	PLATE, ESCUTCHEON	HFR-1	4	779
6-11-62	COUPLER, SHAFT	HFR-1	1	780
5-28-62	TRACK SLIDE, INDICATOR	HFR-1	1	781
5-21-62	PLATE, SHAFT SUPPORT #2	HFR-1	1	782
5-21-62	HOUSING, SLIDE INDICATOR	HFR-1	1	783
5-21-62	BUSHING, CYLINDER MOUNTING	HFR-1	1	784
6-1-62	COLLAR, SHAFT MOUNTING	HFR-1	1	785
6-1-62	COLLAR, SHAFT MOUNTING	STAND.	2	786
6-3-62	CAM, CONTROL, DETENT	HFR-1	1	787
6-11-62	HUB, 48 WIRE CONNECTOR (TOP) (Obsolete)	DCC-1	8	788
	HUB, 48 WIRE CONNECTOR (BOTTOM) (Obsolete)	DCC-1	8	789
6-11-62	INNER, CONNECTOR (Obsolete)	DCC-1	1	790
6-13-62	COLLAR, SLIP CLUTCH	HFR-1	1	791
6-13-62	SHAFT, STEPPED	HFR-1	1	792
6-13-62	PLATE, SHAFT SUPPORT #2	HFR-1	1	793
6-15-62	WHEEL, INERTIA	HFR-1/T	1	794
6-14-62	BUSHING, CYLINDER MOUNTING	HFR-1	1	795
6-14-62	BUSHING, SHAFT MOUNTING	HFR-1	1	796
6-18-62	PLATE, FRONT #1	HFR-1	4	797
6-18-62	PLATE, FRONT #2	HFR-1	4	798



DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
6-18-62	SLIDE, WHEEL LOCKING	HFR-1	1	799
6-18-62	ROD, WHEEL LOCKING	HFR-1	1	800
6-18-62	COUPLER, MOUNTING, ROD	HFR-1	1	801
6-20-62	PLATE, REAR #1	HFR-1	4	802
6-20-62	PLATE, REAR #2	HFR-1	4	803
6-22-62	SHAFT, STRAIGHT	STAND.	1	804
6-26-62	COVER, SLIDE INDICATOR	HFR-1	1	805
6-26-62	BRACKET, WING	HFR-1	1	806
6-26-62	HOUSING, WHEEL LOCKING	HFR-1	1	807
6-27-62	SPACER, PANEL MOUNTING	HFR-1	1	808
7-27-62	CASE, MACHINING	RTB-13	4	809
7-27-62	END PIECE, BEZEL	HFS-1	2	810
8-13-62	CASE, MACHINING	RTB-10	4	811
8-30-62	OVEN MACHINING, XTAL	TRX-1	1	812
10-30-62	PLATE, MOUNTING, BEARING	GPR-92	1	813
10-31-62	ROLLER, DETENT	HFR-1	1	814
11-6-62	PLATE, AUX., GEAR (RIGHT)	GPR-92	2	815
11-7-62	PIN, SPRING HOLDER	GPR-92	1	816
11-7-62	CAM, LOCK, TUNING	GPR-92	1	817
11-7-62	SHAFT, CAM, LOCK	GPR-92	1	818
11-10-62	CONTACT, ELECTRICAL	GPT-200K AX-398	1 <i>OBSCLETE</i>	819
12-13-62	SPACER, GEAR PLATE	GPR-92	1	820
1-26-63	EXTENSION SHAFT	GPR-92 STAND.	2	821
2-1-63	PLATE, ADAPTER, CONNECTOR 7/8 EIA	AX-406 AX-408	2	822
2-13-63	CLAMP	GPT-10K, 40K	2	823
2-22-63	CAM, LOCK	RAK-21	1	824
2-23-63	TRIM, STRIPS	RAK-21	2	825



PM

825

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
2-23-63	BRACE, ANGLE CORNER	RAK-21	1	826
2-23-63	SPACER, BAR	RAK-21	1	827
2-23-63	FRAME, WINDOW, HINGE	RAK-21	2	828
2-23-63	FRAME, WINDOW, TOP AND BOTTOM	RAK-21	2	829
2-23-63	FRAME, WINDOW, HANDLE SIDE	RAK-21	4	830
2-24-63	STUD, CORE	AO-100 AO-102	1	831
2-24-63	COLLAR, STUD CORE	AO-100 AO-102	1	832
2-26-63	COLLAR, SHAFT	GPR-92	1	833
2-28-63	RETAINER, SPRING	TER-5000	1	834
2-28-63	CASE, MACHINING	RTB-15	4	835
4-2-63	RETAINER, CHAIN	TU-2	1	836
4-15-63	HUB, FRONT	GPT-200K	1	837
4-15-63	RING, RETAINER	GPT-200K	2	838
4-15-63	BRACKET, CONTACT SUPPORT	GPT-200K	2	839
4-15-63	BRACKET, WIPER MOUNTING	GPT-200K	2	840
4-15-63	CONTACT, WIPER	GPT-200K	8	841
4-15-63	HOLDER, CONTACT	GPT-200K	2	842
4-15-63	BRACKET, CONNECTOR	GPT-200K	2	843
4-16-63	SUPPORT, BANDSWITCH, 2ND PI, FRONT	GPT-200K	1	844
4-16-63	SUPPORT, BANDSWITCH, 2ND PI, REAR	GPT-200K	1	845
4-16-63	SLUG, CONTACT	GPT-200K	1	846
4-16-63	SUPPORT, LEG	GPT-200K	1	847
4-16-63	TIE DOWN, CONTACT	GPT-200K	1	848
4-16-63	PRESSURE PLATE	GPT-200K	2	849
4-16-63	HOLDER, CONTACT	GPT-200K	2	850
4-16-63	BRACKET, WIPER MOUNTING	GPT-200K	2	851
4-16-63	BRACKET, CONTACT MOUNTING	GPT-200K	2	852



DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
4-16-63	BRACKET, WAFER SUPPORT (LARGE)	GPT-200K	2	853
4-16-63	BRACKET, WAFER SUPPORT (SMALL)	GPT-200K	2	854
4-16-63	PLATE, RETAINER, BEARING	GPT-200K	1	855
4-16-63	HUB (BANDSWITCH)	GPT-200K	2	856
4-16-63	BRACKET, CONNECTING (H.F. TANK)	GPT-200K	2	857
4-16-63	MACHINING, CASTING BANDSWITCH RELEASE	GPT-200K	4	858
4-16-63	CONNECTOR (WIPER AND COIL)	GPT-200K	4	859
4-16-63	CONTACT, WIPER	GPT-200K	8	860
4-16-63	ROTOR	GPT-200K	8	861
4-18-63	ROTOR (SMALL)	GP GPT-200K	4	862
4-18-63	SHAFT, WORM GEAR	GPT-200K	1	863
4-18-63	SHAFT- DETENT	GPT-200K	1	864
4-18-63	HUB, TOP 1st $\Omega$	GPT-200K	1	865
4-18-63	SHAFT, SOLENOID	GPT-200K	1	866
4-20-63	PLATE, SUPPORT CAPACITORS (4)	GPT-200K	4	867
4-20-63	PLATE, REAR CAPACITOR MOUNTING (4)	GPT-200K	4	868
4-20-63	PLATE, SIDE, LEFT (4)	GPT-200K	1	869
4-20-63	PLATE, SIDE RIGHT (4)	GPT-200K	1	870
4-20-63	PLATE, SUPPORT, CAPACITOR (3)	GPT-200K	4	871
4-20-63	PLATE, REAR CAPACITOR MOUNTING (3) (LOAD)	GPT-200K	4	872
4-20-63	PLATE, SIDE LEFT (3)	GPT-200K	1	873
4-20-63	PLATE, SIDE RIGHT (3)	GPT-200K	1	874
4-20-63	STRAP, CAPACITOR RETAINER	GPT-200K	1	875
4-20-63	STRAP, CAPACITOR RETAINER	GPT-200K	1	876
4-20-63	RETAINER CAPACITOR	GPT-200K	2	877
4-20-63	STAND OFF	GPT-200K	2	878
4-20-63	PLATE, CAPACITOR, INTERCONNECT (3)	GPT-200K	2	879



## MACHINED PARTS

PM

879

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
4-20-63	PLATE, CONNECTOR	GPT-200K	4	880
4-20-63	PLATE, CAPACITOR RETAINER (2)	GPT-200K	4	881
4-20-63	DEFLECTOR, AIR	GPT-200K	4	882
4-20-63	DEFLECTOR, AIR, LEFT	GPT-200K	2	883
4-20-63	DEFLECTOR, AIR, RIGHT	GPT-200K	2	884
4-20-63	COIL, ELECTRICAL (H.F.)	GPT-200K	2	885
4-25-63	PLATE, CONNECTOR, TERMINAL	GPT-200K	1	886
4-25-63	PLATE, CAPACITOR CONNECTOR	GPT-200K	4	887
4-25-63	"U" BRACKET, CONTACT MOUNTING	GPT-200K	2	888
5-7-63	SUPPORT, CAPACITOR	GPT-200K	2	889
5-7-63	SUPPORT, COUNTER	GPT-200K	2	890
5-7-63	PLATE GEAR MOUNTING	GPT-200K	2	891
5-7-63	SPACER	GPT-200K	1	892
5-7-63	PLATE HANDLE MOUNTING	GPT-200K	1	893
5-7-63	PLATE, RETAINER	GPT-200K	1	894
5-7-63	ROD, THREADED	GPT-200K	1	895
5-7-63	PLATE CHAIN MOUNTING	GPT-200K	1	896
5-7-63	SHAFT, HANDLE SUPPORT	GPT-200K	1	897
5-7-63	SLEEVE, HANDLE	GPT-200K		898
5-7-63	SHAFT, GEAR MOUNTING	GPT-200K	1	899
5-7-63	BRACKET, SHAFT SUPPORT CHA	GPT-200K	1	900
5-7-63	CHAIN ASSEMBLY	GPT-200K		901
5-7-63	PLATE, SUPPORT CAPACITORS	GPT-200K	4	902
5-7-63	FIN, RECTIFIER, TUBE	GPT-200K	2	903
5-18-63	SUPPORT 1 5/8 TRANSMISSION LINE	GPT-200K	1	904
5-23-63	SLUG, CONTACT (AS-124)	GPT-200K	1	905
5-23-63	BUSHING, ACTUATOR (AS-123)	GPT-200K	1	906



## PARTS MACHINED

PM

DATE 1963	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
4-9-63	PLATE SUPPORT, GEAR #1	CHG-1	2	907
4-9	PLATE SUPPORT, GEAR #2	CHG-1	4	908
5-15	STUD, CAPTIVE	VLR-1		909
5-17	GUIDE, DRAWER, "T" TYPE	TTR-10	2	910
5-17	GUIDE, DRAWER, "4" TYPE	TTR-10	2	911
5-23	GUIDE, MODULE, "T" TYPE	TTR-10	2	912
5-25	GUIDE, <sup>MODULE</sup> SIDEPLATE "T" TYPE	TTR-10	1	913
5-25	GUIDE, MODULE, "L" TYPE	TTR-10	1	914
5-28	HUB, BEARING BANDSWITCH 2nd PI	GPT-200K	1	915
5-29	PLATE, BEARING RETAINER 2nd PI		1	916
6-5	MACHINING, CASTING, BANDSWITCH <sup>2nd PI</sup> RELEASE / OUTPUT LOAD		4	917
6-5	MACHINING, CASTING CAPACITOR GEARBOX /		4	918
6-17	SHAFT WORM GEAR		1	919
6-11	MACHINING CASTING CAPACITOR GEARBOX (LOAD)		4	920
6-11	MACHINING CASTING CAPACITOR GEARBOX (TUNE)		4	921
6-11	PLATE RETAINING FRONT CAP. GEARBOX / OUTPUT LOAD			922
6-11	PLATE RETAINING REAR CAP. GEARBOX / output load			923
6-11	PLATE RETAINING CAP. GEARBOX (LOAD)		1	924
6-12	MACHINING, CASTING, GEARBOX COUNTER 1st PI		4	925
6-12	MACHINING, CASTING, GEARBOX COUNTER 2nd PI		4	926
6-12	PLATE, GEARBOX, COUNTER 1st PI		2	927
6-12	PLATE, GEARBOX, COUNTER 2nd PI		2	928
6-17	PLATE, BEARING		1	929
6-17	SHAFT, BANDSWITCH, RELEASE, REAR		1	930
6-17	SHAFT, BANDSWITCH, RELEASE, FRONT		1	931
6-17	COUPLING, FEMALE		1	932
6-17	COUPLING, MALE		1	933
6-17	PIN GUIDE	GPT-200K	1	934



## PARTS MACHINED

PM

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
6-17-63	PLATE, SIDE, CAPACITOR, ASS'Y	GPT-200K	1	935
6-21	SUPPORT SHAFT GUIDE	↑	1	936
6-21	PLATE, SUPPORT, BOTTOM		1	937
6-21	PLATE, SUPPORT, TOP		1	938
6-21	PLATE, SUPPORT, BOTTOM		1	939
6-21	PLATE, SUPPORT, TOP		1	940
6-21	ROTOR, TOP, BANDSWITCH #1		1	941
6-21	BAR, RELAY, SHORTING		1	942
6-21	COUPLING, GEAR ASSEMBLY		1	943
6-29	SHAFT, CAP., GEARBOX		1	944
6-27	RING, MTG. CAPACITOR		1	945
6-27	SHAFT, CAPACITOR, GEARBOX (OUTPUT)	1	946	
6-27	SHAFT, CAPACITOR, GEARBOX (TUNE LOAD)	1	947	
6-27	SHAFT, CAPACITOR, GEARBOX (TUNE LOAD)	1	948	
6-27	SHAFT, PULLY, MOUNTING (TUNE LOAD)	1	949	
6-27	SHAFT, PULLY, MOUNTING (OUTPUT)	1	950	
6-28	BRACKET, DECOUPLER, MTG.	1	951	
6-28	BRACKET, DECOUPLER, MTG.	1	952	
6-28	BRACKET, DECOUPLER, SUPPORT	1	953	
6-28	ADAPTOR, INNER CONDUCTOR 3 1/8	1	954	
7-2	SHAFT	2	955	
7-8	PULLEY CAP CABLE	1	956	
7-12	PLATE, RETAINING CAPACITOR GEARBOX (TUNE)	1	957	
7-12	SHAFT, OUTPUT GEARBOX	1	958	
7-12	SHAFT, OUTPUT GEARBOX	1	959	
7-12	SHAFT, OUTPUT GEARBOX	1	960	
8-1	PLATE TOP RIGHT ANGLE DRIVE	GPT-200K	1	961

OBSOLETE



## PARTS MACHINED

PM

961

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
6-26-63	BOX, RIGHT ANGLE DRIVE	GPT-200K	2	962
6-26-63	COLLAR STOP	GPT-200K	1	963
6-26-63	SHAFT LARGE RIGHT ANGLE DRIVE	GPT-200K	1	964
7-30-63	SHAFT, DETENT	CHG-2		965
8-3-63	SHAFT SMALL RIGHT ANGLE DRIVE	GPT-200K	1	966
8-2-63	RING NOTCHED CAPACITOR MTG.		1	967
8-16-63	SHAFT COUNTER REDUCTION BOX $\pi$ 2		1	968
8-22-63	CLAMP, GRID CONTACT		D/	969
8-22-63	CLAMP, GRID CONTACT		D/	970
8-29-63	SHAFT, COUNTER		1	971
9-29-63	PLATE CAPACITOR INTERCONNECT		2	972
8-29-63	PLATE CAPACITOR INTERCONNECT		2	973
8-30-63	STAND, BASE		1	974
8-30-63	STAND, TOP		1	975
8-30-63	STAND, SPACER		1	976
8-30-63	STAND, BASE		1	977
8-30-63	PLATE, REAR, CAP. MTG.		4/	978
9-3-63	SHAFT, COUNTER, REDUCTION $\pi$ 1		1	979
9-3-63	SPACER CO		1	980
9-4-63	PLATE SIDE LEFT			981
9-4-63	PLATE SIDE RIGHT			982
9-5-63	COUPLING SHAFT		2	983
9-10-63	ROD THREADED		1	984
9-10-63	COLLAR THREADED		1	985
9-11-63	PLATE SUPPORT CAPACITORS		2	986
9-11-63	PLATE CAPACITOR MTG. REAR		4	987
9-11-63	WIRE ROPE STOP	GPT-200K	2/	988

OBSOLETE

↑

4/

2

V



# Parts machined

PM  
988

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
8-8-63	ADAPTER, CENTER CONDUCTOR	TCA/RT EIA-51625	1	989
8-8-63	FLANGE MOUNTING	"	1	990
9-11	SPACER, SUPPORT	GPT-200	1	991
9-11	COLLAR STOP MTG CAPACITOR SHAFT		1	992
9-11	STOP SHAFT CAPACITOR		1	993
9-20	<sup>16/8</sup> CONTACT ELECTRICAL TERMINATION		1	994
9-20	CLAMP, ELECTRICAL		1	995
10-1-63	COUPLING, OUTPUT GEARBOX		1	996
10-1-63	COUPLING, RT & GEARBOX		1	997
10-1-63	SHAFT, T-2 TO RT, & GEARBOX			<del>998</del>
10-1-63	SHAFT, OUTPUT GEARBOX			<del>999</del>
10-3-63	<del>COUPLING</del> , UNIVERSAL		1	1000
10-9-63	SHAFT, CAPACITOR DRIVE		2	1001
10-9-63	SHAFT		1	1002
10-30-63	PLATE, SUPPORT CAPACITORS		2	1003
12-26-63	WOBBLE PLATE, MALE		1	1004
12-26-63	WOBBLE PLATE, FEMALE		1	1005
1-3-64	POST SUPPORT, RETAINER		1	1006
1-3-64	ROTOR SHORTING 1		4	1007
1-3-64	SHAFT COUNTER		1	1008
			1	1009
			1	1010
			1	1011
			1	1012
			1	1013
				1014
		GPT-200R		1015



PARTS MACHINED

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
10-23-63	GUIDE, MODULE, "L" TYPE	MNF-1	2	1016
10-23-63	GUIDE, MODULE, "T" TYPE	MNF-1	2	1017
10-29-63	ADAPTER, ANTENNA TO ANTENNA BASE	AW-103	1	1018
11-1-63	GUIDE, MODULE, "T" TYPE	VLR-1	1	1019
11-1-63	GUIDE, MODULE, "L" TYPE	VLR-1	1	1020
11-11-63	SUPPORT, PANEL	LPP-4	2	1021
11-11-63	SUPPORT, FRONT, JACK PANEL	LPP-4	1	1022
11-11-63	ROD, HOLDING, TERM. BOARD	LPP-4	1	1023
11-15-63	GUIDE, MODULE "T" TYPE	MAF-1	2	1024
11-15-63	GUIDE, MODULE "L" TYPE	MAF-1	2	1025
11-22-63	PLATE, MOUNTING, RIGHT SIDE	DVC-1	1	1026
11-22-63	PLATE, MOUNTING, LEFT SIDE	LPP-4	1	1027
12-27-63	SUPPORT, FRONT PANEL END	MAF-1	2	1028
2-11-64	DETENT	HFR-2A	2	1029
2-11-64	SHAFT	HFR-2A	1	1030
2-11-64	PLATE, SPACER	HFR-2A	1	1031
2-13-64	HANDLE, GUARD	MNF-1	2	1032
2-14-64	SHAFT	MAF-1	1	1033
2-20-64	SUPPORT, TRANSFORMERS	GPT-40K()4	2	1034
2-25-64	PLATE, ADAPTER	STD	2	1035
2-27-64	WEDGE, ACTUATOR	HFR-2A	1	1036
2-27-64	SPACER, DETENT ARM	HFR-2A	1	1037
2-28-64	SHAFT, DETENT ARM	HFR-2A	1	1038
3-6-64	SLIDE	HFR-2A	2	1039
3-6-64	YOKE, SLIDE	HFR-2A	1	1040
3-6-64	SPACER (SLIDE YOKE)	HFR-2A	1	1040
3-6-64	SPACER (SLIDE YOKE)	HFR-2A	1	1041

V. P. D. Sheet Protector M-198



PM

PM-1042

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
3/7/64	SPROCKET	HFR-2A	1	1043
3/25/64	ARM, ACTUATOR	HFR-2A	2	1044
4/1/64	PLATE, IDLER	HFR-2A	4	1045
4/3/64	<del>COLLAR, SHAFT</del> (NO LONGER REQ'D SEE PM 1062)	<del>HFR-2A</del>		<del>1046</del>
4/13/64	<del>SPACER (UNDERCUT)</del> (NO LONGER REQ'D SEE PM 1062)	<del>HFR-2A</del>		<del>1047</del>
4/6/64	SPROCKET (SLIDE ASSY)	HFR-2A	1	1048
4/10/64	SHAFT, PRECISION .1247 (1/8)	STD.	1	1049
4/10/64	SHAFT, PRECISION .1873 (3/16)	STD.	1	1050
4/10/64	SHAFT, PRECISION .2497 (1/4)	STD.	1	1051
4-11-64	SLIDER	HFR-2	1	1052
4-11-64	BRACKET	HFR-2	1	1053
4-11-64	SLIDE	"	1	1054
4-11-64	HOUSING, WHEEL LOCKING	"	1	1055
"	SLIDE, WHEEL LOCKING	"	1	1056
"	PLATE, SWITCH	"	1	1057
"	PLATE, SWITCH	"	1	1058
4-14-64	HEAT SINK, ELECT.-ELECTRONIC COMP.	HFR-2	1	1059
"	" " " " "	"	1	1060
"	" " " " "	"	1	1061
4-15-64	COLLAR, SHAFT (UNDERCUT)	"	4	1062
4-16-64	BRAKE DRUM	"	2	1063
5/5/64	STAND OFF, HEX (OBSOLETE)	GPT10KLF	1	1064
5/5/64	POST MOUNTING (UNDERCUT)	HFR-2		1065
10-13-66	HOLDER, RESISTOR	TLAA-2.5K	1	1066
12-5-66	SHAFT, COUPLING	TLAA-2.5K	1	1067
12-5-66	PLATE, GEAR BOX	TLAB-2.5K	2	1068
12-8-66	CONTACT ELEC.	AF107	1	1069

V. P. D. Sheet Protector M-198



DATE	DESCRIPTION	MODEL	SIZE	DWG NO
5-19-64	Bracket, Mtg. Modules	TCSA-1	2	1070
5-20-64	Bracket, Support	RTTD-1	1	1071
5-20-64	Bar, Mtg. Relay	RTTD-1	1	1072
6-4-64	Hook, Extractor	RTPA-1	1	1073
5-21-64	Bracket, Dial		1	1074
5-21-64	Sprocket	HFR-2A	1	1075
6-4-64	Guide - Hook Extractor	RTPP-1	1	1076
6-5-64	Guide, "T" Type	SMR-1	P/D	1077
6-5-64	Guide, "L" Type	SMR-1	P/D	1078
6-11-64	Plate, Mounting, Solenoid	HFR-1	1	1079
6-11-64	Plate, Mounting, Mc Unit	HFR-1	2	1080
6-30-64	Support, Cover	SBG-3 HFR-2	1	1081
7-1-64	Trim, Extrusion M 2623	RAK102	2	1082
7-1-64	Window Frame, Top & Bottom M 2623	RAK102	4	1083
	Window Frame, Top & Bottom M 2602	RAK102		1084
	Window Frame, Left Side M 2611	RAK102	8	1085
	Window Frame, Right Side M 2612	RAK102	4	1086
7-1-64	Window Frame Angle M 2613	RAK102	2	1087
8-1-64	Brace, "U" Channel	VLRB	1	1088
8-1-64	Brace Center Chassis	VLRB	1	1089
8-1-64	Brace Chassis Mod Tuning	VLRB	1	1090
8-3-64	Plate, Escutcheon	VLRB	4	1091
8-27-64	Sprocket	HFR-2		1092
8-28-64	Shaft Precision	STD.		1093
8-28-64	Slide, Dial	VLRB-1	1	1094
8-28-64	Spacers	VLRB-1	1	1095
8-28-64	Block, Center	VLRB-1		1096
				(OVER)



	DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
G.D.	8/28/64	SIDE BAR	VLRB-1	1	109 <sup>obsolete</sup>
G.D.	8/28/64	BLOCK, REAR	VLRB-1	1	109 <sup>obsolete</sup>
	8/31/64	BUSHING, DRUM MTG	VLRB-1	1	1099
	8/31/64	BRACKET, DIAL	VLRB-1	1	1100
	8/31/64	SLIDE, LOCK (YOKE)	VLRB-1	1	1101
	8/31/64	SPACER, SLIDE INDICATOR	VLRB-1	1	1102
	8/31/64	YOKE, LOCK SHAFT	VLRB-1	1	1103
	8/31/64	BRACKET, CAM MTG	VLRB-1	1	1104
	8/31/64	SLIDE, INDICATOR	VLRB-1	1	1105
	8/31/64	YOKE, LOCK	VLRB-1	1	1106
	9/9/64	CASE, MACHINING	TTC-1	4	1107
	9-11-64	PLATE, ESTCUTCHEON	HFR-2	4	1108
	9/16/64	BRACE, PANEL	AX514	2	1109
	9/16/64	<del>BRACE, PANEL</del> <sup>no longer used at maintenance 10-13-64</sup>	<del>ADP-PA106</del> <del>PA107</del>		1110
	9/16/64		THE CAL (DOPPLER CORR)	1	1111
	9/16/64		(DOPPLER CORR)	2	1112
	9/24/64	CAM CAM, LOCK	PAX-102	1	1113
	9-25-64	<del>COUNTERBALANCE</del> <sup>no longer used</sup>	HFR	1	1114
	9/24/64	BRACKET, SUPPORT - RT. SIDE	RTMU-1	1	1115
	9/24/64	" " - LEFT SIDE	RTMU-1	1	1116
	9/24/64	GUIDE-HOOK EXTRACTOR	RTMU-1	1	1117
	9/25/64	BLOCK FRONT	VLRB-1	1	1118
	9/29/64	ADAPTER, ANTENNA	TTC-1	1	1119
	10/12/64	BKT, CONN, MTG	VLRB-1	2	1120
	10/12/64	ROD, GUIDE	VLRB-1	1	1121
	10-19/64	BLOCK, BEARING	VLRB-1	1	1122



DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
10-19-64	Block, support Lower Rod	VLRB-1	1	1123
"	" " " upper "	"	1	1124
"	FLY WHEEL	"	1	1125
J.L. 10/19/64	BRACKET MTG - SIDE		1	1126
	BRACKET, SUPPORT - REAR (P.C. CARD BIN)		1	1127
	BRACKET, SUPPORT - BOTTOM (P.C. CARD BIN)		2	1128
	BRACKET, SUPPORT - TOP "		4	1129
J.L. 10/19/64	BRACKET, REINFORCING - REAR		2	1130
10-20-64	BUSHING, DIAL MTG, RIGHT	VLRB-1	1	1131
10-20-64	Shaft straight turning	VCRB-1	1	1132
10-20-64	Shaft straight lock	VCRB-1	1	1133
10.23.64	BAR, PULLEY, TENSION	VLRB-1	1	1134
10.23.64	SLIDE, CAM FOLLOWER	VLRB-1	1	1135
10.23.64	PULLEY, DRUM DIAL, TOP	VLRB-1	1	1136
10.23.64	PULLEY, MAIN, DRUM DIAL	VLRB-1	1	1137
10.23.64	BAR, ADJ. STOP	VLRB-1	1	1138
10.23.64	PIN, STOP, MAIN PULLEY (DIAL DRIVE)	VLRB-1	1	1139
10.23.64	SUPPORT, CAM FOLLOWER	VLRB-1	2	1140
10.23.64	CAM	VLRB-1	2	1141
10.23.64	PULLEY	VLRB-1	1	1142
10/26/64	<del>BRACKET SUPPORT TRANS (±12V) (No LONGER USED SEE PM1157) P.S.</del>	<del>RTEA-1</del>	<del>P/O</del>	<del>1143</del>
10/27/64	BRACKET, DIAL	VLRB-1	1	1144
10/27/64	ACTUATOR, LINE	HFI-1	1	1144
10/27/64	BAR, MTG, RELAY	RTPA-1	1	1145
10-30-64	SPACER	COPA-2	1	1146
11-4-64	BRACKET ANEL MTG	COPA-2	1	1147



PM

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
11-4-64	ROD, REEL (WAS MS 4125)	COPA-2	1	1148
<del>11-5-64</del>	<del>BAR, NUT</del> Deleted 12/28/64	<del>HVRB-1</del>		<del>1149</del>
11/6/64	<del>COLLAR, POSITION REEL</del> Deleted like to Po-132	<del>ARCA1</del>		<del>1150</del>
11/13/64	WASHER, SHOULDER, SPECIAL	CHG-2	1	1151
11-16-64	STOP, ANTENNA	LFRA-1	1	1152
11-25-64	Frame section, Left	RAK-75-1		1153
11-25-64	Frame section, Right	RAK-75-1		1154
11-25-64	Frame section Top & Bottom	RAK-75-1		1155
12-1-64	SUPPORT, FAN BOX	GPT-10KLF		1156
12-2-64	BKT, SUPPORT XFMR ( $\pm 12V$ P.S.)	ZTIA-1	1	1157
12-7-64	CASE, MACHINING	RAC-45	4	1158
12-8-64	BAR, MTG, RELAY	RTTD-1	1	1159
12-21-64	CONTACT BUTTON	HVRB-1	1	1160
12-21-64	BAR, NUT	HVRB-1		1161
12/28/64	SHAFT, LOAD, ADJ. SW. (COARSE)	10KLF		1162
12/28/64	PLATE, MULTIPLE, LOCK STOP	10KLF	1	1163
12/28/64	SHAFT, LOAD ADJ. SW. (FINE)	10KLF		1164
12/28/64	SHAFT, LOAD SWITCH (HORIZONTAL)	10KLF	1	1165
12/28/64	PLATE, ELECT. TUBE	VLLA-1	1	1166
12/28/64	SUPPORT, TERMINAL BOARD, SWR COUPLER	GPT-10KLF		1167
12/28/64	Bar Bandwitch Coarse OBSOLETE USE SW 383	GPT-10KLF/1		1168
12/28/64	Bar, Bandwitch Fine (OBS. USE SW 382)	"	1	1169
12/29/64	STOP	"	1	1170
12/29/64	HOLDER, LATCH	"	1	1171
12/29/64	EYE BOLT, SWING MODIFIED	"	1	1172
<del>1.26.65</del>	<del>SUB-PLATE, CAPACITORS MTG</del> OBSOLETE NO LONGER DEP 9/24/65	<del>TST-10K</del>	<del>4</del>	<del>1173</del>
1.26.65	PLATE, SIDE, RIGHT	"	4	1174



PM

DATE	DESCRIPTION	MODEL	SIZE	DRAW NUMBER
1.26.65	PLATE, BANDSWITCH MTG.	TST-10K	4	1175
"	CONTACT, WIPER	"	4	1176
<del>"</del>	<del>SUB-PLATE, BANDSWITCH MTG.</del>	<del>"</del>	<del>4</del>	<del>1177</del>
"	PLATE, FRONT	"	2	1178
<del>"</del>	<del>CLAMP, ELEC. TUBE</del> OBSOLETE	<del>"</del>	<del>2</del>	<del>1179</del>
<del>"</del>	<del>CLAMP, ELEC. CAPACITOR</del> OBSOLETE 5/24/65	<del>"</del>	<del>1</del>	<del>1180</del>
"	CLAMP, ELEC. CAPACITOR	"	1	1181
<del>"</del>	<del>CLAMP, ELEC. CAPACITOR</del> OBSOLETE 5/24/65	<del>"</del>	<del>2</del>	<del>1182</del>
"	PLATE, PRESSURE	"	1	1183
"	SHAFT, DRIVE, CAPACITOR	"	1	1184
"	CONTACT HOLDER, BANDSWITCH	"		1185
"	ROTOR, BANDSWITCH	"	1	1186
"	HUB, BANDSWITCH	"	1	1187
"	COLLAR, WIPER MTG	"	<del>A</del>	1188
"	SPACER, CONTACTS	"	7	1189
"	"U" BRKT., MTG., CONT.	TST (C) 10K	1	1190
1.28.65	COVER	RFTA-1	4	1191
"	PLATE, GEAR, REAR	"	4	1192
"	PLATE, GEAR, FRONT	"	4	1193
"	SPT, MTG, CAP.	"	1	1194
"	BAFFLE, AIR / OBSOLETE REPLACED BY PX 915	"	1	1195
"	HUB, BANDSWITCH	"	1	1196
"	HUB & SHAFT, BANDSWITCH	"	1	1197
"	PLATE, SWITCH MTG	"	1	1198
"	SPACER, CONTACT	"	1	1199
"	BUSHING, COIL SUPPORT	"	1	1200

V. P. D. Sheet Protector M-198



PM

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
1.28.65	ROTOR, BANDSWITCH	RFTA-1	/	1201
1.28.65	RETAINER, GEAR ASSY (ONE WAS)	RFTA-1	/	1202
1.28.65	ADAPTER, CONNECTOR, R.F.	RFTA-1	/	1203
2-2-65	PIN & GUIDE	TST( )10K	1	1204
2/4/65	SHAFT, EXTENSION	GPR-92	1	1205
2/4/65	TENSIONER, TUNING SLUG	GPR-92	1	1206
2-6-65	BRACE, REAR	FSA	A	1207
2/9/65	PLATE, SWITCH	TST2.5K	1	1208
2/9/65	BASE, SWITCH CONTACT	RFTA-1	/	1209
2/9/65	SPRING, LEAF WIPER	TST2.5K	1	1210
2/17/65	PLATE, SUPPORT, ADJUST	RFTA-1	/	1211
2/17/65	MACHINING, MOTOR MOUNT	RFTA-1	1	1212
2/17/65	PLATE, SPROCKET ADJUSTMENT	RFTA-1	1	1213
2/17/65	HUB, BOTTOM	TST10K	1	1214
2/19/65	PLATE, INTERCONNECT, BANDSW. MTG	TST10K	1	1215
2/24/65	"U" BRACKET, MTG. CONTACT	TST10K	1	1216
3/1/65	CAM, SWITCH	TTR-10K	2	1217
3/3/65	HOUSING, COMPONENT	RFTA-1	1	1218
3/3/65	ACTIVATOR	RFTA-1	1	1219
3/3/65	SHAFT, THREADED	RFTA-1	1	1220
3/3/65	PIN, GUIDE	RFTA-1	1	1221
3/8/65	SUPPORT, CAPACITOR	RFTA-1	1	1222
3/10/65	SHAFT, PINION	AFCR	1	1223
↓	YOKE	AFCR	1	1224
↓	ADAPTER, POINTER	AFCR	1	1225
3/10/65	PLATE, GEAR PLATE	AFCR	2	1226

5-5-65



PM

1226

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
3/10/65	PLATE, FRONT, GEAR	AFCR	4	1227
3/10/65	PLATE, REAR, GEAR	AFCR	4	1228
3/10/65	SUPPORT, CAPACITOR	RFTA-1	1	1229
3/10/65	ROTOR, BANDSWITCH	GPT(10K	2	1230
3/11/65	CAM, SWITCH	SME-1	2	1231
3-18-65	SPACER	CMRB-1		1232
3-18-65	SUPPORT, GEAR TRAIN	CMRB-1		1233
3-18-65	SUPPORT, SWITCH	CMRB-1		1234
3-19-65	SHAFT, IDLER	RFTA-1	1	1235
4/13/65	PLATE, GEAR, TOP	TSTE-10K	2	1236
4/13/65	PLATE, BEARING	TSTE-10K	1	1237
4/13/65	PLATE, GEAR, BOTTOM	TSTE-10K	2	1238
4/13/65	PLATE, GEAR, FRONT	TSTE-10K	2	1239
4/13/65	PLATE, GEAR, REAR	TSTE-10K	2	1240
4/13/65	PLATE, CAPACITOR, TOP	TSTE-10K	2	1241
4/13/65	PLATE, CAPACITOR, BOTTOM	TSTE-10K	1	1242
4-14-65	CONTACT, BAR	TSTE-10K	1	1243
4-22-65	PLATE, MCGEAR-BEAR	LRCB-1 LRCM-1	1	1244
"	" " " FRONT	LRCB-1 LRCM-1	1	1245
4-23-65	ANGLE, STIFFENER	LRCB-1 LRCM-1	1	1246
"	TEE, "	"	1	1247
"	<del>STANDOFF</del> UNASSIGNED			<del>1248</del>
"	<del>SPACER</del> UNASSIGNED			<del>1249</del>
"	BAR, MTG, RELAY	LRCB-1	1	1250
4-27-65	PLATE, BEARING	TSTE-10K	1	1251
4-27-65	BRACKET, END, MODULE CABINET	TSTE-10K	1	1252



PM

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
4/28/65	SHAFT, PRECISION ✓	TST( )10K	1	1253
4/29/65	SHAFT SHOULDER	STANDARD	2	1254
5/6/65	ADAPTER, 1/4"	RFTA-1	1	1255
5-10-65	SHAFT, CAP DRIVE	TSTE-10K	1	1256
5-12-65	PLATE, SIDE, LEFT	TST-10K	4	1257
5-25-65	STANDOFF, CONNECTING	TST-10K	1	1258
	BRACKET MTG. BANDSWITCH	TST10K	1	1259
	EXTENSION, SHAFT		1	1260
	PLATE, FRONT, GEAR BOX		1	1261
	PLATE, TOP, GEAR BOX		1	1262
	PLATE, REAR, GEAR BOX		2	1263
5-25-65	MACHINING GEAR BOX BANDSWITCH	TST-10K	4	1264
5-28-65	PLATE, SWITCH	TST-10K	1	1265
5-28-65	SHAFT, PRECISION	TST-10K	1	1266
5-28-65	COUPLER	TST-10K	1	1267
6-10-65	ROTOR, BANDSWITCH	TST-10K	1	1268
6-10-65	ROTOR, BANDSWITCH	TST-10K	1	1269
6/15	BKT, MOUNTING, CHASSIS	DDRR-506	1	1270
6/17	SHIM, CHASSIS MTG, BKT	DDRR-506	1	1271
6-28-65	PLATE, BOTTOM, LOW PASS FILTER	TST-10K	2	1272
7-1-65	PLATE MTG. CAPACITORS	TST-10K	1	1273
7-7-65	BAR, CONTACT OBSOLETE	AMM-4A11	4	1274
7-27-65	RING, CONTACT HOLDER	RFTA-1	1	1275
7-30-65	PLATE, TOP GEAR BOX	TST-10K	1	1276
7-30-65	MACHINING GEAR BOX BANDSWITCH	TST-10K	4	1277
8-2-65	PLATE, MTG CAPACITORS	TST-10K	1	1278



PM

DATE	DESCRIPTION	MODEL	QTY	DRAWING NUMBER
8-2-65	PLATE, MTG CAPACITORS	TST-10K	1	1279
8-5-65	HUB, BOTTOM, FIXED FILTER	TST-10K	1	1280
8-9-65	CONTACT, ELECT	TST-10K	1	1281
8-9-65	HOLDER, ELECT. CONTACT	TST-10K	1	1282
8/26/65	SHAFT, STRAIGHT	TSTE10K	1	1283
9-1-65	PLATE, MTG GEAR BOX	TST-10K	2	1284
9-6-65	PLATE MTG COMPONENTS	<sup>OBS.</sup> 10-8-65 TST-10K	<sup>OBSOLETE</sup> 10-7-65 1	1285
9-6-65	CAM, SWITCH CONTROL	<sup>OBS.</sup> 10-8-65 TST-10K	<sup>OBSOLETE</sup> 10-7-65 1	1286
10-19-65	PLATE, Mtg, OUTSIDE	COR-1	4	1287
11/11/65	BRKT, MTG GEAR	ATS-2A		1288
11/17/65	PLATE, BEARING	GPT-10KLF	1	1289
↑	PLATE, COVER	↑	1	1290
	SHAFT, Worm		1	1291
↓	SHAFT, Worm WHEEL	↓	1	1292
11/17/65	MACHINING - GEAR BOX	GPT-10KLF	4	1293
11/9/65	STAND OFF CAPACITOR MOUNTING	HVRB-2 HYRC-2	1	1294
11-19-65	COLLAR, SHAFT	<sup>OBSOLETE</sup> REF PM 1295 RFTA-1	1	1295
11-30-65	HOOK, EXTRACTOR - P.C. CARD	RTH-1 RTPH-1	1	1296
1-13-66	BKT, Mtg	KIT 180	1	1297
1-13-66	BKT, Mtg	KIT 180	1	1298
1-31-66	CONTACT, ELECTRICAL	Stand.	1	1299
3-6-66	CONTACT ELECTRICAL	AP129	1	1300
4/25/66	STIFFENER, CASE	TOC-7	1	1301
6-3-66	FASTENER, Motor	TLAA-2.5K	1	1302
↓	FASTENER, LEDEX	↑	1	1303
6-3-66	PLATE, BEARING	TLAA-2.5K	1	1304
6-7-66	PLATE, GEAR FRONT	TLAA-2.5K		1305
6-7-66	PLATE, GEAR REAR	TLAA-2.5K		1306



DATE

DESCRIPTION

MODEL

SIZE

DWG. NO.

PM

PM1306

DATE	DESCRIPTION	MODEL	SIZE	DWG. NO.
6-10-66	BRACE, PANEL, FRONT (QDPPA121)			1307
6-10-66	BRACE, PANEL, FRONT (QDPPA117)			1308
6-13-66	BASE, SWITCH CONTACT	TLAA-25K	1	1309
6-13-66	CAM	TLAA-25K	1	1310
6-13-66	ROTOR, BANDSWITCH	TLAA-2.5K	1	1311
HCB 6-17-66	PLATE, MTG, COMP.	TLAA-25K		1312
" 6-17-66	RETAINER, GEAR ASS'y	TLAA-25K	1	1313
6-17-66	PANEL, SUB, PLATE	TLAA-25K		1314
7-6-66	HUB, & SHAFT, BANDSWITCH	TLAA-2.5K		1315
7-27-66	PLATE, SWITCH	TLAA-2.5K	1	1316
7/29/66	HUB, BANDSWITCH	TLAA-2.5K		1317
7/30/66	CAM, SWITCH, 8 POSITION	SMEA-1	2	1318
8/4/66	Base Switch Contact	TLAA-2.5K	1	1319
8-9-66	ROTOR BANDSWITCH	TLAA-25K	1	1320
8-10-66	COLLAR, SINGLE DUAL & TRIPLE HOLED	STANDARD	4	1321
8-10-66	WIPEB, CONTACT ELECT	TLAA-2.5K		1322
8-10-66	Contact, <del>Holder</del> SET SCREW, ROD	TLAA-2.5K	1	1323
8-12-66	SPACER AS 128	TLAA-2.5K	1	1324
8-15-66	CONTACT, ELECTRICAL	TLAA-2.5K	1	1325
8-18-66	SHAFT,	STANDARD		1326
8/18/66	HUB, DIAL	MMX-1 VOX-7 HESR-A	1	1327
8/24/66	Maxim Sturmer		1	1328
9-14-66	CONTACT ELECTRICAL	LPFF-1	1	1329
10-7-66	SHIELD, RF	TLAA-2.5K	1	1330
10-7-66	CAM, SWITCH	TLAA-2.5K	1	1331
12-27-66	BUTTON CONTACT	TLAA-2.5K RAK-110-2	1	1332



# PARTS, MACHINED

PM

DATE	DESCRIPTION	MODEL	SIZE	DWG. N
1-5-67	Coupling	<del>#1504</del> Vox-7-MMX(1)	1	1333
3-9-67	CHASS OSCILLATING MACHINING	AO-100	4	1334
3-9/67	CHASS OSC. MACHINING	CMO-2 CMO-1	4	1335
3-10-67	CONTACT ELEC	TLAA-2.5K	1	1336
3-10-67	CONTACT ELEC	TLAA-2.5K	1	1337
3-15-67	STUD CORE	AO-100-103	2	1338
3-15-67	COLLAR, CORE STUD	AO-100-103	1	1339
5-24-67	PLATE-SUPPORT, PLATE-SLUG	VLEC-1	8	1340
10-23-67	PLATE, GEAR FRONT	BCT-10KA	1	1341
"	PLATE, GEAR SIDE	BCT-10KA	1	1342
10-26-67	PLATE FRONT & REAR	BCT-10KA	1	1343
10-26-67	SHAFT, CAP DRIVE	BCT-10KA	1	1344
11-7-67	SHAFT, BANDSWITCH	BCT-10KA	2	1345
12-4-67	CONTACT ELEC	GPT-40KEL	1	1346
12-4-67	CONTACT ELEC	GPT-40KEL	1	1347
12/21/67	SHAFT, RELAY, SW	<del>APT-25A</del> GPT-40KEL	B	1348
1-3-68	BRACE, FRONT	HFRR-4	2	1349
}	PLATE, TOP	↓	2	1350
	PLATE, BOTTOM		2	1351
	BRACE, MIDDLE		2	1352

V. P. D. Sheet Protector M-198



TITLE PART, MACHINED

PM

1352

DATE	DESCRIPTION	MODEL	SIZE	DWG. NO.
1-3-68	BRACE, REAR	HFRR-4	1	1353
	BASE		2	1354
	BLOCK, LOCKING, TUNER		1	1355
	SLEEVE		1	1356
	BEARING, HOLDER		1	1357
	SUPPORT, SHAFT, REAR		1	1358
	SUPPORT, SHAFT, FRONT		1	1359
	SHAFT, LOCK, TUNER		2	1360
	MTG. BKT, TUNER		2	1361
	MTG BKT, TUNER		2	1362
	GEAR PLATE, REAR		2	1363
1-3-68	GEAR PLATE, FRONT	HFRR-4	2	1364
1-8-68	PULLEY, MAIN	VLRC-1	1	1365
2/8/68	Hub, Dial (ADDED TO DI 103 OBSOLETE =)	HFSR-4	1	1366
4-10-68	BAR SUPPORT, PC CARD BIN	RTIH-3	2	1367
5-17-68	SHAFT, BANDSWITCH	BCT-10KA	2	1368
7-9-68	SHAFT, PRECISION GROUND ( $\frac{1}{4}$ D)	HFRR-4	2	1369
7-12-68	SPACER, SHAFT, PRECISION	HFRR-4	2	1370
7/16/68	RF TUNER ASSY	HFRR-4	8	1371
8-20/68	PLATE, BASE	AWTA-1	4	1372
8-20-68	RING, RETAINER - TRUNK	AWTA-1	2	1373
8-22-68	MTG. BLOCK - INS. PLATE	AWTA-1	1	1374
8-22-68	PLATE, CONTACT	AWTA-1	1	1375
4/7/71	BLOCK, SLIDE MTG	HFTA-1KJ RAK137	A	1376
4/7/71	BLOCK, SLIDE MTG	HFTA-1KJ RAK137	A	1377
8/21/68	PLATE, ADAPTOR, MTG (connection)	AX701	1	1378
8/21/68	SHAFT, PRECISION GROUND ( $\frac{3}{16}$ DIA)	HFRR-4	2	1379
8/21/68	COLLAR, SHAFT, PRECISION ( <del>3/16</del> )	HFRR-4	2	1380



TITLE \_\_\_\_\_

DATE	DESCRIPTION	MODEL	SIZE	DWG. NO.
11/20/68	COIL LUG	BCT 10KA	1	1381
1/17/69	SHAFT, PRECISION GROUND (1/8 D)	HFR-4	2	1382
2/25/69	Bearing, Block	HFR-4	1	1383
2/26/69	Brake, Wheel	HFR-4	1	1384
2/26/69	<del>Coupling</del> BRAKE WHEEL	HFR-4	1	1385
2/26/69	Shaft, Lock Turn	HFR-4	1	1386
2/26/69	Plate, Rear Gear	HFR-4	2	1387
4-10-69	CHANNEL MTG, RACK	RAK127-1	4	1388
4-29-70	MTG, PLATE, SW AX5114	HFLA-10K	A	1389
2/2/71	SHAFT, BND SW	TLAM-11K	A	1390
				1391
				1392
				1393
				1394
				1395
				1396
				1397
				1398
				1399
4-7-69	Plate, Cap. Mtg Tune	PALA-10K BMA381	C	1400
	D. ALBERT			1401
	Plate, Bottom, Gear Box Band Sw	PALA-10K AS145	B	1402
	Bearing Plate (BANDSWITCH)	PALA-10K AS145	A	1403
	Rotor, Bandswitch	PALA-10K AS145	B	1404
	Hub, Bandswitch	PALA-10K AS145	B	1405
				1406
	Front Grille	PALA-10K AX5086	C	1407



## TITLE \_\_\_\_\_

DATE	DESCRIPTION	MODEL	SIZE	DWG. NO.
				1408
				1409
	Hub, Mtg Act. OBS	AX5084		1410
	SHAFT, Actr. CAP OBS	AX5084		1411
	Strip, Servo Mt.	PALA-10K AX5080	B	1412
	Plate Mtg Gear	PALA-10K AX5080	B	1413
	Bearing Plate B.S.	PALA-10K AS146	A	1414
	Wiper Contact	PALA-10K AS146	A	1415
	Rotor B.S. Dr. Ins.	PALA-10K AS146	A	1416
	Shaft, Capacitor	PALA-10K AX5084	B	1417
	Bar, Shorting	PALA-10K AP143	B	1418
	Shaft, Capacitor <sup>Block</sup> (BLOCK BEARING AF109)	PALA-10K AX5084	B	1419
	Rotor, Sw	AF109	A	1420
	Rotor, Sw	AF109	A	1421
	Plate, Mtg Motor	AF109	B	1422
	Plate Mtg Gear	AF109	B	1423
	Plate, Bearing	AF109	C	1424
	Hub, Shaft, Filt. Sw.	AF109	A	1425
	Clamp, Cbl	AF109		1426
	BRKT PC BD Mt. Power Level	PALA-10K AX5082	A	1427
	Cam, Micro Sw	AF109	A	1428
	Shaft, Rotor OBS	AS145		1429
	Rotor, Shorting "L" Sec	PALA-10K AS145	B	1430
	Nut, Standoff, Special	PALA-10K BMA383	A	1431
	Shaft Rotary	PALA-10K AX5080	A	1432
	Plate, Mtg Cap	AF109	B	1433
5/6/70	Hub, Bandswitch (AS146)	HFLA-10K AX5113		1434
6/2/70	Plate, Bearing	HFLM-10K AX5113-2	A	1435



TITLE

DATE	DESCRIPTION	MODEL	SIZE	DWG. NO.
8-21-69	Top Load Support Bracket	KIT312	D	1436
8-21-69	Bottom Load Support Bracket	KIT312	D	1437
8-21-69	Adapter Insulator	KIT312	B	1438
8-21-69	Adapter (ATV-2)	KIT312	B	1439
8-21-69	Electric Connector	KIT312	C	1440
9-29-69	Shield Bar, R.F.I. <sup>RAKD7-2D</sup> <sub>-2E</sub>	DDRR-10K -10M	C	1441
11-14-69	Conn, Elec male	TMC VA.		1442
12-31-69				1443
	Assigned to			1444
				1445
	D. Massey			1446
				1447
	TMC Virginia			1448
	PM 1443 - PM 1493			1449
				1450
				1451
				1452
				1453
				1454
				1455
				1456
				1457
				1458
				1459
				1460
				1461
				1462
				1463



PM

TITLE \_\_\_\_\_

DATE	DESCRIPTION	MODEL	SIZE	DWG. NO.
				1464
				1465
				1466
				1467
				1468
				1469
				1470
				1471
				1472
				1473
				1474
				1475
				1476
				1477
				1478
				1479
				1480
				1481
				1482
				1483
				1484
				1485
				1486
				1487
				1488
				1489
				1490
				1491



TITLE

DATE	DESCRIPTION	MODEL	SIZE	DWG. NO.
				1492
				1493
10/2/70	GRILLE, FRONT	BMA 454 HFLM-1K	C	1494
10/23/70	ROTOR, BD SW	AS147	A	1495
10/23/70	HUB & SHAFT	AS147	A	1496
10/27/70	PAD SW. MOUNT	HERR-4/HFR-4 BMA 298	B	1497
7/6/71	Shaft Motor	AX5130 BMA 466		1498
9/9/71	GEAR PLATE, FR	TLAA-1K AX5132	A	1499
	GEAR & PLATE, RIGHT		B	1500
	GEAR PLATE, LEFT		A	1501
	GEAR PLATE, REAR	TLAA-1K	A	1502
	PULLEY		B	1503
	SHAFT, MOTOR		A	1504
	SHAFT, GEAR		A	1505
	SHAFT, PULLEY		A	1506
	SHAFT, LIMIT SW		A	1507
9/9/71	SPACER, INS, CAP	TLAA-1K AX5132	A	1508
	Sprocket, thd, shaft	MAT-5/METR.	A	1509
	Gear, Drive, threaded	MAT-5/METR.	A	1510
	Adapter, Sprocket	MAT-5/METR-	A	1511
1/4/72	COLLAR	TLAAIK	A	1512
1/24/72	RING, FILA	HFLA-10K A x 743	B	1513
2/3/72	HUB, FEMALE	HFLA-10K A 4819	A	1514
2/3/72	HUB, MALE	HFLA-10K A 4820	A	1515
2/3/72	COLLAR, THD	HFLA-10K A 4820, 4819	A	1516
3/1/72	CONTACT, SW	KIT 302 AX5144	A	1517
9/28/72	PULLEY	TLAA-1K	A	1518
9/28/72	SHAFT, INS, CAP	ATSA-3 TLAA-1K x	A	1519



PM

TITLE

DATE	DESCRIPTION	MODEL	SIZE	DWG. NO.
12/28/72	WIRE HOLDER	ATSA-3 * TLAA-11K	A	1520
12/18/72	COVER, MACHINING	ATSA-3	D	1521
12/18/72	CASE MACHINING	ATSA-3	D	1522
5/3/73	PLATE, BEARING, TOP	ATSA-3 *	B	1523
5/3/73	PLATE, BEARING, SIDE	ATSA-3 *	B	1524

1525

assigned  
to TMC,  
Virginia  
2/9/73

1554

5/3/73	SHAFT, CAPACITOR PULLEY	ATSA-3 *	B	1555
5/3/73	SHAFT, WORM	ATSA-3 *	A	1556
5/11/73	PLATE, BEARING	ATSA-3 *	A	1557
5/11/73	SHAFT, MAIN	ATSA-3 *	B	1558
5/11/73	SUPPORT, GUIDE	ATSA-3 *	A	1559
5/11/73	GUIDE BAR, ROTOR	ATSA-3 *	B	1560
5/11/73	CONTACT, SPRING	ATSA-3 *	A	1561
5/11/73	CONTACT, ELEC	ATSA-3 *	A	1562
5/11/73	CONTACT, ELEC	ATSA-3 *	A	1563
5/22/73	HUB, ROTOR	AX5177 ATSA-3 *	A	1564
5/22/73	ROTOR, BAND SWITCH	AX5177 ATSA-3 *	B	1565
5/24/73	HUB, SHAFT	AX5177 ATSA-3 *	A	1566
5/24/73	HUB, SHAFT DRIVE	AX5177 ATSA-3 *	A	1567
	SHAFT, COUPLING	obsolated 1/23/74 GPR110		1568



PM

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
11/7/73	SHAFT, SWITCH	GPR110	A	1569
11/7/73	COLLAR <i>obsoleted 1/23/74</i>	GPR110		1570
	BEARING TUNING <i>obsoleted 1/23/74</i>	GPR110		1571
12/19/73	<b>MACHINING, HF OSC HOUSING</b>	<b>GPR110</b>	<b>C</b>	<b>1572</b>
1/25/74	STANDOFF, RESISTOR	ATSA		1573
2/15/74	SHAFT, SW	GPR110	B	1574
4/10/74	Hub, Lever	ATSA-3	A	1575
4/10/74	Block, Swivel	ATSA 3	A	1576
5-31-74	FRONT, GEAR PLATE TUNE ASSY (FOR MO126)	TLAA-1K (4X5132)	B	1577
6-5-74	SHAFT, MOTOR	TMA-1K	A	1578
7-19-74	SHAFT COUPLING	GPR110	A	1579
10-16-74	BRACKET, SWITCH	GPR110	A	1580
11-3-74	SHAFT COUPLING	GPR110		1581
11-3-75	PLATE, REAR GEAR TUNE ASSY	TLAA-1K	A	1582
4/3/75	PLATE, REAR, TUNE ASSY	TLAA-1K	B	1583
4-17-75	PLATE, MTG CAP.	HFTA-10K	B	1584
5-2-75	ROD, THREADED COUPLER	AX5196	A	1585
6-4-75	ANTENNA SUPPORT RODS	SYM 5203	B	1586
6-9-75	STACKING FOOT	SYM 5203	A	1587
9-23-75	ROD, SUPPORT	AS	A	1588
12-31-75	<del>Motor</del> <i>USE MS 6584</i>			<del>1589</del>
4-15-76	<b>BUSHING, GEAR SHAFT (ATSA-3)</b>	<b>AX5178</b>	<b>A</b>	<b>1589</b>
5-10-76	SHAFT ROTARY	TLAA-1K	A	1590
7-19-77	EXTENSION, SHAFT	HFTA-10K	A	1591
1-19-77	PULLEY	HFTA-10K	A	1592
1-24-77	WIRE HOLDER	HFTA-10K	A	1593
3-1-77	SHAFT, CAP ADJ.	ATU-1KC	A	1594



PM

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
4-14-77	PLATE MTG BEARING	GPT-10KLF		PM 1595
5-17-77	EXTENSION SHAFT (PM821 MODIFIED)	GPR-110B		PM 1596
9-9-77	HUB DIAL	MMXR-2B	A	1597
6-1-78	SHAFT, GEAR	MFTA-10K	B	1598
6-27-79	PLATE MTG CASE	ATS-5070-TU2		1599
7-18-79	ADAPTER	ATS-5070-TU2		1600
12-7-79	EXTENSION SHAFT FOR CB137-3			1601
1-15-80	Insert, Rod Cap Spacer Adj.	AO 100		1602
1-15-80	Rod, Cap Spacer Adj.	AO 100		1603
5-27-80	PLATE ADAPTER	GPT-750 <sup>ES</sup>	A	1604
8-11-80	COLLAR SHAFT	MFT-10K/3	A	1605
8-28-81	CONTACTS, RESISTOR	RW139	A	1606
8-31-82	HOUSING CONNECTOR	DAC 20		1607
3-20-84	CONTACT	A 1181-C BW 176		1608
8-10-84	Shaft extender	TU-2	A	1609
11-7-84	KNOB	MMX-4		1610
5-7-87	CONTACT PIN	JF282 ADAPTOR	A	1611
8-11-87	COVER, CAN	PO 106	A	1612
8-11-87	TURRET MTG	PO-106	A	1613
5-3-88	STAND OFF FSK BD	MMX-4X	X	1614
8-29-89	ELEMENT SPARK SPACE	TER-9K6005	A	1615
8-1-89	TE 117- MODIFIED	TERAK case		1616
8-15-89	RING, RETAINER	VRA-30 SPEC		1617
3-12-91	RAP RETAINER	AX 101-4		1618
3-20-01	CASE MACHINING	RAC-46	4	1619
	MACHINING FOR PO355	10K	4	1620
11-25-92	FLANGE	AX 259-8	A	1621



