

MISCELLANEOUS PURCHASED PARTS

PO

| DATE | DESCRIPTION | PURCH. ITEM | EQUIP. FIRST USED | SIZE | NUMBER |
|----------|---|-------------|-------------------|------|--------|
| 1-13-53 | Veedor Root Counter #A114233 | | VOX | 1 | 100 |
| " | Tuning Slug National XR-50 | | VOX | 1 | 101 |
| 2-27-53 | AVD Vernier Drive NationalCo. | | VOX | 1 | 102 |
| " | Dial Lock Millen 10054 | | XFK | 1 | 103 |
| " | Shaft Lock Millen 10061 | | XFK | 1 | 104 |
| " | Circuit Breaker Heinemann #0411-T3 | | DCP | 1 | 105 |
| " | Plug In Socket Turret with Can Vector C-12-T | | DCU | 1 | 106 |
| " | Soleniod Davis 5240S | | RAPC | 1 | 107 |
| " | Inductor Variable w/Bracket | | AMC-6 | 1 | 108 |
| 7-6-58 | Strip Plug In National Electric Product CF2-606-6 | | DDR | 2 | 109 |
| 17-6-53 | End Blank - for PO-109; (N.E.P.)#CF2-680 | | | 1 | 110 |
| 7-6-53 | Junction, for End Feed for PO-109 (N.E.P.)#CF2-616L | | | 1 | 111 |
| 6-16-53 | Output Transformer | LSP-1 | RSC | 1 | 112 |
| 7-22-53 | Cyclometer - 100 Turns (B & W) | | TAC-1 | 1 | 113 |
| 7-28-53 | Switch, Index CRL <i>OBSOLETE</i> | | TAC-1 | 1 | 114 |
| 7-31-53 | Tempid Stick 225°F RE: Splicing Kits, RG-85/U | | | 1 | 115 |
| 8-10-53 | Stearine Stick RE: Splicing Kits RG-85/U | | KS-85-X | 1 | 116 |
| " | Tape Jute | | | 1 | 117 |
| " | Knife, Lineoleum Cutters | | J-227 | 1 | 118 |
| " | Foil, Copper .004" TK. Width 2" | | J-227 | 1 | 119 |
| " | Acid, Muriatic | | J-227 | 1 | 120 |
| " | Funnel - Galvanized | | J-227 | 1 | 121 |
| " | Cutter, Tubing | | J-227 | 1 | 122 |
| " | Clamp, C | | J-227 | 1 | 123 |
| " | Polyethelene, Stick | | J-227 | 1 | 124 |
| " | Clamp, Forming DELETE see CS-117 | | J-227 | | 125 |
| 8-25-53 | Latch, Am. Cab. Hardware #WX7337 | | TAC-1 | 1 | 126 |
| " | Strike #WX9388-17 | | TAC-1 | 1 | 127 |
| 8-26-53 | Dial Lock Millen #10050 | | TAC-1 | 1 | 128 |
| 11-9-53 | Reservoir, Ink - Lucite TR. McElroy | | RAPC-? | 1 | 129 |
| " | Pen, Ink Recording | | RAPC ? | 1 | 130 |
| 11-10-53 | Used in Error (see PO-130) | | | | 131 |
| " | Bearing Pen Sam A-6 Part RPC-2 | | RAPC | 1 | 132 |
| " | Bushing, Pen A-7 Part RPC-3 | | RAPC | 1 | 133 |
| 1-7-54 | Inkwell & Valve Control Assembly | | RAPC | 1 | 134 |
| 1-7-54 | Knob, Special (Tape Feeder) | | RAPC | 1 | 135 |
| 11-7-54 | Kit Maintenance | | RAPC | 1 | 136 |
| 11-27-55 | Junction Box (National CF2-617) | | | 1 | 137 |

MISCELLANEOUS PURCHASED PARTS

| DATE | DESCRIPTION | PURCH. ITEM | EQUIP. FIRST USED | SIZE | NUMBER |
|----------|---|-------------|-------------------|------|--------|
| 6-8-55 | Resistor Mount, (Ward Leonard #767) | | GPT | 2 | 138 |
| 11-3-55 | Gas - Diode | | SW-176 | 1 | 139 |
| 6-25-55 | Boat Snap | | TLI-1 | 1 | 140 |
| " | "S" Hook | | TLI-1 | 1 | 141 |
| 7-16-57 | 3/4" Bushing | | TLI | 1 | 142 |
| 7-16-57 | 3/4" Pipe Coupling | | TLI | 1 | 143 |
| " | 3/4" Close Nipple | | TLI | 1 | 144 |
| " | Condulet, OB Round Series, Type LB | | TLI | 1 | 145 |
| " | " " " " " LR | | TLI | 1 | 146 |
| 8-15-57 | Oven, Crystal | | SBE | 1 | 147 |
| 9-4-57 | Plug-In Socket | | Stand. | 2 | 148 |
| 10-14-57 | Desk Stand, Microphone | | SBE-1 | 1 | 149 |
| 4-17-58 | Shell, Connector (PAL-350) | | Stand. | 1 | 150 |
| 5-28-58 | Chimney, Tube, Air Circulator for (4CX-250B) | | RFA-1 | 1 | 151 |
| 8-15-58 | Relay Body - Co-Axial Antenna IKW Cap. | | TRL-1 | 1 | 152 |
| " | Magnet Assembly - Coaxial Antenna | | TRL-1 | 1 | 153 |
| " | Switch - Spot | | TRL-1 | 1 | 154 |
| " | Connector - UHF- | | TRL-1 | 1 | 155 |
| 10-1-58 | Plate, Switch, Locking | MOD KIT | ATS | 1 | 156 |
| 10-13-58 | Drive, Vernier, 5:1 Ratio | | RSC-3 | 1 | 157 |
| 10-19-58 | Oven, Crystal | | RTF-2 | 2 | 158 |
| 11-3-58 | Bolt Assembly, Resistor Mounting | RTP-2 | Stand. | 1 | 159 |
| 1-6-59 | Strip, Connector CONDUIT, RACEWAY, METAL | | Stand. | 1 | 160 |
| " | End Fitting, Blank, Connector Strip | | Stand. | 1 | 161 |
| " | End Fitting, Cable Entry, Connect, Strip | | Stand. | 1 | 162 |
| " | Cover, Connector Strip | | Stand. | 1 | 163 |
| " | Chimney, Tube, Air Circulator (4CX500-A) SK306 (see PX-461) | | Stand. | 1 | 164 |
| 1-14-58 | Chimney, Tube, Air Circulator for (4CX1000A) SK806 | (4) | Stand. | 2 | 165 |
| " | Chimney, Tube, Air Circulator for (4CX1000A) Mod. SK806 | | GPT-10K IPA | 2 | 166 |
| 2-10-59 | Elbow, 45° | | GPT-10K | 1 | 167 |
| 2-12-59 | Vane, Air Switch | | GPT-10K IPA | 1 | 168 |
| 2-14-59 | Ballast, Fluorescent Lamp | | GPT-10K CAB | 1 | 169 |
| " | Starter, Fluorescent Lamp | | GPT-10K CAB | 1 | 170 |
| " | Connector, Electrical - Elbow, Mitered, 1-5/8 EIA | | GPT-10K | 4 | 171 |
| " | Flange, Soft Solder - 1-5/8 EIA Styroflex | | GPT-10K | 2 | 172 |
| " | Receptacle Porcelain | | GPT-10K | 1 | 173 |
| 4-6-59 | Handle Crank 1" Squeeze Connector | | GPT-10K IPA | 1 | 174 |
| " | 3/4 Squeeze Connector | | GPT-10K IPA | 1 | 175 |

Miscellaneous Purchased Parts

PO

175

| DATE | DESCRIPTION | MODEL | SIZE | DRAWING NUMBER |
|----------|-------------------------------|--------------|------|----------------|
| 4/21/59 | F. Bracket | | 2 | 176 |
| 4/21/59 | Catch, Mechanism | 10K | 1 | 177 |
| 4/21/59 | Wheel Detent | 10K | 1 | 178 |
| 4/21/59 | Bracket, Detent | 10K | 1 | 179 |
| 4/21/59 | Arm, Detent | 10K | 1 | 180 |
| 8/25/59 | Terminal Tube Type D | TU-2 | 1 | 181 |
| 8/25/59 | Terminal Tube Type C | TU-2 | 1 | 182 |
| 8/3/59 | RL-130 Contact Kit SINGLE | 10K | 1 | 183 |
| 9/8/59 | Oven XTAL | SBE-3 | 2 | 184 |
| 9/18/59 | Flange, Var. Capacitor | | 2 | 185 |
| 10/30/59 | Cam, 2 Point Catch | RAK-9 10K | 1 | 186 |
| 11/30/59 | Nipple | | 1 | 187 |
| 11/30/59 | Clide, Leveling, Type | CON | 1 | 188 |
| 12/9/59 | Connector, Grid Terminal | | 1 | 189 |
| 12/9/59 | Connector, Cathode, Small | 40K | 1 | 190 |
| 12/9/59 | Connector Cathode Large | 40K | 1 | 191 |
| 12/9/59 | Support, Tube | 40K | 1 | 192 |
| 12/9/59 | Air Distributor, Tube | 40K | 1 | 193 |
| 12/20/59 | Coil Kit (RL-130) | 10K | 1 | 194 |
| 3/30/60 | Bellows, Blower to Duct | 40K | 2 | 195 |
| 5/11/60 | 3 CRT, Bezel for Flat Face | DVM-2 | 2 | 196 |
| 8/1/60 | Bezel CRT. CLL-1 | SBG | 1 | 197 |
| 8/10/60 | Sprocket, Detent | | 2 | 198 |
| | Detent Arm & Bracket Assembly | | 2 | 199 |
| 9/1/60 | Detent, Sprocket | CHG-1 | 1 | 200 |
| 9/6/60 | Pulley, Sheave W/ Adaptor | 40K | 1 | 201 |
| 9/6/60 | Belt, Pulley | 40K | 1 | 202 |

MISCELLANEOUS PURCHASED PARTS

PO

202

| DATE | DESCRIPTION | MODEL | SIZE | DRAWING NUMBER |
|----------|---|------------------------|------|----------------|
| 10-13-60 | CONNECTOR, ELECTRICAL - 3-1/8(STUBS) | GPT-4OK | 2 | 203 |
| 11-16-60 | SHIELD, PILOT LIGHT | | 1 | 204 |
| 11-28-60 | DETENT, SPOCKET | GPT-4OKE | 1 | 205 |
| 2-3-61 | TERMINAL, TUBES | ATA | 2 | 206 |
| 2-10-61 | CONNECTOR, CABLE, ELECTRICAL - HELIAX 1-5/8 EIA | END TRC-3500 50/600 | 1 | 207 |
| 2-10-61 | CONNECTOR, ELECTRICAL - GAS BARRIER 1-5/8 EIA | TRC-3500 50/600 | 1 | 208 |
| 4-10-61 | DETENT ARM ASSEMBLY | CHG-1 | 1 | 209 |
| 4-26-61 | CONNECTOR, ELECTRICAL - 3-1/8 EIA INNER | ACU | 1 | 210 |
| 4-26-61 | INNER CONNECTOR, 3-1/8 - 50 to 70 OHM ADAPTOR | ACU | 1 | 211 |
| 8-16-61 | EIA 1-5/8 OHM FLANGE | | P/D | 212 |
| 8-16-61 | 1-5/8 ELBOW ASSEMBLY | | P/D | 213 |
| 9-4-61 | XTAL OVEN | | 1 | 214 |
| 9-6-61 | CAP | VRA-5 VRA-6 | 2 | 215 |
| 9-6-61 | POST, ANTENNA | VRA-5 VRA-6 | 1 | 216 |
| 9-20-61 | BRACKET, CONN. MTG. | STAND. | 1 | 217 |
| 10-17-61 | CONNECTOR, ELECTRICAL - 1-5/8 INNER | STAND. | 1 | 218 |
| 10-17-61 | INNER CONNECTOR, 1-5/8 - 50 OHM | STAND. | 1 | 219 |
| 10-17-61 | INNER CONDUCTOR, RIGHT ANGLE(50 OHM) | P/O PO-171 | P/D | 220 |
| 10-17-61 | INNER CONDUCTOR, RIGHT ANGLE(70 OHM) | P/O PO-171 | P/D | 221 |
| 10-20-61 | CONNECTOR, ELECTRICAL- REDUCER 3-1/8 to 1-5/8 EIA | AX-301 | 4 | 222 |
| 11-11-61 | FLANGE, 3-1/8 | AX-276 | 2 | 223 |
| 11-13-61 | INNER CONNECTOR STUB - 1-5/8 | KIT-113 | 2 | 224 |
| 12-12-61 | FEED THRU EXPANSION 2" to 3" 1-5/8 EIA | | 4 | 225 |
| 12-18-61 | CONNECTOR, ELECTRICAL, END 1-5/8 GAS BARRIER, CAPTIVE | | 2 | 226 |
| 2-7-61 | ADAPTOR, REDUCER 50 OHM 3-1/8 EIA | | P/D | 227 |
| 2-7-61 | ADAPTOR, LINE 50 OHM 1-5/8 EIA | | P/D | 228 |
| | DRIVE, VERNIER, 5:1 RATIO | HNF-1 | 1 | 229 |

MISCELLANEOUS PURCHASED PARTS

PO

229

| DATE | DESCRIPTION | MODEL | SIZE | DRAWING NUMBER |
|---------|---|----------|------|----------------|
| 4-4-62 | BUSHING, LAMP RETAINING | HFS-1 | 1 | 230 |
| 4-9-62 | SPLICE, CONNECTOR | STAND. | 4 | 231 |
| 5-2-62 | BEZEL (OBSOLETE) | HFS-1 | 4 | 232 |
| 5-2-62 | PLEXI-GLASS <i>open Number</i> | HFS-1 | 1 | 233 |
| | | | | 234 |
| 5-11-62 | CLUTCH, SLIP | GPR-92 | 1 | 235 |
| 5-12-62 | CAP, PLUG | GPR-92 | 1 | 236 |
| 5-24-62 | CLUTCH, SLIP | HFR-1 | 1 | 237 |
| 5-24-62 | PULLEY, W/HUB | HFR-1 | 2 | 238 |
| 6-1-62 | OVEN HEATER ASS'Y (DWG NO, CHGD. TO RR-131) | HFR-1/T | 1 | 239 |
| 6-1-62 | CONTROL, TEMPERATURE, OVEN | HFR-1/C | 4 | 240 |
| 6-3-62 | ARM, DETENT | HFR-1 | 1 | 241 |
| | <i>OPEN NUMBER</i> | | | 242 |
| 6-3-62 | ROLLER, DETENT | HFR-1 | 1 | 243 |
| 6-3-62 | SPACER, DETENT ARM | HFR-1 | 1 | 244 |
| 6-3-62 | SPACER, THREADED | HFR-1 | 1 | 245 |
| 6-11-62 | PACKING, FLAX, STUFFING TUBE | AX-354 | 1 | 246 |
| 6-12-62 | CLUTCH, SLIP | HFR-1 | 1 | 247 |
| 6-14-62 | MITER ANGLE CONNECTOR EIA 3-1/8 50 OHM/70 OHM 1-5/8 EIA | STAND. | 4 | 248 |
| 7-18-62 | CONNECTOR, RECPT. ELECT. FEED THRU 50/70 OHM 1-5/8 EIA | STAND. | 2 | 249 |
| 10-2-62 | CONNECTOR, ELECTRICAL, INNER, 50 to 70 OHM | | 2 | 250 |
| 12-5-62 | CONNECTOR, ELECTRICAL GAS BARRIER, 3-1/8 EIA | | | 251 |
| 12-5-62 | AIR DISTRIBUTOR | GPT-200K | 8 | 252 |
| 2-1-63 | RIGHT ANGLE, 7/8 EIA FLANGE 50 OHM TO 70 OHM | | 2 | 253 |
| 2-20-63 | ELBOW, RF TRANSMISSION LINE CONDUCTOR, INNER 3/8 UNFLANGED | GPT-200K | 2 | 254 |
| 2-20-63 | CONNECTOR, INNER | GPT-200K | 1 | 255 |
| 2-20-63 | LINE, RF TRANSMISSION GASKET, "O" RING 3/8 RIGID UNFLANGED | GPT-200K | 1 | 256 |

MISCELLANEOUS PURCHASED PARTS

PO

236

| DATE | DESCRIPTION | MODEL | SIZE | DRAWING NUMBER |
|---------|--|----------|------|----------------|
| 2-20-63 | ADAPTOR, SWITCH TO LINE, 3-1/8 | GPT-200K | 1 | 257 |
| 2-20-63 | ADAPTER, INNER CONNECTOR CONTACT, ELECTRICAL 4 WAY 3/8 To 1 5/8 | GPT-200K | 2 | 258 |
| 2-20-63 | ELBOW, 4 WAY | GPT-200K | 2 | 259 |
| 2-23-63 | CAM, LOCK | RAK-21 | 1 | 260 |
| 2-27-63 | HEADER | TRX-1 | P/D | 261 |
| 4-3-63 | SUPPORT, TUBE, GLASS | GPT-200K | 4 | 262 |
| 4-11-63 | ELBOW, TRANSMISSION LINE, 6-1/8 | GPT-200K | 2 | 263 |
| 4-11-63 | LINE, RF TRANSMISSION, 1-5/8, RIGID | GPT-200K | 1 | 264 |
| 4-11-63 | LINE, RF TRANSMISSION, 6-1/8, RIGID | GPT-200K | 2 | 265 |
| 4-11-63 | LINE, RF TRANSMISSION, 3-1/8, RIGID FLANGED SEMI-FLEXIBLE | GPT-200K | 2 | 266 |
| 4-11-63 | CONNECTOR, FILAMENT RING | GPT-200K | 2 | 267 |
| 4-11-63 | CONNECTOR, FILAMENT RING | GPT-200K | 1 | 268 |
| 5-3-63 | SPLICE, CONNECTOR, 1-5/8" 50 OHM STYROFLEX TO RG-21/U | | P/D | 269 |
| 5-14-63 | Dummy switch, SPACER | GPT-200K | 1 | 270 |
| 5-14-63 | ELBOW, 4WAY, 3/8 | GPT-200K | 2 | 271 |
| 5-15-63 | ADAPTER, SWITCH TO LINE | GPT-200K | 1 | 272 |
| 5-16-63 | SPLIT ELBOW ASSY. | GPT-200K | 2 | 273 |
| 5/17/63 | ADAPTER, FLANGED TO UNFL LINE 3/8 | | 1 | 274 |
| 5/17/63 | Coupling, UNGASSED 3/8 | | 2 | 275 |
| 5/17/63 | Coupling, UNGASSED 1 5/8 | GPT-200K | 2 | 276 |
| 5/19/63 | CONNECTOR, EIA 7/8- 5/8 TO 7/8 HELIAX STD | | A | 277 |
| 6/26/63 | CONT | GPT-200K | 1 | 278 |
| 6/26/63 | | " | 1 | 279 |
| 6/26/63 | | GPT-200K | 1 | 280 |
| 7/16/63 | | | P/D | 281 |
| | | | 2 | 282 |
| 7/16/63 | | | P/2 | 283 |

* Letter Y Before P/n

MISC PURCHASED PARTS

PO

310

| DATE | DESCRIPTION | MODEL | SIZE | DRAWING NUMBER |
|------------|---|---|------|----------------|
| 4-20-64 | CLUTCH, MAGNETIC (No Longer Used SEE CZ-100) | HFR-2 | 1 | 311 |
| 12-7-64 | Reel Assy, Tape | Copa 2 | 4 | 312 |
| 12/28/65 | CHIMNEY, TUBE | RFA-1 | 1 | 313 |
| 11/10/65 | HOLDER, READOUT | RTIH-1 | 4 | 314 |
| 3/5/68 | VOLTAGE PROTECTOR, SURGE ^{MSAR-4} | HFSR-4 HFRR-4 | 1 | 315 |
| 7/18/68 | BRACKET, HANGER, 1 5/8 COAX | GPT40KEL | 1 | 316 |
| 7/18/68 | BRACKET, EDGE HANGER, LEFT | GPT40KEL | 1 | 317 |
| 7/18/68 | ADAPTER, MATRIX TO LINE ↙ | GPT40KEL | 2 | 318 |
| 7/18/68 | SPLIT TEE ↙ | GPT40KEL | 2 | 319 |
| 8/20/68 | BALL SCREW, ASSY | HFRR-4 | 2 | 320 |
| 8/20/68 | BALL SCREW ASSY | HFRR-4 | 2 | 321 |
| 9/24/68 | BRACKET, RETAINING, BAND/SW | TFP-2SK AX664 | 1 | 322 |
| 9-3-69 | BEZEL, METER (AX5083) | PALA10K | | 323 |
| 1-22-70 | ELBOW PIPE 90° (CL441) | ^{AX5084} PALA10K | A | 324 |
| * 10-30-70 | IDLER WHEEL FRICTION ^{BMA422} | ^{BMA422-2} AXS114 AXS114-2 | A | 325 |
| 3-12-71 | 50 OHM EIA CONNECTOR 1 5/8" STYROFLEX | AX272 A2118 | C | 326 |
| 3-24-71 | Rotor | BCT-10KA AS133 | B | 327 |
| 5-10-71 | Slepanst (10" I/D) | BCT-10KA KIT 370 | | 328 |
| 5/26/71 | ROTOR, SW, MOD 86 | TFP-1K | | 329 |
| 10/28/71 | STRIP, AC | STD | A | 330 |
| 10/28/71 | FITTING, END | STD | A | 331 |
| 10/28/71 | CLAMP, GND | STD | A | 332 |
| 10/28/71 | COUPLING, AC STRIP | STD | A | 333 |
| 12/2/71 | CHIMNEY, TUBE | ^{KIT390} HFLM-1K | | 334 |
| 10/15/73 | BEZEL (AMMON - BP2-217) | TM125 | | 335 |
| 3/17/75 | WHEEL, COUNTER (WHEEL #1 & #2 ON CV106 (A3116)) | AC175 | A | 336 |
| 5/2/78 | EJECTOR, P.C. BOARD ^{A5646} | ^{A5647} DPC-10 | | 337 |

