

PHENOLIC, SHEETS OR FORMED

PX

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUMBER
7-17-52	Insulation Sleeving <i>REVISED AND REDRAWN</i>		Stand.	<i>2</i>	100
"	Board, Terminal	BAC-1-S-20		1	101
7-22-52	Cap.		ES 85/U	1	102
7-28-52	Board Terminal <i>SUPERSEDED DIR. REF BY A-115-BAC-2-S-20</i>			2	103
8-7-52	Insulation, Sleeving		Stand.	<i>2</i>	104
8-28-52	Board Terminal (Blank) OBSOLETE use 2A-131		FFR-2	1	105
9-4-52	Washer		TCA-85/U	1	106
9-16-52	Board Xtal Oven		LFA	1	107
"	Board Terminal Heater		LFA	1	108
9-19-52	Board Mounting		Stand.	<i>1</i>	109
9-20-52	Board Terminal		DMK-4	2	110
10-26-52	Bandpass Terminal Board N.D. see A-578		RCR-170	1	111
9-30-52	Board, Terminal No Drawing use 2A-162		FFR	1	112
12-23-52	Fiduciary		Stand.	1	113
10-3-52	Plexiglass Sheet Clear		Stand.	1	114
10-3-52	Guard		RTB	1	115
10-13-52	Terminal Board		BAC-2	2	116
"	Guard (not done)		BAC-2	1	117
10-24-52	Terminal Board			1	118
12-26-52	Dial Lens		FFRD-5,6,7,8	1	119
"	Bezel for 2" CRT			1	120
1-16-52	Spacer		FFR	1	121
1-28-52	Board, Top Terminal (no drawing)		XFK	<i>2</i>	122
"	Dial Fiduciary		XFK	1	123
"	Rod, Conditioner External		XFK	1	124
"	Board, Terminal #1 (no drawing) see A-350		XFK	1	125
"	Board, Terminal #2 (no drawing) see A-351		XFK		126
"	Board, Terminal #3 (no drawing) see A-352		XFK		127
"	Board, Terminal #4 (no drawing) see A-353		XFK		128
"	Board, Terminal, Coil Form (no drawing) see A-349		XFK		129
"	Board, Terminal, Bottom (no drawing) see A-348		XFK		130
2-2-53	Terminal Board (Filtered) No Drawing see A-568			1	131
2-3-53	" " #2 No Drawing		DCU		132
"	" " #1 " "		DCU		133
2-4-53	" " #1 Trans. No Drawing		DVM		134
"	" " #8 No Drawing		DVM		135
"	" " #7 No Drawing		DVM		136
"	Terminal Board #6 " " OBSOLETE				137

PHENOLIC, SHEETS OR FORMED

PX

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUMBER
2-4-53	Terminal Board #5 see A-477 No Drawing OBSOLETE				138
"	Terminal Board #4 No Drawing OBSOLETE				139
"	Terminal Board #3 " " OBSOLETE				140
"	" " #2 " " OBSOLETE				141
"	" " #1 " " OBSOLETE				142
"	" " #2 Trans. No Drawing OBSOLETE				143
2-10-53	" " Output Trans.		LSP		144
"	" " Resistor No Drawing		LSP		145
2-13-53	" " #8 " " See A-394		CFA		146
"	" " #6 " "		CFA		147
"	" " #3 7 #4 " "		CFA		148
					149
					150
"	" " #2 No Drawing		CFA		151
"	" " #1 " "		CFA		152
"	" " #5 " "		CFA		153
"	" " #7 " "		CFA		154
2-25-53	" "		XFD-1	1	155
2-26-53	Dial Lens was AMS378		VOX	1	156
"	Shaft, Coil Slug Bushing was AMS374		VOX	1	157
"	Ext. Shaft, Motor Drive was AMS362		VOX	1	158
"	Ext. Shaft, Oscillator Conditioner was AMS361		VOX	1	159
"	Ext. Shaft, Coil Slug was AMS360		VOX	1	160
"	Terminal Board, Heater No Drawing see A-416		VOX		161
"	Spacer, Shell was AMS308		VOX	1	162
"	Terminal Board #2, P.S. No Drawing see A-417		VOX	1	163
"	Terminal Board #1, P.S. No Drawing see A-418		VOX	1	164
"	Arm, Cam Follower was AMS269		VOX	1	165
3-20-53	Board, Terminal (see A-1179)		FFR	N.D.	166
"	Board, Terminal (see A-1180)		FFR	ND	167
3-24-53	Board, Terminal Audio (see A-1181)		FFR	ND	168
"	Terminal Board, Detector (see A-1182)		FFR	ND	169
6-3-53	" " #4		DVM	2	170
7-21-53	Board No Drawing see A-491		DMK-4	1	171
8-3-53	" " " " A-493		RSD		172
8-6-53	" " " " A-494		RSD		173
"	" " " " A-495		RSD		174
9-2-53	Terminal Board #2 No Drawing see A-516		RSA	2	175

PHENOLIC - SHEETS OR FORMED

SUFFIX

PX

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUMBER
9-2-53	Terminal Board #1 No Drawing see A-517		RSA	4	176
9-9-53	" " FD- No Drawing see A-522			1	177
9-10-53	Transformer Mount		RSC	1	178
10-1-53	Terminal Board 123		RSC	1	179
"	" " 4		RSC	1	180
10-5-53	" " "		RSM	1	181
10-8-53	" " No Drawing see A-561		RSC-1	1	182
11-16-53	" " " " see A- FX133			1	183
11-25-53	" " #5		RSC-1	1	184
					185
11-27-53	" " was BMS017		TAD-1	2	186
1-22-54	Center Support was 2-257		TAC-1	2	187
1-22-54	Coil Support #1 see A-711				188
"	Front Cond. Bracket was 2-263 see A-711		TAC-1	2	189
"	Rear Cond. Mount was 1-356 see A-711		TAC-1	1	190
"	Bracer Mounts was 1-379 see A-711		TAC-1	1	191
"	Coil Support #2 see A-712				192
"	Coil Support #3 see A-713				193
					194
					195
"	Connecting Bushing was 1-309 see A-713		TAC-1	1	196
"	Connecting Rod was 1-349 see A-713		TAC-1	1	197
"	Rear Element was 4-244 see A-713		TAC-1	4	198
"	Front Element was 4-243 see A-713		TAC-1	4	199
1-25-54	Bracket, Coupling Switch was 2-353 see A-713		TAC-1	2	200
"	Bracket, Band Switch was 2-347 see A-713		TAC-1	2	201
"	Top Support, Coupling Switch see A-713		TAC-1	1	202
"	Shift, Serial #101-162 was AMS355 see S-194		CFA	1	203
"	Terminal Board #1 #101-162 was AMS349 See S-194		CFA	1	204
"	" " #2 #101-162 was AMS350 See S-194		CFA	1	205
"	Board No Drawing See A-649		DDR-2D	1	206
"	Teflon, Blank Size OBSOLETE		TAC-1	1	207
1-26-54	Inner & Outer Yokes Diode Coil was AMS061		TAK	1	208
"	Bottom Flange Diode Coil was AMS060		TAK	1	209
"	Top & Center Flanges Diode Coil was AMS059		TAK	1	210
"	Terminal Boards 1 & 2 was AMS040		TAK	1	211
"	Terminal Board was AMS067	TKM-RC-4		1	212
"	" " 1,2,3 was AMS057	TKM-TC		1	213

V. F. D. Sheet Protector M-192
V. F. D. Sheet Protector M-192
V. F. D. Sheet Protector M-192

PHENOLIC - SHEETS OR FORMED

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUM
1-26-54	Terminal Board	was AMS055	TKM-RC	1	214
2-1-54	" "	was AMS041	TKM-TC-4	1	215
2-2-54	Ring, Meter Spacing	was 2-371	TAC-1	2	216
2-5-54	Coil Insulator Top	No Drawing	TAC-1	2	217
"	Coil, Insulator Right	No Drawing	TAC-1	2	218
"	Coil, Insulator Left	No Drawing	TAC-1	2	219
2-9-54	Switch Rest	OB SOLETF	TAC-1	1	220
					221
2-15-54	Washer, Teflon		TAC-1	1	222
"	Bushing, Teflon		TAC-1	1	223
2-18-54	Washer, Conditioner Support		TAC-1	1	224
"	Bushing, Conditioner Support		TAC-1	1	225
					226
					227
	SHAFT, BAND SWITCH		TAC-1	1	228
2-19-54	Support, Contact Shaft		TAC-1	2	229
2-26-54	Insulator, Con. Bushing		TAC-1	1	230
4-26-54	Roller, Splicing Jig.		J-227	1	231
5-10-54	Switch Wafer		TAC-1	2	232
7-22-54	Terminal Board, R.F.		PMO	2	233
"	" " Mixer (No Drawing) Replaced by A-1535		PMO	2	234
"	" " Oven (No Drawing) see A-810			1	235
7-30-54	Spacer Plate, Rotor Switch		TAC-1	1	236
"	Spacer Plate, Load Switch		TAC-1	1	237
					238
"	Oscillator Condition Ext. Shaft	SUPERSEDED: DIR. REP. BY PM-691	PMO	1	239
9-15-54	Dial Lens		PMO	1	240
9-20-54	Clamp, Relay		PMO	1	241
"	Clamp, Conditioner		PMO	1	242
9-27-54	Cover (No Drawing) see A-842		CPMO		243
10-8-54	Terminal Board (No Drawing) see A-846 NF-104				244
11-5-54	Terminal Turret (No Drawing) see A-880				245
11-10-54	Holder, Spark Rod		DAC-3	1	246
11-11-54	Modified Spacer Plate Rotor Switch		TAC-1	1	247
"	" " " " Load Switch		TAC-1	1	248
12-20-54	Guard, Card Holder		RSC-2	1	249
12-20-54	Frequency Tab		RSC-2	1	250
12-27-54	BFO Terminal Board (See 1A-908) No Drawing			1	251

SUFFIX

PHENOLIC - SHEETS OR FORMED

PX

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUMBER
12-30-54	Dial Plate		GPR	2	252
1-27-55	Terminal Board #1 see Drawing A-922		VOX 1,2		253
"	" #2 see Drawing A-923		VOX 1,2		254
1-28-55	Insulator, Coil Bottom	OBSOLETE	GPR	1	255
"	" Top	OBSOLETE	GPR		256
2-5-55	Heater Terminal Board	see A-925	VOX 1,2		257
"	External Shaft. Oscillator Condenser		VOX 1,2	1	258
2-8-55	Shaft Oven Condenser Extension		VOX 1,2	1	259
2-11-55	Heater Terminal Board (No Drawing) see A-933		VOX-2	1	260
2-24-55	Coil Form Plug		GPR	1	261
3-1-55	Terminal Board 2nd Oscillator Tank (see 1A-942)		GPR	1	262
3-2-55	Mounting Plate, 2nd Conv. Chassis	OBSOLETE	GPR	2	263
3-7-55	Dial Fiduciary		GPR	1	264
3-22-55	Terminal Board IMC Oven	see A-974	FSS	1	265
3-23-55	Bushing, Coil			1	266
3-25-55	Terminal Board Load Coil Crystal Filter (see 1A-976)		GPR	1	267
"	" IF Crystal Filter (see 1A-977)		GPR	1	268
"	" IF see 1A-996		GPR	1	269
3-30-55	Mounting Board Audio Selectivity Toroid		GPR	1	270
"	Terminal Board IF 2nd Conv.	see 1A-992	GPR	1	271
"	" "	see A-980	GPR	ND	272
"	" #2 IF	see A-981	GPR	ND	273
"	" #1 IF	see A-982	GPR	ND	274
4-26-55	" 455KC IF	see 1A-1004	GPR	1	275
6-13-55	Ext. Shaft Crystal Filters		GPR	1	276
6-14-55	Mount, Case & Speaker Case		GPR	1	277
6-15-55	Terminal Board	see A-1062	FSS		278
"	" Time Base Switch	see A-1026	FSS		279
"	" #1 (2A-1028)		FSS		280
6-16-55	" #2	1058	FSS	1	281
"	" #3 No Drawing	see A-1052	FSS		282
"	Trimmer, Insulator		FSS	1	283
6-17-55	Shaft Antenna Tuner		GPR	1	284
6-23-55	Ext. Shaft, BFO Filter	SUPERSEDED BY 917-691RT2.187P	GPR	1	285
7-18-55	Terminal Board #6		FSS	1	286
"	Gland		TRC-3500	1	287
7-25-55	Trigger & Se of 2 Terminal Boards (No Drawing)	see A-1056	FSS		288
7-28-55	Condenser Insulator		GPR	1	289

V. P. D. Sheet Protector M-126

V. P. D. Sheet Protector M-126

V. P. D. Sheet Protector M-126

V. P. D. Sheet Protector M-126

PHENOLIC - SHEETS OR FORMED

PX

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUM
7-28-55	Terminal Board, Heater No Drawing see A-1036		FSS	1	290
8-4-55	Scale Indicator FSS		Stand.	2	291
8-9-55	Case, Resistor <i>OBSOLETE: REP. BY RR-133</i>		RTB	1	292
8-16-55	Mounting Plate, Socket		GPT-750	2	293
8-22-55	Terminal Board High Pass Filter No Drawing see A-1075		GPR		294
9-22-55	Meter Holder R.F. Deck		GPT	2	295
"	Guard Plastic, Meter		GPT	2	296
9-23-55	Relay Mount, Mod. Sec.		GPT	1	297
9-26-55	Thermocouple Mount No Drawing see A-1093		GPT		298
"	Insulator R.F. Plate		GPT	1	299
"	" R.F. Final		GPT	1	300
"	Condenser Insulator		GPT	1	301
"	Terminal Board GPT-750		GPT-750	1	302
"	Coil Form 8-16 MC. Multiplier Deck <i>OBSOLETE</i>		GPT-750	1	303
"	Coil Form 16-32 MC. Multiplier Deck <i>OBSOLETE</i>		GPT-750	1	304
"	Coil Form Base <i>OBSOLETE</i>		GPT-750	1	305
"	Housing, LR3 Blower (Ripley Co.)		GPT	2	306
10-3-55	Coil Form (No Drawing see A-1107) <i>see CF-119</i>		GPT	1	307
"	Terminal Board Mod. (No Drawing see A-1113)		GPT	1	308
"	Oven Terminal Board (No Drawing see A-1101)		GPT		309
10-26-55	Terminal Board Interconnect No Drawing see A-1123		GPT		310
11-3-55	Case - Phenolic		SW-176	1	311
11-4-55	Terminal Board, Trans. (No Drawing see A-1132)		LFD		312
"	Rear Support, Trans.		LFD	1	313
11-9-55	Inside Support, Resistor	TER-3500		1	314
"	Top & Bottom Incolator	TER-3500		2	315
11-29-55	C.T. Insulator	TER-3500		1	316
12-6-55	Terminal Board No Drawing see A-1167		RTC		317
12-6-55	Case Cover	TER-3500		4	318
12-15-55	Insulator Coaxial Adapter		JJ-134	1	319
12-20-55	Cap. Meter Terminal		GPR	1	320
12-30-55	Terminal Board AC Filter		RTF	1	321
12-30-55	Coil Form, Plate Choke Driver <i>see CF-119</i>		RTF	1	322
1-6-55	Coil Form - Grooved		GPR	1	323
1-10-55	Mounting Plate, Neutralizer P/A		RTF	1	324
"	Insulator, Neutralizer P/A		RTF	1	325
"	Knob, Cap. Inc. Switch		RTF	1	326
2-2-56	Insulator, RF Wiper CAB/FR		GPT-750	1	327

PHENOLIC - SHEETS OR FORMED

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUMBER
6-13-57	Spacer Capacitor		A-1397	1	328
2-2-56	Arm Ext, Capacitor	OBSOLETE	A-1397	1	329
2-2-56	Face Plate, Capacitor	see MS-903	A-1397	1	330
2-10-56	Spring Centering Bushing	CAB/FR	GPT-750	1	331
2-16-56	Safety Plate	TF-157 C/B	GPT	2	332
"	Terminal Cap, Meter		GPR	1	333
3-15-56	" Board F.F., Crystal Filter	FFRD	1,2,3	1	334
3-16-56	" " Crystal Filter Tank	FFRD	1,2,3	1	335
4-11-56	Insulator, Terminal Strip Barrier - OBSOLETE not in use		Stand.	1	336
5-2-56	Insulator, Terminal Strip Barrier Lug Type-OBSOLETE		Stand	1	337
5-11-56	Terminal Board 438-472KC OSC. No Drawing see A-1297		GSB		338
5-15-56	" " 17KC Osc. No Drawing see A-1301		GSB		339
6-15-56	Knob Cal. Control Lock (for Spare Parts Use)		RTF	1	340
6-18-56	Insulation, Toroid Mounting		GSB-1	1	341
7-19-56	Insulation, Sleeving (Birnbach 291VC Series)		Stand.	1	342
8-15-56	Coil Mounting Board, FX-150		GSB-1	1	343
8-15-56	Resistor, Insulator Mount		TER-500	1	344
9-11-56	Terminal Board, Hi Pass Filter see A-1346		GPR-90		345
10-23-56	Top Support, Resistor		TER-3500	2	346
11-8-56	Coil Bushing <i>SUPERSEDED: DIR. REP BY RY-129-B</i>		GPR	1	347
11-21-56	Coil Bushing <i>SUPERSEDED: DIR. REP BY RY-129-B</i>		GPR	1	348
1-7-57	Terminal Board No Drawing see A-1365		MSR-1	2	349
"	" " No Drawing see A-1366		MSR-1	2	350
"	" " No Drawing see A-1367		MSR-1	1	351
"	" " No Drawing see A-1368		MSR-1	1	352
"	" " No Drawing See A-1369		MSR-1	1	353
1-21-57	" " No Drawing see A-1371		TTU	1	354
"	" " No Drawing see A-1372		TRU	1	355
2-13-57	Support, Thermostat	VOX PMO	RTF	1	356
2-15-57	Cover, Case	TER-3500		4	357
3-4-57	Terminal Board 43 see 1A-1386		MSR-1	ND	358
3-16-57	Brace, Resistor Support		TER-3500	2	359
3-26-57	Support, Resistor, Top		TER-3500	2	360
4-12-57	Shim, Coil Support		TAC	1	361
4-18-57	Insulator		TER-5000	2	362
4-23-57	Pressure Plate, Top		TER-5000	2	363
"	Pressure Plate, Bottom		TER-5000	2	364
5-20-57	Panel, Rear		TER-5000	2	365

PHENOLIC - SHEETS OR FORMED

PX

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUMBER
5-20-57	Panel, Side	TER-5000		2	366
"	" Front Top	TER-5000		1	367
"	Door "	TER-5000		2	368
"	Cover, Top	TER-5000		2	369
6-5-57	Teflon Tubing		Stand	2	370
6-6-57	Insulator Tube A-1421		A-1421	1	371
6-25-57	Bse Plate, Machining & Lettering		TLI	4	372
7-17-57	Shaft, Phenolic, Flatted ^{SUPERSEDED:} DIE. REP. BY: PM-691		SBE	1	373
					374
					375
"	Knob, R.F. Tuning		SBE	1	376
7-24-57	Lens, Dial, Plain		SBE	1	377
7-29-57	Terminal Board, H.F. Mod.		SBE	1	378
"	" " XFMR, 4 Lug		SBE	1	379
"	" " XMFR, 5 Lug		SBE	1	380
"	" " Squelch & VOX		SBE	2	381
"	" " Heater		SBE	1	382
8-9-57	Support, Capacitor		SBE	2	383
9-10-57	Insulator, Capacitor		A-1461	1	384
9-11-57	Terminal Board, R.F. Chassis		SBE	2	385
10-18-57	Case, Cover	TER-3500-70		4	386
10-25-57	Support, Resistor, Inside	TER-3500-70		1	387
"	Insulator, Resistor, Teflon	TER-3500-70		2	388
"	" " Phenolic	TER-3500-70		2	389
12-13-57	Support, Coil R.F. Tuner		ATS	2	390
12-16-57	Insulator Coil R.F. Tuner		ATS	2	391
12-17-57	Shaft, Drive RTF		ATS	2	392
12-18-57	Plate, Contact Spring RTF		ATS	1	393
"	Plate, Insulator, Drive Shaft RTF		ATS	1	394
"	Rod, Connecting RTF		ATS	1	395
12-23-57	Guard, Tab		SPP-3	1	396
12-30-57	Sheet, Teflon ATS		Stand. Stand.	1	397
2-17-58	Form, Humidity Element		ATS TU	1	398
1-28-58	Case & Cover, Tuner Unit	ATS 50/70 TU		8	399
2-5-58	Plate, Transformer, Mounting	TR-145 TR-146		1	400
2-6-58	Window, Meter	MR-112		1	401
2-13-58	Housing, Meter	MR-112		2	402
3-12-58	Terminal Board Transformer, 5 Lug		SBE-2	1	403

PHENOLIC - SHEETS OR FORMED

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUMBER
4-2-58	Leg, Equipment		ATS-MCU	1	404
3-19-59	Support, Coil, Antenna Tuner		GPT-10K	2	405
4-24-58	Base, Rectifier		PSP-350	2	406
5-13-58	Spacer		SBE-2	1	407
"	Base, Capacitor Mounting		RFA-1	1	408
"	Plate, PA Band Switch		RFA-1	2	409
5-24-58	Pointer, Knob, Vernier Drive		RFA-1	1	410
6-4-58	Housing, Meter	SWR-3000 PM		4	411
6-26-58	Insulator, Mast Support, Inside	VRA-1,2,2A		1	412
7-25-58	Condenser Insulator		GPR	1	413
8-26-58	Terminal Board No. 1 (No Drawing see A-1571 (2))		MSR-4	ND	414
"	" " No. 2 (" " " A-1572 (2))		MSR-4	ND	415
"	" " No. 4 (" " " A-1573 (1))		MSR-4	ND	416
"	" " No. 5 (" " " A-1574 (1))		MRS-4	ND	417
10-10-58	Pressure, Plate, Outside	TER-5000-70		2	418
"	" " Inside	TER-5000-70		2	419
10-20-58	Rectifier Mounting Plate		RTP-2	4	420
10-24-58	Terminal Board, AC Filter SUPERSEDED BY A-1605		CAB-7	1	421
11-8-58	Mounting Board, Top		A-1591	2	422
11-11-58	Mounting Board, Bottom		A-1591	2	423
11-15-58	Plate Mounting, H.V. Rectifier	GPT-10K HVR		8	424
12-9-58	Safety B		CAB-7	2	425
12-20-58	Base Capacitor Mounting	GPT-10K IPA		1	426
12-22-58	Mounting Plate, Capacitor		GPT-10K	2	427
12-22-58	Mounting Plate Capacitor		GPT-10K	2	428
12-31-58	Coil Support, RF		GPT-10K	4	429
"	Coil Insulator #1		GPT-10K	2	430
"	" " #2		GPT-10K	2	431
"	" " #3		GPT-10K	2	432
"	Capacitor Mount Right Side		GPT-10K	2	433
"	Capacitor Mount Left Side		GPT-10K	2	434
1-2-59	R.F. Band Switch Spacers		GPT-10K	1	435
"	R. F. Band Switch Main Shaft		GPT-10K	2	436
1-3-59	Gland Teflon		GPT-10K	1	437
1-3-59	Support, Tuner Coil		GPT-10K	2	438
1-6-59	Flue, Exhaust	GPT-10K IPA		2	439
1-23-59	Window, Front Panel	GPT-10KW HVR		2	440
1-23-59	Plate, Pressure, Inside, Bottom (small)	TER-5000-70		2	441

PHENOLIC - SHEETS OR FORMED

PX

DATE	DESCRIPTION	PURCH. ITEM	EQUIP. FIRST USED	SIZE	NUM
1-30-59	Cover, Top	TER-5K	70	2	442
2-3-59	Air Exhaust Duct		GPT-10K	2	443
2-7-59	Spacer, Core		GPT-10K	1	444
"	Contact Button Terminal Board		GPT-10K	1	445
2-9-59	Board, Mounting, H.V. Resistors		GPT-10K	8	446
2-9-59	Stiffener, Mounting Board, H.V. Resistors		GPT-10K	8	447
"	Terminal Board, Zener		GPT-10K	2	448
2-10-59	Contact Board, H.V. Resistors		GPT-10K	8	449
2-10-59	Meter Panel, Exciter Frame		GPT-10K	4	450
"	Meter Panel, Main Frame		GPT-10K	8	451
"	Terminal Board Antenna Tuner		GPT-10K	4	452
"	Condenser, Mount Antenna Tuner		GPT-10K	1	453
2-12-59	Terminal Board, H.V. Metering		GPT-10K	8	454
2-13-59	Front Window		GPT-10K	8	455
2-16-59	Board, Relay Mounting (Relay Mounting Panel)		GPT-10K	1	456
2-17-59	Spacer, Core Out Tuner		GPT-10K	1	457
2-26-59	Spacer, Terminal Board Line Filter		GPT-10K	2	458
2-26-59	Terminal Board Line Filter		GPT-10K	2	459
"	Mounting Board Line Filter <i>SUPERSEDED BY PX-486</i>		GPT-10K	4	460
"	Air Chimmney		GPT-10K	4	461
3-2-59	Insulator Spacer Screen Adjust Over Load Relay Panel		GPT-10KW	1	462
3-3-59	Plate, Relay Mounting PA Screen On-Off Tune Operator		GPT-10K	1	463
"	Guard, Tab 1/4" Wide		SPP-1	1	464
3-17-59	Insulator, Plate, Neutral Capacitor	IPA	GPT-10K	1	465
3-19-59	Panel, Top Meter Box <i>(OBSOLETE - REPLACED BY PX-644)</i>		GPT-10KW	4	466
4-2-59	Window Light Main Frame		GPT-10K	2	467
"	Window Light Auxiliary Frame		GPT-10K	2	468
4-3-59	Condenser Mount		GPT-10K	1	469
4-17-59	Knob, Machined (P/O MP-113)		GPT-10K	1	470
4-21-59	Neutralizer Mounting Board		RFB	1	471
"	Terminal Board 2.8-4.0 MC			2	472
"	Coil Insulator #1			ND	473
"	Coil Insulator #2			ND	474
"	Coil Insulator #3			ND	475
5-22-59	Mounting Board, Tube Board, Tube Mtg.	PS-5	PAL-1000	2	476
5-27-59	Tube Clamp Board, Tube Clamp	PS-5	PAL-1000	1	477
6-10-59	Support Coil Mounting		ATS-TU-2	1	478
6-18-59	Spacer, Core Antenna		GPT-10K	1	479

V. P. D. Sheet Protector M-198

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER		
6/16/59	Shaft, Driver	ATS-50/70	TU-2	2	480	
6/16/59	Plate Mounting Output Terminal	ATS-50/70	TU-2	1	481	
6/16/59	Plate Mounting Drive Shaft	ATS-50/70	TU-2	1	482	
6/16/59	Plate Mounting Contact Spring	ATS-50/70	TU-2	1	483	
6/16/59	Board Mounting Coil	PAL-1K	RFD-1	1	484	
7/6/59	Board Insulator Line Filter		10K	2	485	
7/6/59	Terminal Board, Line Filter		10K	4	486	
7/9/59	RF Band Switch Wafer		40K	8	487	
8/21/59	Case & Cover		TU-2	8	488	
8/21/59	Panel, Top Meter Box (Bowl)	AX-192		4	489	
8/21/59	Panel, Top Meter Box (Stud)	AX-192		4	490	
9/16/59	Main RF, Filter Terminal Board		SBT-1K	4	491	
9/30/59	Terminal Board Obsolete	APP-2	SBT-1K	1	492	
11/10/59	Terminal Board	BAC-A-S-500	BAC-A-S20	1	493	
11/17/59	Insulator, Strip H. V. Contacts	AX-138	10K	2	494	
11/18/59	Power Input - Terminal Board	AX-207	SBT-1K	2	495	
1/11/60	Board, H V Contacts, Rear	AP-105	40K	8	496	
1/13/60	Board, H V Contacts, Rear	AX-212	40K	4	497	
1/13/60	Board, Resistor Mounting	AX-212	40K	4	498	
1/13/60	Board, Resistor MTG. Small	AX-212	30K	2	499	
1/13/60	Board, Support	AX-212	40K	1	500	
1/13/60	Window, Front Panel	AX-212	40K	1	501	
1/19/60	Window, Front Panel	AX-209	40K	4	502	
1/23/60	Side, Capacitor Support	AX-209	40K	2	503	
1/23/60	Front Capacitor Support	AX-209	40K	2	504	
1/23/60	Support Capacitor, Double	Replaced By PX-564,565	AX-209	40K	8	505
1/25/60	Rod, Support, PA Band Switch	AX-209	40K	2	506	

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUM
2/1/60	Board, H V Resistor & Contact MTG	AP-103	40K	8 507
2/1/60	Board, H V Contacts (HVR Mating)	AP-103	40K	2 508
2/1/60	Board, H V Contacts, Small (Crowbar Mating)	AP-103	40K	2 509
2/1/60	Board, Resistor Clip MTG, top	AP-103	40K	2 510
2/1/60	Board, Resistor (Lip MTG., Bottom)	AP-103	40K	2 511
2/1/60	Board, Resistor (Lip MTG., Small)	AP-103	40K	1 512
2/1/60	Support, H V Contact Board	AP-103	40K	2 513
2/1/60	Support, H V Contact Board, Small	AP-103	40K	1 514
2/17/60	Plate, Feed-Thru	AX-209	40K	1 515
2/17/60	Sub Plate, Feed Thru	AX-209	40K	1 516
2/17/60	Support, Fixed Capacitor	AX-209	40K	1 517
2/18/60	Plate Feed Thru		40K	1 518
2/18/60	Support Coil Ant. Tuner		40K	2 519
2/18/60	Insert, Coil Support Coil Ant. Tuner		40K	2 520
2/18/60	Board Contact Support Ant. Tuner		40K	2 521
2/18/60	Plate Switch Ant. Tuner	AT-101	40K	4 522
2/18/60	Support Side Ant. Tuner	40	40K	4 523
2/18/60	Neutralizer Shaft		RFD-1 RFB-1	1 524
2/19/60	Plate Contact Feed Thru	AT-101	40K	1 525
2/23/60	Board, Filter Mounting	AP-102 AP-103	40K	2 526
2/23/60	Board, Terminal, Interconnect Filter	AP-102	40K	2 527
3/1/60	Plate, Bowl MTG.	AT-101	40K	2 528
3/1/60	Mount. Capacitor, Ant. Tuner (not req'd)	AT-101	40K	2 529
3/3/60	Window Front Panel Ant. Tuner	AT-101	40K	1 530
3/3/60	Coil Support	AP-102	40K	1 531
3/3/60	Coil Support	AP-102	40K	1 532
3/7/60	Disk, Insulator	AX-220	40K	1 533

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
3/7/60	Mount Capacitor	AX-209	40K	1 534
3/15/60	Insulator, Terminal Strip	AP-102	40K	1 535
3/17/60	Brace, Front Load Resistor		40K	2 536
3/17/60	Plate Cap MTG. Load Resistor		40K	2 537
3/18/60	Shaft, Insulated, BandSwitch	AX-209	40K	1 538
3/22/60	Support, Capacitor Mount Support(not used)	AX-209	40K	1 539
3/28/60	RF Band Switch, Spacers	AX-209	40K	1 540
3/29/60	Board, Main Breaker	AP-103	40K	2 541
3/29/60	Plate, Side, Load Resistor Mounting (REF: LD-831)	Mod.Kit	40K	4 542
3/29/60	Brace, Center, Load Resistor MTG.	"	40K	2 543
3/30/60	Insulator, Terminal Strip Barrir	TM-102	40K	1 544
3/30/60	Shaft	Switch	40K	1 545
4/5/60	ThermoCouple, Board not USED, USE PX-549		40K	2 546
4/7/60	Terminal Board XFMR. 4 Lug		CHG-1	1 547
4/11/60	Support, Fixed Capacitor	AT-101	40K	2 548
4/21/60	Board Ant. Switch	AX-209	40K	4 549
4/22/60	Spacer PA Band Switch	AX-209	40K	1 550
4/22/60	Support Coil Cap Bottom PA Deck	AX-209	40K	1 551
4/22/60	Insulator PA Plate OBSOLETE	AX-209	40K	1 552
4/23/60	Insulator, Terminal Strip STAND	TM-118	40K	1 553
4/26/60	Insulator Stark Cap OBSOLETE: NO LONGER REQUIRED	AX-209	40K	1 554
4/26/60	Plat, Feed-Thru	AX-209	40K	1 555
4/26/60	Capaitor Mount, Wrap-A-Round	AX-209	40K	1 556
5/6/60	Swith, Shaft		CHG-1	1 557
5/9/60	Heatr Terminal Board OBSOLETE		CHG-1	1 558
5/16/60	Insuator Pot Relay Pabel	AR-116	40K	1 559
5/16/60	Insuator Potentiometer Relay Panel	AR-116	40K	1 560

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
6/14/60	Shield Protector	AX-209	40K	2 561
6/15/60	Bushing, Teflon	AX-228	40K	162 562
6/28/60	Flue, Final Tube	AX-209	40K	8 563
6/29/60	Support Capacitor Single	AX-209	40K	4 564
6/29/60	Support, Capacitor, Top Double	AX-209	40K	8 565
6/29/60	Plunger, Mount Shorting Relay	AP-103	40K	1 566
5/30/60	Insulator Wafer Switch	Switch	40K	1 567
6/30/60	Board, Line Feed Base	AP-102	40K	1 568
6/30/60	Cover, Flue, Rear	AX-209	40K	4 569
6/30/60	Insulator, Connector Cap & Tube	AX-209	40K	1 570
6/30/60	Insulator (Band Switch to Tube Connector)	AX-209	40K	1 571
6/30/60	Plate, Relay Mounting	AR-116	40K	1 572
6/20/60	Plate Relay MTG.	AR-116	40K	1 573
6/30/60	Insulator, Tube Protect Relay Mounting	AR-116	40K	1 574
7/27/60	Bezel, Calibration		DVM-2	1 575
7/27/60	Bracket, Switch Shorting Relay	AP-103	40K	1 576
8/5/60	Plate Connector Inner Conductor	DC-100	40K	1 577
8/9/60	Form, Core		40KP	1 578
8/9/60	Cap, End, Core Form		40KP	1 579
8/9/60	Cap, End, Core Form, Long		40KP	1 580
8/9/60	Insulator, Coil - 1		40KP	2 581
8/9/60	Insulator Coil - 2		40KP	2 582
8/9/60	Insulator, Coil - 3		40KP	2 583
8/19/60	Fule, Bottom, Front & Rear	AX-209	40K	8 584
8/23/60	Terminal Board Termsformer, 4 Lugs		CHG-1	1 585
8/23/60	Terminal Board Transformer, 5 Lugs		CHG-1	1 586
9/20/60	Support, Coil		ACU	1 587

OBSOLETE REP. BY MS PX 594

PHENOLIC - SHEETS OR FORMED

PX

587

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
9-20-60	INSERT COIL SUPPORT	ACU	1	588
9-20-60	PLATE, BOWL MOUNTING	ACU	2	589
9-20-60	WAFER SWITCH, UNBALANCED BAND	ACU	4	590
9-20-60-	SIDE PLATE, BANDSWITCH	ACU	8	591
9-20-60	WINDOW FRONT PANEL	ACU	2	592
9-22-60	COVER, FLUE REAR		1	593
9-26-60	BOTTOM FLUE		2	594
10-6-60	TERMINAL BOARD, TRANSFORMER, <u>6</u> LUGS	CHG-1	1	595
11-15-60	TERMINAL BOARD - ELEMENT	TIS-3	1	596
11-15-60-	BOARD, ANTENNA SWITCHING	GPT-4OKE	4	597
11-15-60	DUCT, P.A.	GPT-4OKE	4	598
11-21-60	KNOB, MODIFICATION	CHG-1	1	599
11-30-60	BOARD, POWER - INPUT MTG.	APP-4	4	600
1-9-61	TERMINAL BAORD SPACERS H.V. RESIS.	GPT-4OK	4	601
1-10-61	DIAL FIDUCIARY BAND SWITCH	RFD-1	1	602
	PLATE, TRANSFORMER MOUNTING	ATA	4	603
1-31-61	BASE CAPACITOR MOUNTING	RFB-1	1	604
2-6-61	SPACER, COIL	TER-3500-300	2	605
2-6-61	COVER, CASE	TER-3500-300	4	606
2-13-61	BAFFLE AIR DUCT(OBSOLETE: NO LONGER USED)	GPT-4OK	1	607
3-3-61	KNOT, MODIFICATION	RAK-7B	1	608
6-13-61	SPACER, STATIC CHOKE	GPT-4OK	1	609
6-30-61	TERMINAL BOARD, 6 LUGS	STAND.	1	610
8-14-61	BAFFLE, AIR DUCT	GPT-4OK	4	611
8-31-61	INSULATOR, MAST SUPPORT INSIDE	VRA-4	1	612
9-1-61	CASE & COVER	TRC-5K	4	613
	CONTACT, SUPPORT	TRC-5K	1	614

PHENOLIC - SHEETS OR FORMED

PX

614

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
9-1-61	SPACER, TEFLON	TRC-5K	1	615
9-9-61	INSULATOR, CORE	TRC-20K	1	616
9-9-61	SPACER, CORE (3 HOLE & 4 HOLE)	TRC-20K	2	617
9-9-61	INSULATOR, PRIMARY & SEC.	TRC-20K	1	618
9-9-61	RING, CAGE	TRC-20K	2	619
9-9-61	RING CAGE, STUD MOUNTING	TRC-20K	2	620
9-9-61	SPACER, CAGE	TRC-20K	1	621
9-9-61	INSULATOR, TOP PLATE	TER-25K	2	622
9-19-61	GUARD, PLASTIC	QDP SERIES	1	623
9-27-61	SUPPORT, CORES FILAMENT COIL	GPT-40K	1	624
9-27-61	PLATE CAP, MOUNTING LOAD RESISTOR	GPT-40K	2	625
10-2-61	PRESSURE PLATE (PART 2)	TRC-20K	1	626
10-2-61	PRESSURE PLATE (PART 1)	TRC-20K	2	627
10-3-61	TERM. BD. XFMR 5 LUG	GPR-92	1	628
10-16-61	BOARD, MOUNTING, TUNING CAPACITOR(OBSOLETE)	AFC-2	1	629
10-19-61	PLATE, CONNECTOR (50 OHM)	TRC-20K	1	630
10-19-61	BOX, CONNECTOR(50 OHM)	TRC-20K	2	631
10-19-61	PLATE, REINFORCEMENT	TRC-20K	2	632
				633
10-24-61	COIL SUPPORT, CORES	GPT-40K	1	634
11-3-61	TERMINAL BOARD, TRANSFORMER MINIATURE	AFC-2	1	635
11-13-61	PLATE, INSULATOR (DC=102)	KIT-113	1	636
11-4-61	INSULATOR, RESISTOR SUPPORT	TER-250/ 300U	1	637
11-7-61	BOARD SWITCH MTG.	GPT-10K, 40K KIT-127	1	638
11-17-61	BOARD MOUNTING TRANS.	AFC-2	1	639
11-22-61	OVEN MOUNTING BASE	AFC-2	1	640
11-27-61	CASE, FIBERGLASS	TRC-20	8	641

P. D. Sheet Protector MYLAR

PHENOLIC - SHEETS OR FORMED

PX

641

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
11-28-61	SPACER, PA FILAMENT COIL	GPT-10K	1	642
11-29-61	SLEEVING, SHRINK	STAND.	2	643
11-30-61	PANEL, MOUNTING, METER	TMA-4OK	4	644
11-30-61	PANEL, MOUNTING, BOWL	TMA-4OK	4	645
11-30-61	PLATE, MOUNTING STUD	TMA-4OK	4	646
12-7-61	TERMINAL BOARD, 3 LUG, MTG, TRANSFORMER	LFA-2	1	647
12-26-61	INSULATOR, BUSHING, DIELECTRIC		1	648
1-3-62	BOARD, MOUNTING, COMPONENTS, RF (REF: LD-1121)	HFR-1	2	649
2-25-62	BOARD, MOUNTING, COMPONENTS, OSC.	HFR-1	2	650
				651
				652
				653
				654
3-8-62	COUPLER, NYLON	HFR-1	1	655
6-28-62	INDICATOR, DIAL	HFR-1	1	656
			P/D	657
3-30-62	BOARD, MOUNTING, CRYSTALS (LD-1073-1 thru 4)	HFS-1	1	658
5-8-62	SUPPORT, MOUNTING, SWITCH	GPT-10K, 4OK	P/D	659
5-25-62	DRUM, CYLINDER	HFR-1	4	660
5-26-62	WINDOW FRONT PANEL, INDICATOR	HFR-1	4	661
5-29-62	COUPLER, SHAFT RIGID	HFR-1	1	662
5-29-62	BUSHING, MOUNTING CYLINDER	HFR-1	1	663
5-31-62	BOARD, MOUNTING, ANTENNA JACKS	RAK-22A(1)	1	664
6-1-62	RING, SLIP-ON	HFR-1	1	665
6-11-62	SPACER, INSULATOR	DCC-1	P/D	666
	BOARD MTG. ANTENNA JACK	RAK-21B(1)	1	667
8-31-62	CASE & COVER TRC-3500	TRC-3500	4	668

PHENOLIC - SHEETS OR FORMED

PX

668

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
8-31-62	TEFLON SHEET .005 THICK	STAND.	1	669
9-24-62	HOLDER, CARD	SPP- 41416	1	670
11-10-62	BOARD, REAR, HV CONTACTS	GPT-200K AX-398	8	671
11-10-62	BOARD, RESISTOR MTG., LARGE	GPT-200K AX-398	4	672
11-10-62	BOARD, RESISTOR MTG., SMALL	GPT-200K AX-398	2	673
11-10-62	BOARD, SPACER	GPT-200K AX-398	2	674
11-10-62	BOARD, TRANSFORMER MTG.	GPT-200K AX-398	2	675
11-10-62	BOARD, VAR. RESISTOR MTG.	GPT-200K AX-298	1	676
12-4-62	PROTECTIVE COVER, FRONT PANEL RELAY	GPT-40K	8	677
12-4-62	PROTECTIVE COVER, PA PANEL	GPT-40K	8	678
12-4-62	PROTECTIVE COVER, FRONT PANEL	GPT-40K	8	679
12-4-62	PROTECTIVE COVER, BIAS SUPPLY DRAWER	GPT-40K	8	680
12-4-62	PROTECTIVE COVER, CONTROL PANEL	GPT-40K	8	681
12-4-62	PROTECTIVE COVER, P.S. CONTROL PANEL	GPT-40K	8	682
12-4-62	PROTECTIVE COVER, ANTENNA TUNER	GPT-40K	8	683
12-4-62	PROTECTIVE COVER, CROWBAR	GPT-40K	8	684
12-11-62	BOARD, TUBE MTG.	GPT-200K AP-110	2	685
12-11-62	PANEL, REAR	GPT-200K AP-110	2	686
12-11-62	DUCT, AIR	GPT-200K AP-110	2	687
12-11-62	SUPPORT, TUBE MTG. BOARD	GPT-200K AP-110	2	688
12-11-62	WINDOW, FRONT PANEL	GPT-200K AP-110	2	689
1-31-63	TERMINAL BD. METER	GPR-92	1	690
1-18-63	BLOCK, TERMINAL	DDR-6H	2	691
2-20-63	SPACER WASHER, TEFLON (STANDARD) ROUND	GPT-200K	1	692
2- -63	PADDING, CRYSTAL COVER		11 P/D	693
2-27-63	BUSHING, TEFLON	STAND. GPT-40K	1	694
2-28-63	PANEL SIDE	TER-5000	4	695

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
2-28-63	PANEL, REAR	TER-5000	4	696
2-28-63	PANEL, DOOR	TER-5000	4	697
2-28-63	PANEL, TOP	TER-5000	4	698
2-28-63	COVER	TER-5000	2	699
2-28-63	PLATE, RETAINER, RESISTOR	TER-5000	4	700
2-28-63	INSULATOR, SUPPORT	TER-5000	2	701
2-28-63	INSULATOR, STIFFENER	TER-5000	2	702
2-28-63	SUPPORT BOWL	TER-5000	2	703
3-7-63	BLOCK, BARRIER STRIP MOUNTING	RAK-29A	4	704
3-7-63	BLOCK, BARRIER STRIP MOUNTING	RAK-30A	2	705
4-3-63	METER PANEL	GPT-10KLF	2	706
4-16-63	SHAFT, BANDSWITCH (SMALL)	GPT-200K	1	707
4-16-63	SUPPORT, BANDSWITCH LEG (SMALL)	GPT-200K	2	708
4-16-63	PLATE, SUPPORT, BANDSWITCH (SMALL)	GPT-200K	4	709
4-16-63	INSULATOR, TEFLON (BANDSWITCH)	GPT-200K	1	710
4-16-63	SPACER (BANDSWITCH)	GPT-200K	1	711
4-16-63	SPACER, SUPPORT (BANDSWITCH)	GPT-200K	1	712
4-16-63	SHAFT (BANDSWITCH)	GPT-200K	4	713
4-16-63	SUPPORT, LEG	GPT-200K	4	714
4-16-63	SUPPORT, TOP (BANDSWITCH)	GPT-200K	4	715
4-20-63	FEED THRU, CABLE (FEMALE)	GPT-200K	1	716
4-20-63	FEED THRU, CABLE (MALE)	GPT-200K	1	717
4-20-63	FEED THRU, CABLE	GPT-200K	1	718
4-20-63	CLAMP, CABLE MOUNTING	GPT-200K	1	719
4-20-63	SPACER, COIL	GPT-200K	1	720
4-20-63	SUPPORT, COIL	GPT-200K	1	721
4-20-63	RING, SUPPORT, COIL	GPT-200K	1	722

PHENOLIC - SHEETS OR FORMED

PX

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
4-22-63	BOARD, RESISTOR SUPPORT	GPT-200K	2	723
4-25-63	RETAINER, COIL	GPT-200K	4	724
4-25-63	BOARD H.V. CONTACT MOUNTING (CROWBAR)	GPT-200K	2	725
4-25-63	BOARD, RESISTOR CLIP MOUNTING	GPT-200K	1	726
4-25-63	BOARD, SUPPORT (CONTACTS, CROWBAR)	GPT-200K	1	727
4-25-63	BOARD, RESISTOR MOUNTING TOP	GPT-200K	4	728
4-25-63	BOARD, RESISTOR MOUNTING BOTTOM	GPT-200K	4	729
4-25-63	BOARD H.V. CONTACT MOUNTING (HVR MATING)	GPT-200K	2	730
4-25-63	BOARD SUPPORT H.V. CONTACT MOUNTING (HVR)	GPT-200K	2	731
4-25-63	BOARD, SUPPORT, RESISTOR & CONTACT MTG.	GPT-200K	8	732
4-25-63	SPACER	GPT-200K	1	733
4-25-63	BOARD, SUPPORT FILAMENT DECOUPLERS	GPT-200K	2	734
4-25-63	BOARD, SUPPORT RESISTORS	GPT-200K	2	735
4-25-63	SUPPORT CORES	GPT-200K	2	736
4-25-63	SUPPORT, FILAMENT COIL	GPT-200K	2	737
4-25-63	BOARD, CAPACITOR MOUNTING	GPT-200K	8	738
5-7-63	INSULATOR, RESISTOR (FRONT & REAR)	GPT-200K		739
5-7-63	INSULATOR, RESISTOR (CENTER)	GPT-200K		740
5-7-63	BOARD CONNECTOR MTG.	GPT-200K	1	741
5-7-63	PANEL METER P.A.	GPT-200K	2	742
5-7-63	PANEL METER P.S.	GPT-200K	4	743
5-7-63	SUPPORT, CAPACITOR	GPT-200K	1	744
5-7-63	SUPPORT, FEED-THRU	GPT-200K	1	745
5-16-63	PLATE (XFMR TIE DOWN)	GPT-200K	1	746
5-16-63	STAND OFF (XFMR)	GPT-200K	1	747
5-16-63	BOARD RELAY MTG "A"	GPT-200K	VP	748
5-16-63	BOARD RELAY MTG "B"	GPT-200K	8	749

V. P. D. Sheet Protector M - 198

PHENOLIC, SHEETS OR FORMED, TEFLON, ETC.

PX

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER	
5-18-63	BOARD, SUPPORT, CAPACITORS	GPT-200K	1	750	
5-18-63	SPACER CAPACITORS	↑	1	751	
9-5-63	SLEEVING, INSULATING		1	752	
9-5-63	NUT, ROUND TEFLON		1	753	
5-31-63	BOARD COMPONENT MTG.		1	754	
6-3-63	BOARD BOWL MTG.		1	755	
6-5-63	BOARD, RELAY MTG.		1	756	
6-5-63	BOARD, RECTIFIER MTG.		1	757	
6-5-63	INSULATOR DECOUPLER BOX		↓	1	758
6-11-63	PIN, PHENOLIC		GPT-200K	1	759
6-11-63	AIR DISTRIBUTOR		TER-100K	B	760
6-21-63	SHEET TEFLON MICA	GPT-200K	1	761	
6-21-63	OBSOLETE	↑	OBSOLETE 1	762	
6-29-63	BOARD CAPACITOR MTG.	↓	1	763	
7-1-63	BOARD XFMR TIE DOWN		1	764	
7-1-63	BOARD CONTACT MTG.		1	765	
7-24-63	BOARD FILTER MTG.		2	766	
7-24-63	SUPPORT FILTER BOARD MTG.		1	767	
7-24-63	BOARD INSULATOR TERMINAL STRAP		2	768	
8-15-63	INSULATOR, COVER, TEFLON		GPT-200K	OBSOLETE 1	769
8-22-63	PANEL, TOP		TER-15K-600	4	770
8-23-63	BOARD, RESISTOR SUPPORT LEFT AND RIGHT		TER-15K	1	771
8-23-63	BOARD RESISTOR SUPPORT CENTER		TER-15K	1	772
8-23-63	STIFFENER TOP	TER-15K	1	773	
9-4-63	SUPPORT CAPACITOR	GPT-200K	2	774	
9-5-63	DISK INSULATING	GPT-200K	1	775	
9-9-63	SPACER COIL	TER-100 GPT-200K	1	776	

V.P.D. Sheet Protector M-198

Retyped

2-7-66
Ging Model

PX

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
9-12-63	WINDOW FRONT PANEL	GPT-200K	1	777
9-20-63	BOX, CORE MOLDING	A	1	778
10-9-63	BOARD, CONNECTOR MTG		1	779
12-19-63	BOARD, RELAY MTG		1	780
12-23-63	PROTECTIVE COVER, FRONT PANEL		4	781
			4	782
			4	783
			4	784
			4	785
			4	786
			4	787
			4	788
	PROTECTIVE COVER, FRONT PANEL		4	789
1-3-64	LEG SUPPORT WAFER		1	790
1-3-64	PLATE WAFER MTG		1	791
1-6-64	SHAFT, Stepped		1	792
1-3-64	SHAFT		1	793
1-8-64	Board, Terminal mounting		4	794
2-8-64	1 1 main (FILTER		4	795
2-8-64	Board, Component mtg.		4	796
2-8-64	Board, coil mtg.		2	797
2-8-64	Board, coil mtg.		2	798
2-25-64	Insulator, + FMR Tie down		1	799
	Bracket		1	800
2-20-64	BOARD, Insulator		2	801
3-22-64	Insulator tie down		1	802
		GPT-200K		803

PHENOLIC - SHEETS OR FORMED

PX

803

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
4-8-63	FRONT PANEL, PROTECTIVE SHIELD (REF. MS-1473)	GPT-10K	P/D	804
4-8-63	FRONT PANEL, PROTECTIVE SHIELD (REF. MS-1410)	(HVR) GPT-10K	P/D	805
4-8-63	FRONT PANEL, PROTECTIVE SHIELD (REF. MS-1499)	GPT-10K	P/D	806
4-8-63	FRONT PANEL, PROTECTIVE SHIELD (REF. MS-1485)	GPT-10K	P/D	807
4-8-63	FRONT PANEL, PROTECTIVE SHIELD (REF. MS-1480)	GPT-10K	P/D	808
4-22-63	FRONT PANEL, PROTECTIVE SHIELD (REF. MS-2003)	GPT-10K	P/D	809
4-22-63	FRONT PANEL, PROTECTIVE SHIELD (REF. MS-1552)	GPT-10K	P/D	810
5-7-63	BOARD, IPA	TTR-10	1	811
5-7-63	BOARD, CONTACT	TTR-10	1	812
5-7-63	BLOCK, MOUNTING, BARRIER STRIP	DDR-8		813
5-20-63	BOARD, CONTACT MOUNTING	TTR-10	4	814
5-20-63	FRONT PANEL, PROTECTIVE SHIELD MS-2609 MS-1426			815
5-20-63	FRONT PANEL, PROTECTIVE SHIELD MS-2189			816
5-20-63	FRONT PANEL, PROTECTIVE SHIELD MS-2259			817
5-20-63	FRONT PANEL, PROTECTIVE SHIELD MS-2346			818
5-20-63	FRONT PANEL, PROTECTIVE SHIELD MS-2434			819
5-20-63	FRONT PANEL, PROTECTIVE SHIELD MS-2205			820
5-20-63	FRONT PANEL, PROTECTIVE SHIELD MS-2185			821
5-20-63	FRONT PANEL, PROTECTIVE SHIELD MS-1853			822
5-20-63	FRONT PANEL, PROTECTIVE SHIELD MS-2608			823
5-20-63	FRONT PANEL, PROTECTIVE SHIELD MS-1663			824
5-25-63	HANDLE, EXTENSION CIRCUIT BREAKER	TTR-10	1	825
6-14-63	INSULATOR, XTAL MOUNTING	GPR-92	1	826
6-14-63	INSULATOR, IF	GPR-92	1	827
6-14-63	INSULATOR, IF	GPR-92	1	828
8-26-63	PAD, TRANSISTOR MFG.	TTR-10 STD.	1	829
10-7-63	SLEEVING, INSULATION SHRINK	STD.	1	830

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
10-10-63	COVER, TERM BD	GPR-92	1	821
10-15-63	INSULATOR, COIL SPACING	TTRA-4	1	822
10-15-63	SUPPORT COIL	TTRA-4	1	823
10-30-63		AW-102	8	834
10-31-63	BOARD MTG CAPACITOR	LFS-1	1	835
11-1-63	TUBING, ZIPPER		2	836
1-4-64	PANEL, PATCH	RAK-35A	4	837
1-25-64	PANEL, PATCH	RAK-35A		838
2-25-64	BLOCK, TERMINAL	RAK-31B	2	839
2-25-64	COVER, BLOCK TERMINAL	RAK-31B		840
3-4-64	DIAL, FIDUCIARY-PLAIN	GPR-92	1	841
3-14-64	PANEL, PATCH	RAK-42	4	842
3-1-64	LENS PANEL LIGHT	CONSOLE		842
4-11-64	INDICATOR, FREQUENCY CHANNEL	HFR-2	1	844
4-22-64	SLEEVING, TEFLON (SHRINKABLE)	STANDARD	1	845
5-12-64	SUPPORT CORE	PAL-1K	2	846
8-12-64	PANEL FRONT	TTC-1	4	847
8-17-64	END MOUNT COIL	TTC-1	1	848
8-24-64	BOARD MOUNTING CAPACITOR	LFSB-1	1	849
8-31-64	BUSHING, DIAL BKT	VLRB-1	1	850
8-31-64	INDICATOR, FREQ CHANNEL	VLRB-1	1	851
10-1-64	PLATE COVER RELAY	RTTD-1	1	852
10-9-64	MOUNT CASE AND SPEAKER	GPR-92	1	853
10-19-64	PLATE SPACER BLOWER	RTIA-1	1	854
10-19-64	STRIP GUIDE (PC CARD BIN)	RTIA-1	1	855
10-22-64	DRUM, CYLINDER	VLRB-1	2	856
11-2-64	BASE LAMPHOLDER	VLRB-1	2	857

PHENOLIC SHETS FORMED

P X

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
1-3-64	BUSHING, TIMER JACK	PTPA-1		858
11-3-64	TERM, BD (NO LONGER USED)	LSP-6X		859
11-5-64	BD MTG INSUL _x	HVRC-1		860
11-5-64	BD, CONTACT MTG	HVRC-1	2	861
11-5-64	FLUE, AIR	HVRC-1	1	862
	BOARD COMPONENT MTG LEFT	HVRC-1		863
11-12-64	CONTACT, BLACK	GPT -40K		864
11-16-64	PLATE, RATATING	LFRA-1	1	865
11-16-64	SUPPORT, ANTENNA	LFRA-1	2	866
11-16-64	BASE, ANTENNA	LFRA-1	2	867
11-16-64	PLATE COIL SUPPORT	LFRA-1	2	868
11-16-64	SHIELD ANTENNA (TOP&BOTTOM) 2 SHEETS	LFRA-1	8	869
11-20-64	PANEL, FRONT	TPC-11	2	870
11-25-64	WIRING, DIAGRAM, LAMINATED	STD	2	871
12-1-64	PA COMPARTMENT BOARD	GPT10KLF	4	872
12-21-64	INSULATION FISH PAPER	FX208		873
12-2-64	WINDOW METER FACE	SWRIOK	1	874
12-10-64	INSULATION, MTG RELAY	RTIA-1	1	875
12-17-64	BOARD MOUNTING, TERM BD	SBG-X		876
12-17-64	BOARD MOUNTING, TERM BD	RAK-20B		877
12-18-64	PLATE, FACE	SMC-1 TPC-1	2	878
12-18-64	INSULATOR DISC	HVRB-1	1	879
12-18-64	BOARD, COMPONENT MTG	HVRB-1	4	880
12-18-64	BOARD, COMPONENT	HVRB-1	4	881
12-18-64	BOARD, COMPONENT	HVRB-1	4	881
12-21-64	BOARD MOUNTING, CONTACT, REAR <i>OBSOLETE</i>	HVRB-1	8	882
	UNASSIGNED			883
	UNASSIGNED			884

V.P.D. Sheet Protector M-198

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
12-28-64	FLUE, AIR	GPT-10KLF	4	885
12-28-64	BOARD, CAPACITOR MTG	GPT-10KLF	1	886
12-28-64	BOARD, ZENER DIODE MTG BOTTOM	GPT-10KLF	2	887
12-28-64	BOARD, ZENER DIODE MTG TOP	GPT-10KLF		888
12-28-64	BOARD, FILAMENT	GPT-10KLF	1	889
1-4-65	BOARD- MTG. INSULATOR	TER-25K	2	890
1-4-65	SUPPORT TOP	TER-25K	2	891
1-4-65	PANEL, BLANK	TER-5000	B	892
1-5-65	CASE COVER	A2920	8	893
1-13-65	BOARD MTG COMPONENT	CHG-3	4	894
1-14-65	BOARD, MTG, CONTACT (REAR)	HVRA-1	2	895
1-14-65	BRACKET MTG RECTIFIER	HVRA-1	4	896
1-26-65	WAFER, CONTACT, MTG	TST-10K	4	897
1-26-65	SUPPORT COIL (OBSOLETE)	"	1	898
1-26-65	SHIELD CAPACITOR, PLEXIGLASS	"	1	899
1-26-65	TUBING, TRANSPARENT	"	1	900
1-26-65	BOARD, TOP CONTACT MTG	"	2	901
1-26-65	FLUE, AIR (OBSOLETE)	"	1	902
1-28-65	SPT. MTG CAP (OBSOLETE)	RFTA-1	1	903
1-28-65	SUPPORT, COIL	"	1	904
1-28-65	SPACER, COIL	"	1	905
1-28-65	SUPPORT, SPACER, TUNING COIL	"	1	906
1-28-65	SPACER COIL	"	1	907
1-28-65	SPACER, TUNING COIL	"	1	908
2-5-65	SHIELD, MAIN POWER	GPT10KLF	4	909
2-5-65	SHIELD, CIRCUIT BREAKER	GPT10KLF	2	910
2-9-65	FLOW AIR	TST2.5K	1	911
2-9-65	WAFER, SWITCH, PI SECTION	TST2.5K	1	912

O. MUELLER, INC. 245 HU

O. MUELLER, INC. 245 HUGUENOT ST. NE 2-2300

NE 2-2300

SERIES

PX

PART/MODEL NUMBER REGISTER

DESCRIPTION

DATE	DESCRIPTION	U/O	SIZE	DWG/ID#
2/9/65	FLOW, AIR	TST2.5K	1	911
2/9/65	WAFER, SWITCH, PI SECTION	TST2.5K	1	912
2/9/65	WAFER, SWITHC, "L" SECTION	TST2.5K	1	913
2/9/65	SUPPORT, COIL	TST2.5K	1	914
2/11/65	BAFFLE, AIR	RFTA-1	1	915
2/17/65	PLATE, GLASS Obsolete Replaced GS-101-2	GPT10KLF	1	916
2/19/65	LEG, BANDSWITCH MTG.	TST()10K	1	917
2/19/65	SPACER, INSULATED, COIL, MTG	TST()10K	1	918
3/2/65	SHIELD, XFMR TERM'S	GPT-200K	1	919
3/2/65	BOARD, TERMINAL	"	1	920
3/2/65	SHIELD, RESISTORS	"	1	921
3/2/65	SHIELD, BREAKER	"	2	922
3/2/65	COVER, PROTECT, BUSS BARS	"	2	923
3/2/65	SHIELD, TERM. BD.	GPT-200K	2	924
3/5/65	COVER, TERM. STRIP	AZ104	1	925
3/5/65	COVER CIRCUIT BOARD	AZ104	1	926
3/10/65	SHAFT, BANDSWITCH	TST()10K	1	927
3/16/65	COVER, RESISTOR & RELAY	GPT200K	2	928
3/19/65	INSULATOR, STANDOFF Obsolete Replaced by TE204-7R20E2	RFTA-1	1	929
4/12/65	BOARD, INSULATOR	SBE-2	1	930
4/19/65	STANDOFF, RESISTOR MTG	PSP-350A	1	931
4/19/65	TERMINAL BOARD	GPT-10K	1	932
4/23/65	STRIP, MARKING	LRCC-1 LRCCM-1	1	933
4/23/65	LABEL, FRAME	LRCC-1 LRCCM-1	1	934
4/29/65	INSULATOR, TERM STRIP	TSTE-10K	1	935

SERIES

PX

PART/MODEL NUMBER REGISTER

DESCRIPTION

DATE	DESCRIPTION	U/O	SIZE	DWG/ID#
5/3/65	BOARD, MTG, CAP.	TST-10K	1	936
5/3/65	PATCH PANEL	DDRR-5M	2	937
5/7/65	COVER, ELECT. PROTECT	GPT-40K	1	938
5/7/65	" " "	GPT-10K	1	939
5/7/65	" " "	GPT-200K	1	940
5/7/65	COVER ELECT PROTECT	GPT-40K	1	941
5/12/65	INSULATOR, CAP. SUPPORT	TSTE-10K	1	942
5/13/65	PLATE, RELAY MTG	TST-10K		943
5/19/65	CLAMP, CABLE (OBSOLETE 3/7/66)	GPT-200K	1	944
5/19/65	BOARD, MTG, CAPACITOR	GPT-10K kit 187	2	945
5/21/65	PROTECTIVE COVER, FRONT PANEL	TST-10K	8	946
6/1/65	INSULATOR, POTENTIOMETER	GPT200K	1	947
6/4/65	SPACER, COIL	TST-10K	1	948
6/5/65	PLATE, RETAINER, RESISTOR	TER 18K 600 BF	4	949
6/9/65	PANEL, PATCH	DDR-5K	2	950
6/14/65	WAFER, SWITCH, L SECTION	TSTE-10K	1	951
6/28/65	SUPPORT, WAFER	TST-10K	1	952
7/7/65	INSULATOR, CONTACT (OBSOLETE)	AMM-4A11	4	953
7/8/65	INSULATOR, GUIDES	RTID, RTIF RTIG	1	954
7/15/65	BOARD, COMPONENT, MTG.	HURC Kit 257	4	955
7/16/65	SHAFT, L/P/F SWITCHING	TST-10K	1	956
8/5/65	RETAINER, COIL	CHGR	1	957
8/13/65	SHIELD, CORONA	TST-10K	1	958
8/13/65	INSULATOR, RF FEEDTHRU	TST-10K	1	959
8/17/65	BOARD, CONTACT MTG. REAR	HVRB-2	2	960

PHENOLIC SHEETS OR FORMED

P X

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
8-26-65	INSULATOR, FILTER	TST-10K	1	963
8-30-65	BOARD MOUNTING RECT	HVRC-2	2	964
9-13-65	PLATE	STANDARD	2	965
9-19-65	BOARD CAPACITOR MOUNTING	HVRB-2 HVRC-2	1	966
11-22-65	BOARD MTG CAPACITORS	HVRB-1	1	967
1-13-66	INSULATOR TERM STRIP	KIT180	1	968
1-13-66	AIR DUCT CONE	KIT180		969
1-13-60	DUCT P.A.	KIT180	4	970
1-25-66	FLUE AIR	TOC-7	1	971
1-28-66	COVER, PROTECT	GPT4OKEF	2	972
1-28-66	COVER, PROTECT XFMR	GPT4OKEF	1	973
2-1-66	COVER TERMINAL BOARD	KIT180	4	974
16 2-15-66	TERM. BD ASSY	FFR-3	2	975
Q1 3-9-66	CASE / COV	TOC-7	8	976
3-9-66	CASE / COV	TOC-8	8	977
3-9-66	BLOCK, MTG ELECT CONTACT	40K BASIC KIT-285	1	978
16 3-17-66	INSULATOR, DISC	GPT-10K AX214, 227, 346	1	979
4-6-66	SUPPORT, RES. MOUNT	AP129	1	980
4-6-66	BOARD, RECT, MTG	AP129	1	981
4-6-66	BOARD CONTACT	AP129	1	982
4-6-66	BOARD CLIP, MTG	AP129	1	983
4-20-66	BOARD MTG CAP. FLEXIBLE	KIT 257	1	984
4-25-66	BOARD MTG COMPONENTS	KIT-258	4	985
5-6-66	BOARD MTG CAPACITORS	KIT-257	1	986
5-6-66	BOARD MTG CAPACITORS	KIT-258	1	987
5-6-66	BOARD REAR MTG CONTACTS	KIT-257	2	988

PX

DATE	DESCRIPTION	MODEL	SIZE	DRAWING NUMBER
5-23-66	SUPPORT, COIL OBSOLETE	TFP-2.5K	1	989
6-10-66	WAFER, SWITCH PI SECT	TLAA-2.5K		990
6-13-66	WAFER, SWITCH, L SECT	TLAA-2.5K		991
6-13-66	SPACER, TUNING COIL	TLAA-2.5K		992
7-14-66	CASE, MACHINING	HS ^{JF351}	1	993
8/16/66	BOARD, SUPPORT FILTER BD	TSTC(2.5K	1	994
8/16/66	BOARD, FILTER	RAK 110-2 TSTC(2.5K	2	995
9-1-66	SPACER, COIL	TFP-2.5K	1	996
9-14-66	SPACER, INSULATION	LPFF-1	1	997
9-14-66	ILLUMINATOR, BAND	TLAA-2.5K		998
9-19-66	BAFFLE, AIR	RAK 110-2	1	999
9-29-66	BOARD, SUPPORT BULBS	TLAA-2.5K		1000
10-6-66	SHIELD TERM STRIP	AXC33,646 247	1	1001
10-14-66	BLOCK MTG SHIELD	KIT 246 247	1	1002
11-2-66	COVER, PROTECT CIRCUIT BREAKER	KIT 200K 247	1	1003
12-5-66	SHIELD, SWITCH	TCP-2	1	1004
12-5-66	SHIELD, SWITCH	TCP-2	1	1005
12-5-66	BAFFLE, AIR	TLAA-2.5K	1	1006
12-27-66	CAP, CONTACT HOLDER	TLAA-2.5K RAK-110-2	1	1007
1-17-67	CASE P/O HS 101, 102	HS	8	1008
2-8-67	PANEL, PATCH	SBT-1KPA1 SBT-1KPA2	2	1009
2/20/67	PLATE, MTG XFMR	TR162A	1	1010
2/20/67	PLATE, XFMR, TIE DOWN	TR162A	1	1011
2/20/67	SUPPORT BAR XFMR	TR162A	1	1012
2/20/67	SUPPORT, BAR, FILTER ASSY	LPFA-40K	1	1013
2/23/67	Plate, TIE down	TRO-91A	1	1014

AX

DATE	DESCRIPTION	MODEL	SIZE	DWG NO
7/23/67	Bracket, Support Core	TRO-47A	1	1015
8-30-67	PLATE, MTG CAPACITOR	LPA-2	2	1016
9-8-67	BOARD, MTG RECT.	BCT-10KA	1	1017
"	STRIP, INSULATOR	"	2	1018
"	BOARD, MTG RESISTOR	BCT-10KA GPT-10KRL	2	1019
"	INSULATOR, TRIM STRIP, (TOP & BOTTOM)	BTC-10KA	2	1020
"	BOARD, MTG CAPACITOR	"	2	1021
"	BOARD, MAIN (FILTER)	GPT-40EL -10KRL	4	1022
9/12/67	Bracket, Insulator	Kit 347	2	1023
10-4-67	PLATE, BANDSWITCH ^{FRONT & REAR}	BCT-10KA	4	1024
10-09-67	PLATE, HOLDER BOTTOM	BCT-10KA	2	1025
"	FLUE, SPLIT	BCT-10KA	2	1026
"	FLUE, BOTTOM	BCT-10KA	2	1027
10-23-67	INSULATOR	BCT-10KA	1	1028
"	SHAFT, BANDSWITCH	BCT-10KA	1	1029
"	BRACKET, XFMR TIEDOWN	BCT-10KA	1	1030
"	PLATE, MTG CAPACITOR	BCT-10KA	2	1031
10 21-67	SPACER, COIL	BCT-10KA	1	1032
"	SPACER, COIL	BCT-10KA	2	1033
10/27/67	Spacer, Epoxy	TTA-1	1	1034
10/30/67	Strip, Mtg Terminal	LPA-2	1	1035
10-30-67	PLATE HOLDER TOP	BCT-10KA	2	1036
10/31/67	Spacer, flue	BCT10KA	1	1037
11-7-67	PLATE, SWITCH	GPT40KEL	1	1038
11-7-67	HOLDER, CONTACT	"	1	1039
11-24/67	Cover, Protective	BCT10KA	1	1040
12/5/67	Hood, Right Side	TRC20KA	4	1041
12/6/67	Hood, left Side	TRC20KA	4	1042
12/6/67	Base, Hood, left Side	TRC20KA	B	1043

PHENOLIC, SHEETS OR FORMED

PX

DATE	DESCRIPTION	MODEL	SIZE	DWG NO
12/6/67	Base, Hood, Right Side	TRC20KA	B	1044
12/6/67	Bracket, Support	TRC20KA		1045
12/6/67	Cover, Protective	TRC20KA	B	1046
12/30/67	Lamp, Support	BCT10KA	1	1047
1-3-68	LENS, COUNTER	HFRR-4	1	1048
↓	BLOCK, ALIGNMENT, OSC	↓	1	1049
1-3-68	TEE BAR, SLUG OPER.	HFRR-4	2	1050
1/15/68	Strip, Mtg. Terminal	BCT10KA	1	1051
2-7-68	FLUE AIR	BCT-10KA	1	1052
3/26/68	Dust, Mtg Output Coil	BCT10KA	2	1053
3-26-68	INSULATOR, TERMINAL BOARD	SME-6	1	1054
5-23-68	INSULATOR	BCT-10KA	1	1055
8-22-68	TRUNK, ANTENNA	AWTA-1	4	1056
8-22-68	PLATFORM, MTG. ANTENNA	AWTA-1	4	1057
8-22-68	PLATE, RETAINER TUBE, INSUL	AWTA-1	4	1058
8-22-68	SCHROUD ANTENNA	AWTA-1	4	1059
9/24/68	INSULATOR	BCT10KA	1	1060
12/10/68	Support, Mtg REF 3	BCT10KA ^{AX633}		1061
3/26/68	SUPPORT, MTG, XFMR	MTR()150	1	1062
5-22-69	BUSHING, CONN, TEF	P-15	1	1063
6-5-69	COVER/BOX INS ^{A-5497}	TAA-2.5K		1064
6-9-69	SCREEN, CONT VIEW	RTIH-3 "-4	2	1065
11-14-69	MTG BD, CLIP	TM CV		1066
10/12/70	BOARD, ZENER LD 2428	HFLM-1K AP50	B	1067
10/23/70	SPACER, COIL	AS147	A	1068
10/27/70	SUPPORT, SPACER	AS147	B	1069
3/11/69	Shaft, Main RF Band Sw	PALA-10K AS145	B	1070
	Block Mtg. Socket	PALA-10K AX5084	A	1071
	Board Mtg Cap.	PALA-10K AX5034	A	1072

PX

PX 1072
DWG NO

DATE	DESCRIPTION	MODEL	SIZE	DWG NO
	Leg, Mtg Bandsw	PALA-10K AX5084	B	PX 1073
	Board, Mtg, Output Coil	PALA-10K AS145	B	1074
	Board, Mtg, Coil	PALA-10K AX5084	A	1075
	Board, Top, Contacts Mtg		C	1076
	Insulator Mtg, Button	PALA-10K AP148	A	1077
	Flue, Final, Tube	PALA-10K AX5084	A	1078
	Flue Top Inner	PALA-10K AX5084	B	1079
	Flue Top, Outer	PALA-10K AX5084	B	1080
	Spacer, Coil	PALA-10K AX5084	B	1081
	Wafer (Output Driver)	PALA-10K AX5080	A	1082
	B.S. Wafer	PALA-10K AS146	B	1083
	Spacer B.S. Coil	PALA-10K AX5084	A	1084
	Hub Rotor (Insulated)	GPR-10K AX5080	B	1085
	Board, Perminating Input 2D 2370	PALA-10K AP148	B	1086
	Bd, Mtg Ract	HVRB-3 HVRC-3		1087
	Bar, Contact	PALA-10K AP148	B	1088
	Connector, Solenoid, Insulated	PALA-10K AX5096	A	1089
	Gland, Spring	PALA-10K AX5096	A	1090
	Shaft, FilT, Sw	AF109	B	1091
	Spacer, Coil	PALA-10K AX5084	A	1092
	Bd, Mtg Comp	OBS AX5080		1093
	Bd Mtg Term	OBS AX5080		1094
	Zener Board	PALA-10K AP148	B	1095
	CYL, Flanged OBS FP206	AX5080		1096
	Flue Inner Exh.	PALA-10K AP148	A	1097
	Cover Protective Main Input	PALA-10K AX5084	B	1098
3-2-70	Baffle, Air	AX5080	C	1099
6/30/70	Board, Power Input	H.PTA-11C APP-1B		

TITLE

DATE	DESCRIPTION	MODEL	SIZE	DWG. NO.
10/20/70	WAFER, BD SW	AS147	B	1151
10/23/70	HUB, ROTOR	AS147	B	1152
10/26/70	SPACER, COIL	AX5113 A4840	A	1153
10/27/70	TERMINAL BLOCK	LPFB-2	A	1154
11/6/70	SPACER, MTG COIL	TLAM-1K AS147	A	1155
1/29/71	Flue, Elbow	AX5113	D	1156
2/23/71	BD, Zone LD2443	HFLA-1K HFTA1K AP152	B	1157
2/28/71	Flue, Air Flow	AX5114	D	1158
3/10/71	BOX, PROTECTIVE	BMA455 AX5125	B	1159
3/15/71	COVER, PROTECTIVE	SPTM-10KLA	D	1160
4/12/71	STIFFENER, PC BD	TLAA-1K	B	1161
4/29/71	AIR BAFFLE	LPA-2	B	1162
5/29/71	STIFFENER, PC BD	TFP-1K		1163
6/4/71	INS, ROUND, TEF	STD	A	1164
6/17/71	Cover, protective	BMA441 AX5113-2	B	1165
6/18/71	Stiffener, PCC	AX5130		1166
9/9/71	PLATE, INS, CAP	TLAA-1K AX5132	B	1167
11/4/71	Contact, Guide	MAT-5	B	1168
	Shaft Actuator	MAT-5	B	1169
	Window View	MAT-5	B	1170
	Side Plate	MATR-10KE5	A	1171
11/4/71	Plate, Wafer	MAT-5	C	1172
11/4/71	PNL, METER & SWITCH	MAT-5	C	1173
12/2/71	FLUE, AIR	TLAA-1K	A	1174
11/29/71	SPACER, NON METALLIC	TLAA-1K A-4909	A	1175
1/20/72	FLUE, TOP OUTER	AX5114	B	1176
1/25/72	FLUE, TOP, INNER	HFLA-10K AX5114	B	1177
1/25/72	CHIMNEY, PA TUBE	HFLA-10K AX5114	B	1178

PX

TITLE

DATE	DESCRIPTION	MODEL	SIZE	DWG. NO.
9/12/72	3lbz ARM, SW	KIT 382 AX5144	A	1179
9/28/72	SUPPORT, PLATE	TAA-1K	A	1180
9/28/72	PLATE, INSULATED, CAP MTB	TAA-1K	B	1181
10-5-72	COIL SUPPORT	MTU-350	A	1182
10-17-72	COIL SUPPORT	TAA 350	A	1183
10/19/72	Insulator, Bowl, Mount	AX5174	B	1184
12/23/72	XFMR, SHIELD	RSU-1	A	1185
1/15/73	FLUE, TOP, INNER	HFTA-5K5	B	1186
1/15/73	FLUE, TOP, OUTER	HFTA-5K5	B	1187
				1188
				1189
				1200
<p>assigned to TMC to Virginia 2/9/73</p>				<p>↑ ↓</p>
				1229
3-2-73	PLATE, END REFLECTOR	ATSA-3 * AX5180	A	1230
3-2-73	INSULATOR, CAP REFLECTOR	ATSA-3 * AX5180	A	1231
5/3/73	SUPPORT, CAPACITOR	ATSA-3 *	B	1232
5/11/73	SPACER, COIL	ATSA-3 *	B	1233
5/11/73	BOARD, COIL MTB	ATSA-3 *	B	1234
5/11/73	GUIDE, ROTOR	ATSA-3 *	A	1235
5/22/73	WAFER, BANDSWITCH	ATSA-3 *	B	1236
5/22/73	SHAFT, BANDSWITCH	ATSA-3 *	A	1237
	SPACER, TEFLON	ATSA-3 * AX5180		1238
	XFMR, MOUNT	ATSA-3	B	1239

TITLE

	DESCRIPTION	MODEL	SIZE	DWG. NO.
7-8-73	XFMR, TERMINAL INS.	ATSA-3 HX5176	B	1240
	XFMR, CENTER INS.	ATSA-3 HX5176	B	1241
9-10-73	SPACER, SWITCH	GPR110	A	1242
	Knob, Tuning <i>obsolete 1/23/74</i>	GPR110		1243
	Window Display	GPR110	B	1244
3/7/74	Cover, Network Time Delay	TLAA-1K	A	1245
4/10/74	Solenoid, Lever	ATSA-3	A	1246
4/26/74	Mtg, Plate	TMA-1K	A	1247
10-2-74	BOARD MTG SWITCH	HFL-100		1248
11	INSULATOR OUTPUT COUPLED ^{LINE}	TMA-1K	A	1249
11	INSULATION OUTPUT COUPLER CAP	TMA-1K	A	1250
12/4/74	INSULATOR, HIGH VOLTAGE	TMA-1K	A	1251
1-14-76	WAFER SWITCH	HFLM-10K/1	C	1252
3-29-76	BOARD MTG	HFLM-10K/1	B	1253
4-20-76	BD, ZENER	AP152	B	1254
	SPACER, STATIC CHOKE	TLAA-1K	A	1255
5-4-76	FLUE, TOP INNER	HFLM-10K/1	B	1256
5-19-76	SHIELD BOARD	HFTM-40K	C	1257
10-10-76	TERMINAL, BOARD	AX5212 ^{CPT. HCE6}	A	1258
12-10-76	SHIELD PRESELECTOR	GPR-110A	B	1259
3-28-78	GUIDE, P.C BD	DPC-10		1260
4-5-78	AC, INPUT BOARD	HFTA-10K	2	1261
5-2-78	COVER BOARD	HFTA-10K	2	1262
5-5-78	COVER AC, INPUT BOARD	HFTA-10K		1263
5-25-78	PLATE, BANDSWITCH (FRONT)	MFTA-10KA	C	1264
10-26-78	WAFER LOAD SW	MFTA-10KA	B	1265
12-20-78	PLATE, RETAINER RESTS	MFTA-10KA	A	1266
9-14-79	BRACKET, MTG. RECTIFIER SEMC. DEVICE	AX-799	B	1267

PART/MODEL NUMBER REGISTER

DESCRIPTION

SERIES

PX

DATE	DESCRIPTION	U/O	SIZE	DWG/ID#
9-14-79	INSULATOR, CONTACT	AX799	B	P268
3-4-80	SUPPORT COIL MTG.	TU-2 ATS-50 ⁽⁷⁰⁾	A	1269
3-4-80	SPACER, COIL	ATS-50 ⁽⁷⁰⁾ TU-2	B	1270
3-20-80	SPACER, COIL (CL118-31)	GPT-750/ E5	B	1271
3-20-80	SUPPORT COIL MTG. (CL118-31)	GPT-750/ E5	A	1272
5-8-80	PLATE MTG. STUD	ATU-350	A	1273
6-16-80	CAPACITOR, SUPPORT	AMC-8A	A	1274
8-7-80	SHAFT, DECOUPLING	HFT10K/5	A	1275
8-7-80	BLOCK DECOUPLING	HFT10K/5	B	1276
8-12-80	COVER, SPRING	HFT-10K/7	A	1277
8-12-80	PLATE MTG CAP	HFT-10K/5	A	1278
10-27-80	MARKING DISPLAY	TMA-1K		1279
10-27-80	BOARD MTG. CAP (PWR SUP)	GPT-1K	A	1280
4-2-81	WAFER, BANDSWITCH	HFT-10K/5 (LOCKHEED)	C	1281
4-20-81	PLATE BANDSWITCH (REAR)	AS166-1	C	1282
8-28-81	TUBULAR CASE, RESISTOR HOUSING		C	1283
10-20-81	PAD, TRANSISTOR MTG	LOCKHEED SPECIAL	A	1284
11-2-81	COVER RELAY	GPT-10K	B	1285
11-3-81	INSULATOR, FILTER	LOCKHEED SPECIAL	A	1286
11-4-81	PLATE MTG TIME DELAY	GPT-10K	C	1287
2-23-82	CAPACITOR WAFER	---	---	---
4-16-82	INSERT	AX807 GPT10K	A	1288
8-24-82	WINDOW DISPLAY (A5806)	AX5255	A	1289
8-31-82	END, SEALS	DAC-20	A	1290
8-31-82	PLAT, MTG CASE	DAC20	A	1291

SERIES

PX

PART/MODEL NUMBER REGISTER

DESCRIPTION

DATE	DESCRIPTION	U/O	SIZE	DWG/ID#
2-23-82	CAPACITOR COVER	GPT-10K AX807	A	1292
5-23-84	^{PL122, PL125, 127, RL123} PLATE, INSULATOR OVL D Relay MTG	GPT10K	A	1293
3-8-83	PLASTIC ADAPTER (PM1188)	TST-10K	A	1294
5-23-84	^{PL122, PL125, PL127, PL128} PLATE INSULATOR, OVL D Relay	GPT10K	A	1295
3-27-85	WATER CONTACT MTG ^{PL128}	STAND.	C	1296
4-23-85	WINDOW DISPLAY	MMK4A	A	1297
4-23-85	PLATE MTG. 3MHZ STD ^{NOT used}	MMX-4A		1298
8-30-88	INS. ANT. BASE	AB		1299
8-30-88	SUPPORT. ANT.	AB		1300
1-26-88	CASE (VRA) V		D	1301
1-26-88	BRACKET MTG. CASE		B	1302
1-11-89	PLATE, RETAINER	TER4K	B	1303
5-11-89	PLATE, MTG RESISTOR	TER-4K	C	1304
3-22-90	SPACER MTG PLATE	TRC-10K	A	1305
4-11-90	SUPPOR RESISTOR TER 500-1K		B	1306
4-11-90	PLATE, MTG. RESISTOR		B	1307
5-2-90	COMPONENT BOARD, A1877-A	A1877-A		1308
7-10-91	CAPACITOR SUPPORT	AMC-32A LF MF 4K	A	1309
3-12-92	HOLDER CONTACT	45880	A	1310
9/10/92	Bottom COVER (AP12005)	TR10005	A	1311
12/29/92	Bottom INS. SUPPORT	B.B.W	B	1312
12/29/92	Top Base (Housing)	BBW	A	1313
1/21/94	INSULATOR, ROPE GUIDE	DPA TVR	1	1314
1/31/96	SWITCH support FRONT	AMU-5K	2	1315
2/2/96	SPACER, COIL F	AMU-5K	1	1316
2/20/96	SWITCH support VRA	AMU-5K	2	1317
4/19/96	INSULATOR, MAST	VRA-6	1	1318